
Appendix B

Property Ownership Information

611683

REGISTER'S OFFICE
County of Monroe, WI

WARRANTY DEED

Document Number

Received for record this 18
day of Jan A.D., 2011
at 10 o'clock A M.
John S. [Signature] Register

First American
065 Fifth Ave C

THIS DEED, made between Everett E. Chambers and Joanne B. Chambers ("Grantor," whether one or more); and Hi-Crush Chambers LLC ("Grantee," whether one or more).

Grantor for a valuable consideration, sells, assigns, conveys and transfers to Grantee all right, title and interest of Grantor in and to the real property located in Monroe County, State of Wisconsin (being more particularly described in Exhibit A attached hereto and incorporated herein for all purposes), together with all the rights, hereditaments, easements, appendages, ways, privileges and appurtenances pertaining thereto, including, but not limited to, all right, title, and interest of Grantor, if any, in and to any and all sewer and wastewater discharge capacity allocated or reserved thereto, any and all potable water capacity allocated or reserved thereto, any and all other utility rights allocated or reserved thereto, any and all development rights with respect thereto, any adjacent strips and gores between the property and any abutting properties, and any land lying in or under the bed of any waterway or any highway, avenue, road, easement, street, alley or right-of-way, open or proposed, in, on, across, abutting or adjacent thereto (collectively, the "Land"), and all buildings, structures, fixtures, tracks, pipelines and all oil, gas, sand and other mineral rights, and royalties, and all wells, pumps and any and all similar and/or related improvements of every kind and nature presently situated on, in or under, or used in, on or about the Land (collectively, the "Improvements," together with the Land, the "Property").

Recording Area

Name and Return Address
Fulbright & Jaworski L.L.P.
1301 McKinney, Suite 5100
Houston, Texas 77010
Attn: Shelley Poore

See attached Exhibit A
Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

Grantor warrants that the title to the Property is good, indefeasible, in fee simple and free and clear of any and all liens, charges or other encumbrances other than those encumbrances more particularly described in Exhibit B attached hereto and incorporated herein for all purposes, but only to the extent that they relate to the Property or any portion thereof.

Dated: January 10, 2011

Everett E. Chambers
Everett E. Chambers

Joanne B. Chambers
Joanne B. Chambers

TRANSFER
\$ 6,000.00
FEE



ACKNOWLEDGMENT

STATE OF WI)
Dane COUNTY) ss.
Personally came before me on January 10 2011
the above-named Everett E. Chambers and Joanne B. Chambers to me known to be the person(s) who executed the Foregoing instrument and acknowledged the same.

Diane Greene
* Diane Greene
Notary Public, State of WI
My commission (is permanent) (expires: 9-25-11)

THIS INSTRUMENT DRAFTED BY:
Alex Niebruegge
Fulbright & Jaworski L.L.P.

EXHIBIT A

South Half (S½) of Section Eight (8) and all that part of Northeast Quarter (NE¼) of Section Seventeen (17), lying East of the Chicago, St. Paul, Minneapolis and Omaha Railroad Company right of way, all in Township 18 North, Range 1 East, Town of Byron, Monroe County, Wisconsin;

Excepting the following parcels:

1. Lands sold to Monroe County for highway purposes;
2. Lot One (1) of a Certified Survey Map recorded in Vol. 10 of CSM Pg. 157 as Doc. No. 446155, located in the NE ¼ of SW ¼ of Section 8, Township 18 North, Range 1 East, Monroe County, WI;
3. Lands described in Vol. 320 Records Pg. 317 as Doc. No. 488838;
4. Railroad Right-of-Way 115 Feet in width as depicted on Survey dated December 10, 2010 by Paul R. Knudson, Wisconsin Registered Land Surveyor, under Vierbicher Project No. 75107465, and on Right of Way and Track Map of Chicago, St. Paul, Minneapolis and Omaha Railway Co. dated June 30, 1917.

ALSO EXCEPTING: A parcel of land located in part of the NW 1/4 of the SW 1/4, NE 1/4 of the SW 1/4, NW 1/4 of the SE 1/4, and NE 1/4 of the SE 1/4 of Section 8, T18N, R1E, described as follows:

Commencing at the West quarter corner of said Section 8; thence S86°12'09"E along the east-west quarter line of said Section 8, 787.99 feet to the Point of Beginning; thence continuing S86°12'09"E along said east-west quarter line, 563.52 feet to the Northwest corner of Lot 1, of Certified Survey Map recorded in Volume 10 of Certified Surveys on Page 157, as Document No. 446155; thence S00°00'04"W along the West line of said Lot 1, 294.60 feet to a found 1" iron pipe at the Southwest corner thereof; thence S86°11'02"E along the South line of said Lot 1, 294.90 feet to a found 1" iron pipe at the Southeast corner thereof; thence N00°01'40"W along the East line of said Lot 1, 294.71 feet to the Northeast corner thereof; thence S86°12'09"E along said east-west quarter line, 3607.23 feet to the East quarter corner of said Section 8; thence S00°04'47"E along the East line of said NE 1/4 of the SE 1/4, 759.23 feet; thence N86°12'09"W along a line parallel with said east-west quarter line, 3814.15 feet to the intersection with the Northeasterly right-of-way of Union Pacific Railroad; thence N39°03'11"W along said railroad right-of-way, 1033.23 feet to the Point of Beginning.

Computer No. 006-00168-0000
 Computer No. 006-00381-0000
 Computer No. 006-00377-0000
 Computer No. 006-00168-0001
 Computer No. 006-00169-0000
 Computer No. 006-00375-0000
 Computer No. 006-00166-0000
 Computer No. 006-00164-0000
 Computer No. 006-00167-0000
 Computer No. 006-00163-0000
 Computer No. 006-00161-0000
 Computer No. 006-00162-0001

EXHIBIT B

1. Grantor's rights under that certain Purchase and Sale Agreement dated on or about January 11, 2011, by and between Grantor and Grantee (the "Purchase Agreement"), including without limitation section 6.8 of the Purchase Agreement and the Royalty Agreement dated on or about January 11, 2011, by and between Grantor and Grantee.
2. Public or private rights if any in such portion of the subject premises as may be presently used, laid out or dedicated in any manner whatsoever, for highway purposes.
3. Easement to Northwest Telephone Company as set forth in Vol. 110 of Records Pg. 120 as Doc. No. 401124.
4. Easement to Northwest Telephone Company as set forth in Vol. 110 of Records Pg. 125, as Doc. No. 401129.
5. Easement to Centurritel of the Mid-West Wisconsin, Inc. as set forth in Vol. 318 Records Pg. 781 as Doc. No. 488252.
6. Rights and easements, if any, in and to any and all railroad switches, sidetracks, spur tracks and rights of way located upon or appurtenant to the subject premises.

The grantor warrants that the title to the described property is the simple and free and clear of any and all liens, charges or other encumbrances, other than those encumbrances more particularly described in Exhibit B attached hereto and incorporated herein for all purposes. Not only with the extent that they relate to the Property or any portion thereof.

Dated: January 28, 2011


 Everett J. Chambers


 Joseph B. Chambers

TRANSFER
 5:16:00 PM
 FEB



ACKNOWLEDGMENT
 STATE OF WI
GREENE COUNTY
 Personally came before me on Jan 28, 2011
 the above-named Everett J. Chambers and Joseph B. Chambers to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.
 My commission expires on June 15, 2011

THIS INSTRUMENT DRAFTED BY:
 Alex Niekrop
 Esquire & Associates, LLC

611651

Document Number

WARRANTY DEED

REGISTER'S OFFICE
County of Monroe, WI

THIS DEED, made between Monroe County Land Holdings, LLC
("Grantor," whether one or more); and Hi-Crush Wyeville LLC
("Grantee," whether one or more).

Received for record this 17
day of January A.D., 2011
at 1:45 o'clock P. M.
[Signature] Register
4

Grantor for a valuable consideration, sells, assigns, conveys and transfers
to Grantee all right, title and interest of Grantor in and to the real property
located in Monroe County, State of Wisconsin (being more particularly
described in Exhibit A attached hereto and incorporated herein for all
purposes), together with all the rights, hereditaments, easements,
appendages, ways, privileges and appurtenances pertaining thereto,
including, but not limited to, all right, title, and interest of Grantor, if any,
in and to any and all sewer and wastewater discharge capacity allocated
or reserved thereto, any and all potable water capacity allocated or
reserved thereto, any and all other utility rights allocated or reserved
thereto, any and all development rights with respect thereto, any adjacent
strips and gores between the property and any abutting properties, and
any land lying in or under the bed of any waterway or any highway,
avenue, road, easement, street, alley or right-of-way, open or proposed,
in, on, across, abutting or adjacent thereto (collectively, the "Land"), and all buildings, structures, fixtures, tracks,
pipelines and all oil, gas, sand and other mineral rights, and royalties, and all wells, pumps and any and all similar
and/or related improvements of every kind and nature presently situated on, in or under, or used in, on or about the
Land (collectively, the "Improvements," together with the Land, the "Property").

30th pd 1st Am title
Recording Area

Name and Return Address
Fulbright & Jaworski L.L.P.
1301 McKinney, Suite 5100
Houston, Texas 77010
Attn: Shelley Poore

See attached Exhibit A
Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

Grantor warrants that the title to the Property is good, indefeasible, in fee simple and free and clear of any and all
liens, charges or other encumbrances other than those encumbrances more particularly described in Exhibit B
attached hereto and incorporated herein for all purposes, but only to the extent that they relate to the Property or any
portion thereof.

Dated: 1-13-11

Monroe County Land Holdings, LLC

TRANSFER
\$.5,410.00
FEE

[Signature]
* Jerome Pientik, Authorized Member

ACKNOWLEDGMENT

STATE OF Wisconsin)
Eau Claire COUNTY) ss.
Personally came before me on 1-13-11,
the above-named Jerome Pientik
to me known to be the person(s) who
executed the Foregoing instrument and acknowledged
the same.

THIS INSTRUMENT DRAFTED BY:
Alex Niebruegge
Fulbright & Jaworski L.L.P.

[Signature]
* William J. Spangler
Notary Public, State of Wisconsin
My commission (is permanent)



A parcel of land located in the SW 1/4 of the SW 1/4 and NW 1/4 of SW 1/4 of Section 16 and the NE 1/4 of the NE 1/4, NW 1/4 of NE 1/4, SW 1/4 of NE 1/4, SE 1/4 of NE 1/4 and the NE 1/4 of SE 1/4, Section 17, Township 18 North, Range 1 East, Town of Bryon, and Village of Wyeville, Monroe County, Wisconsin, described as follows: Beginning at the S 1/4 corner of Section 8, Township 18 North, Range 1 East; thence N0 degrees 02'01" W along the West line of the SW 1/4 of SE 1/4 of said Section 8, a distance of 321.55 feet; thence S38 degrees 58'15" E, a distance of 6308.52 feet to the East line of said SW 1/4 of SW 1/4; thence S0 degrees 15'09" E along said East line, a distance of 820.83 feet to the North right of way line of S.T.H. "21"; thence N86 degrees 35'13" W along said North line, a distance of 1329.69 feet to the West line of said SW 1/4 of SW 1/4; thence N0 degrees 07'21" W, a distance of 1157.65 feet to the Northwest corner of said SW 1/4 of SW 1/4; thence N0 degrees 13'18" W along the West line of said NW 1/4 of SW 1/4, a distance of 774.59 feet to the Southerly line of the Union Pacific Railroad; thence N38 degrees 57'52" W along said Southerly line, a distance of 818.37 feet to the Southeast corner of Lot 1 of Volume 18 of Certified Survey Maps, Page 191; thence N38 degrees 58'46" W along said Southerly line, a distance of 3375.13 feet to the West line of said NW 1/4 of NE 1/4; thence N0 degrees 13'00" W a distance of 132.49 feet to the point of beginning, EXCEPT that part contained within the SW 1/4 of SE 1/4 of said Section 8.

- Computer No. 192-00077-0000
- Computer No. 006-00366-0000
- Computer No. 006-00378-0000
- Computer No. 006-00399-0000
- Computer No. 006-00375-5000
- Computer No. 006-00379-5000
- Computer No. 006-00384-0000

EXHIBIT B

1. Rights of the public in any portions of the subject premises lying below the ordinary highwater mark of Mill Creek and rights of riparian owners to an unobstructed and unpolluted flow of water through said creek and through drainage ditch as shown on Survey dated December 10, 2010 by Paul R. Knudson R.L.S. Job No. 75107464.
2. Easement executed by Chicago and North Western Railway Company f/k/a Chicago and North Western Transportation Company to MCI Telecommunications Corp recorded in Volume 199 Records, Page 831, as Document No. 442056.
3. Easement executed by Chicago and North Western Transportation Company to US Sprint Communications Company recorded in Volume 87 Records, Page 623, as Document No. 390073.
4. Mineral Rights as contained in Quit Claim Deed recorded May 24, 2010, as Document No. 605064.

Appendix C

Site Soil Information

C-1 – Topsoil and B-Horizon Calculation Spreadsheet

C-2 – NRCS Custom Soil Report for Monroe County, Wisconsin

C-1 – Topsoil and B-Horizon Calculation Spreadsheet

Weighted Average Soil Thickness

Wyeville Site, Town of Byron, Monroe County, Wisconsin

Map Unit Symbol	Map Unit Name	Topsoil thickness (inches)	B-horizon thickness (inches)	Acres in AOI	Percent of AOI	Topsoil Weighted Avg (inches)	B-Horizon Weighted Avg (inches)
CeA	Ceresco fine sandy loam, 0 to 3 percent slopes	14	22	6.1	1.70%	0.2	0.4
Dc	Dawson peat	12	30	22.9	6.50%	0.8	2.0
Lw	Lows sandy loam	8	3	30.1	8.50%	0.7	0.3
MaA	Meehan and Au Gres sands, 0 to 3 percent slopes	9	18	17.3	4.90%	0.4	0.9
Ne	Newson loamy sand	6	19	274.8	77.90%	4.7	14.8
W	Water	—	—	1.5	0.40%	—	—
Totals for Area of Interest				352.6	100.00%	6.8	18.3


C-2 – NRCS Custom Soil Report for Monroe County, Wisconsin



A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Monroe County, Wisconsin

Hi Crush - Wyeville Site



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://soils.usda.gov/sqi/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<http://offices.sc.egov.usda.gov/locator/app?agency=nracs>) or your NRCS State Soil Scientist (http://soils.usda.gov/contact/state_offices/).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Soil Data Mart Web site or the NRCS Web Soil Survey. The Soil Data Mart is the data storage site for the official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means

for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	5
Soil Map	7
Soil Map (HI-CRUSH PROPPANTS LLC.- WYEVILLE SITE).....	8
Legend.....	9
Map Unit Legend (HI-CRUSH PROPPANTS LLC.- WYEVILLE SITE).....	10
Map Unit Descriptions (HI-CRUSH PROPPANTS LLC.- WYEVILLE SITE).....	10
Monroe County, Wisconsin.....	12
CeA—Ceresco fine sandy loam, 0 to 3 percent slopes.....	12
Dc—Dawson peat.....	12
Lw—Lows sandy loam.....	13
MaA—Meehan and Au Gres sands, 0 to 3 percent slopes.....	14
Ne—Newson loamy sand.....	15
W—Water.....	16
References	17

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil scientists classified and named the soils in the survey area, they compared the

Custom Soil Resource Report

individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.


After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report


Soil Map (HI-CRUSH PROPPANTS LLC.- WYEVILLE SITE)



Custom Soil Resource Report

MAP LEGEND






















Area of Interest (AOI)


 Area of Interest (AOI)

Soils


 Soil Map Units

Special Point Features




-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot
-  Spoil Area
-  Stony Spot

 Very Stony Spot

 Wet Spot

 Other

Special Line Features

-  Gully
-  Short Steep Slope
-  Other






Political Features

 Cities

Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

MAP INFORMATION

Map Scale: 1:14,600 if printed on A size (8.5" x 11") sheet.

The soil surveys that comprise your AOI were mapped at 1:15,840.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for accurate map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL: <http://websoilsurvey.nrcs.usda.gov>
 Coordinate System: UTM Zone 15N NAD83

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Monroe County, Wisconsin
 Survey Area Data: Version 7, May 13, 2009

Date(s) aerial images were photographed: 8/1/2005; 6/6/2005

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend (HI-CRUSH PROPPANTS LLC.- WYEVILLE SITE)

Monroe County, Wisconsin (WI081)			
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
CeA	Ceresco fine sandy loam, 0 to 3 percent slopes	6.1	1.7%
Dc	Dawson peat	22.9	6.5%
Lw	Lows sandy loam	30.1	8.5%
MaA	Meehan and Au Gres sands, 0 to 3 percent slopes	17.3	4.9%
Ne	Newson loamy sand	274.8	77.9%
W	Water	1.5	0.4%
Totals for Area of Interest		352.6	100.0%

Map Unit Descriptions (HI-CRUSH PROPPANTS LLC.- WYEVILLE SITE)

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially

Custom Soil Resource Report

where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Monroe County, Wisconsin

CeA—Ceresco fine sandy loam, 0 to 3 percent slopes

Map Unit Setting

Elevation: 600 to 1,000 feet

Mean annual precipitation: 28 to 33 inches

Mean annual air temperature: 46 to 52 degrees F

Frost-free period: 135 to 160 days

Map Unit Composition

Ceresco and similar soils: 100 percent

Description of Ceresco

Setting

Landform: Flood plains

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Loamy alluvium and/or sandy alluvium

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Somewhat poorly drained

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.57 to 5.95 in/hr)

Depth to water table: About 12 to 24 inches

Frequency of flooding: Occasional

Frequency of ponding: None

Available water capacity: Moderate (about 8.9 inches)

Interpretive groups

Land capability (nonirrigated): 3w

Typical profile

0 to 14 inches: Fine sandy loam

14 to 36 inches: Sandy loam

36 to 60 inches: Sandy loam

Minor Components

Lows

Percent of map unit:

Landform: Depressions, drainageways

Dc—Dawson peat

Map Unit Setting

Elevation: 600 to 1,800 feet

Mean annual precipitation: 28 to 33 inches

Custom Soil Resource Report

Mean annual air temperature: 46 to 52 degrees F
Frost-free period: 135 to 160 days

Map Unit Composition

Dawson and similar soils: 100 percent

Description of Dawson

Setting

Landform: Depressions
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Herbaceous organic material over sandy alluvium

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Very poorly drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to high
(0.14 to 5.95 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Available water capacity: Very high (about 20.5 inches)

Interpretive groups

Land capability (nonirrigated): 7w

Typical profile

0 to 12 inches: Peat
12 to 42 inches: Muck
42 to 60 inches: Sand

Lw—Lows sandy loam

Map Unit Setting

Elevation: 800 to 1,100 feet
Mean annual precipitation: 28 to 33 inches
Mean annual air temperature: 46 to 52 degrees F
Frost-free period: 135 to 160 days

Map Unit Composition

Lows and similar soils: 100 percent

Description of Lows

Setting

Landform: Depressions, drainageways
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Parent material: Loamy alluvium over sandy alluvium

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Poorly drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: Occasional
Frequency of ponding: Frequent
Available water capacity: Moderate (about 7.4 inches)

Interpretive groups

Land capability (nonirrigated): 6w

Typical profile

0 to 8 inches: Sandy loam
8 to 11 inches: Loam
11 to 30 inches: Loam
30 to 60 inches: Sand

MaA—Meehan and Au Gres sands, 0 to 3 percent slopes

Map Unit Setting

Elevation: 600 to 1,950 feet
Mean annual precipitation: 28 to 33 inches
Mean annual air temperature: 46 to 52 degrees F
Frost-free period: 135 to 160 days

Map Unit Composition

Meehan and similar soils: 60 percent
Au gres and similar soils: 30 percent

Description of Meehan

Setting

Landform: Drainageways, depressions
Down-slope shape: Linear, concave
Across-slope shape: Linear, concave
Parent material: Sandy alluvium derived from sandstone

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Somewhat poorly drained
Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)
Depth to water table: About 18 to 36 inches
Frequency of flooding: None
Frequency of ponding: None
Available water capacity: Low (about 4.0 inches)

Interpretive groups

Land capability classification (irrigated): 4e

Land capability (nonirrigated): 4w

Typical profile

0 to 9 inches: Sand

9 to 27 inches: Sand

27 to 60 inches: Sand

Description of Au Gres

Setting

Landform: Depressions, drainageways

Down-slope shape: Concave, linear

Across-slope shape: Concave, linear

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Somewhat poorly drained

Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)

Depth to water table: About 12 to 24 inches

Frequency of flooding: None

Frequency of ponding: None

Available water capacity: Low (about 4.3 inches)

Interpretive groups

Land capability (nonirrigated): 4w

Typical profile

0 to 16 inches: Sand

16 to 26 inches: Sand

26 to 60 inches: Sand

Minor Components

Newson

Percent of map unit:

Landform: Depressions, drainageways

Ne—Newson loamy sand

Map Unit Setting

Elevation: 600 to 2,000 feet

Mean annual precipitation: 28 to 33 inches

Mean annual air temperature: 46 to 52 degrees F

Frost-free period: 135 to 160 days

Map Unit Composition

Newson and similar soils: 100 percent

Description of Newson

Setting

Landform: Depressions, drainageways

Down-slope shape: Concave, linear

Across-slope shape: Concave, linear

Parent material: Sandy alluvium

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Poorly drained

Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 5.95 in/hr)

Depth to water table: About 0 inches

Frequency of flooding: Occasional

Frequency of ponding: Frequent

Available water capacity: Low (about 5.0 inches)

Interpretive groups

Land capability (nonirrigated): 6w

Typical profile

0 to 6 inches: Loamy sand

6 to 25 inches: Loamy sand

25 to 60 inches: Sand

W—Water

Map Unit Setting

Elevation: 660 to 980 feet

Mean annual precipitation: 30 to 33 inches

Mean annual air temperature: 37 to 55 degrees F

Frost-free period: 145 to 165 days

Map Unit Composition

Water: 100 percent

Description of Water

Interpretive groups

Other vegetative classification: Not Assigned (water) (Nwat)

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. <http://soils.usda.gov/>

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. <http://soils.usda.gov/>

Soil Survey Staff. 2006. Keys to soil taxonomy. 10th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. <http://soils.usda.gov/>

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. <http://soils.usda.gov/>

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.glti.nrcs.usda.gov/>

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. <http://soils.usda.gov/>

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. <http://soils.usda.gov/>

Custom Soil Resource Report

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210.

Appendix D

Groundwater Information


D-1 – Depth to Groundwater Map

D-2 – Groundwater Contours Map

D-3 – Monitoring Well Locations Map


D-4 – Well Constructor's Reports

D-1 – Depth to Groundwater Map




Source: Map adapted from Schmidt, R.R., 1987, Groundwater contamination susceptibility map and evaluation: Wisconsin Department of Natural Resources, Wisconsin's Groundwater Management Plan Report 5, PUBL-WR-177-87, 27 p.


Legend



 Hi-Crush Property

Depth to Groundwater

 0-20 feet

 20-50 feet

 Greater than 50 feet



DEPTH TO GROUNDWATER


Hi-Crush Rail Spur
Monroe County, Wisconsin



Appendix D-1


File: 20120423_depthtogw.mxd
Summit Proj. No.: 2136-0003
Plot Date: 4-23-12
Arc Operator: jed
Reviewed by: td


D-2 – Groundwater Contours Map




Source: Map adapted from I.D Lippelt, Water Table Elevation, Irrigable Lands Inventory, Phase 1 - Ground Water and Related Information, Wisconsin Geological and Natural History Survey, September, 1981.

Legend


 Hi-Crush Property

 Groundwater Contour (feet above mean sea level)

920



0 2,640 5,280 Feet



GROUNDWATER CONTOURS


Hi-Crush Rail Spur
Monroe County, Wisconsin

Appendix D-2



File: 20120423_gwcontours.mxd
Summit Proj. No.: 2136-0003
Plot Date: 4-23-12
Arc Operator: jed
Reviewed by: td



D-3 – Monitoring Well Locations Map



Map adapted from NAIP Orthophotography.

Legend

- Hi-Crush Property
- ⊕ Monitoring Well



MONITORING WELL LOCATIONS

Hi-Crush Rail Spur
 Monroe County, Wisconsin



Appendix D-3

File: 20120423_welllocations.mxd
 Summit Proj. No.: 2136-0003
 Plot Date: 4-23-12
 Arc Operator: jed
 Reviewed by: td

D-4 – Well Constructor’s Reports

APR - 9 1978

1 COUNTY Menasha CHECK (✓) ONE Town Village City Name La Grange

2 LOCATION NE 17 18N 1W 3. NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
ADDRESS Racine Hill Home

OR - Grid or Street No. Street Name POST OFFICE Jornah Weir

AND - If available subdivision name, lot & block No.

4. Distance in feet from well to nearest: (Record answer in appropriate block)

Building	Sanitary Bldg. Drain	Sanitary Bldg. Sewer	Floor Drain Connected To	Storm Bldg. Drain	Storm Bldg. Sewer
10	C.I. Other	C.I. Other	C.I. Sewer Other Sewer	C.I. Other	C.I. Other
Street Sewer	Other Sewers	Foundation Drain Connected to	Sewage Sump	Clearwater Sump	Septic Tank
San. Storm C.I. Other	Sewer Clearwater Dr	Sewage Sump Clearwater Sump	C.I. Other	50	50
Privy	Pet Waste Pit	Pit. Nonconforming Existing	Subsurface Pumproom	Barn Gutter	Animal Barn Pen
Well Pump Tank	Nonconforming Existing	Animal Yard	Silo With Pit	Glass Lined Storage Facility	Silo w/o Pit
Watertight Liquid Manure Tank	Solid Manure Storage Structure	Subsurface Gasoline or Oil Tank	Waste Pond or Disposal Unit (Specify Type)	Other (Give Description)	
				<u>None</u>	

5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind	From (ft.)	To (ft.)
8	Surface	63	6	63	128	<u>Sand</u>	Surface	15
						<u>Sandstone (unstable)</u>	15	62
						<u>Sandstone</u>	62	128

7. CASING, LINER, CURBING AND SCREEN

Dia (in)	Material, Weight, Specification & Method of Assembly	From (ft.)	To (ft.)
<u>6 7/8</u>	<u>new black RL steel 19.49 lb 28" well well</u>	Surface	63
	<u>ASTMA 63</u>		
	<u>Interlake steel</u>		

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
<u>Cement Grout</u>	Surface	63

9. FORMATIONS

10. TYPE OF DRILLING MACHINE USED

Cable Tool Rotary-hammer w/drilling mud & air Jetting with

Rotary-air w/drilling mud Rotary-hammer & air Air

Rotary-w/drilling mud Reverse Rotary Water

11. MISCELLANEOUS DATA

Yield Test: 3 Hrs. at 10 GPM

Depth from surface to normal water level 90 Ft.

Depth of water level when pumping 95 Ft. Stabilized Yes No

Well construction completed on 12-9-77 1977

Well is terminated 12 inches above final grade below

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Water sample sent to La Crosse laboratory on 3-22 1978

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Roy Olin
Registered Well Driller

Complete Mail Address R.P. #2 Halman, Weir

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available)
N.W. 1/4 S.E. 1/4 Sec 17 - T.18N. - R.1W

3. OWNER AT TIME OF DRILLING Robert Heagle

4. OWNER'S COMPLETE MAIL ADDRESS R#1 Tomah Wis

5. Distance in feet from well to nearest:

BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	TILE	FOUNDATION DRAIN SEWER CONNECTED	INDEPENDENT	WASTE WATER DRAIN C. I.	TILE
8	24						

CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL	SINK HOLE
		34		76				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: Home

7. DRILLHOLE						10. FORMATIONS			
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind	From (ft.)	To (ft.)	
6	Surface	90				sand	Surface	26	
						sand rock	26	90	

8. CASING, LINER, CURBING, AND SCREEN				
Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)	
6	Black Steel 19 lb Threaded new	Surface	29	

9. GROUT OR OTHER SEALING MATERIAL		
Kind	From (ft.)	To (ft.)
	Surface	



11. MISCELLANEOUS DATA

Well construction completed on June 18 1966

Yield test: 6 Hrs. at 12 GPM Well is terminated 8 inches above below final grade

Depth from surface to normal water level 56 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 62 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison (By Owner) laboratory on: 19

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Dush COMPLETE MAIL ADDRESS Black River Falls Wis R#2

Registered Well Driller 54615'

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS
----------------------	---------------	---------------	-----------	---------

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available) NW 1/4 of Sec E 14 Sec 17 T18N R1W


3. OWNER AT TIME/OF DRILLING Robert Constant

4. OWNER'S COMPLETE MAIL ADDRESS Yonah Wis

5. Distance in feet from well to nearest: BUILDING SANITARY SEWER FLOOR DRAIN FOUNDATION DRAIN WASTE WATER DRAIN
 (Record answer in appropriate block) C. I. TILE C. I. TILE SEWER CONNECTED INDEPENDENT C. I. TILE
4 16 - - - - -

CLEAR WATER DRAIN SEPTIC TANK PRIVY SEEPAGE PIT ABSORPTION FIELD BARN SILO ABANDONED WELL SINK HOLE
 C. I. TILE
- - 53 - 70 - - - - -

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)



6. Well is intended to supply water for: New Home

7. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
6	Surface	110			

10. FORMATIONS

Kind	From (ft.)	To (ft.)
Sand	Surface	8
Soft sand rock	8	27
Sand rock - firm	27	74
Rock - Water bearing	74	110

8. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	Surface	31

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
None	Surface	



11. MISCELLANEOUS DATA

Yield test: 4 Hrs. at 12 GPM

Depth from surface to normal water level 74 ft.

Depth to water level when pumping 91 ft.

Well construction completed on Nov 8 1966

Well is terminated 10 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: Nov 14 1966

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Rush Registered Well Driller COMPLETE MAIL ADDRESS Blk River Falls Wis R2 54615

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

FEB - 8 1973
NOTE

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

1 COUNTY <u>Monroe</u>		CHECK ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		NAME <u>La Grange</u>	
2. LOCATION - 1/4 Section <u>SE 1/4 E</u> Section <u>17</u> Township <u>18N</u> Range <u>1W</u>		3. OWNER AT TIME OF DRILLING <u>Ruaine Colkins Sr.</u>			
OR - Grid or street no		Street name		ADDRESS <u>R.#1</u>	
AND - If available subdivision name, lot & block no		POST OFFICE <u>Tomah Wis</u>			
4. Distance in feet from well to nearest. (Record answer in appropriate block)		BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	FOUNDATION DRAIN SEWER CONNECTED INDEPENDENT
<u>5</u>					
CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN SILO ABANDONED WELL SINK HOLE
OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)					
5. Well is intended to supply water for: <u>Home</u>					
6. DRILLHOLE			9. FORMATIONS		
Dia (in.)	From (ft)	To (ft)	Dia (in.)	From (ft)	To (ft)
<u>6</u>	<u>Surface</u>	<u>70</u>			
7. CASING, LINER, CURBING, AND SCREEN			Kind		
Dia (in.)	Kind and Weight	From (ft)	To (ft)	From (ft)	To (ft)
<u>6</u>	<u>Black steel 19# threaded new</u>	<u>Surface</u>	<u>30</u>	<u>Surface</u>	<u>26</u>
				<u>26</u>	<u>70</u>
8. GROUT OR OTHER SEALING MATERIAL			10. TYPE OF DRILLING MACHINE USED		
Kind		From (ft)	To (ft)	<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary
		<u>Surface</u>		<input type="checkbox"/> Rotary - air w/drilling mud	<input type="checkbox"/> Reverse Rotary
				<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with Air Water
11. MISCELLANEOUS DATA			Well construction completed on <u>January 10 1973</u>		
Yield test: <u>4</u>	Hrs. at <u>12</u>	GPM	Well is terminated <u>8</u> inches	<input checked="" type="checkbox"/> above	<input type="checkbox"/> below final grade
Depth from surface to normal water level <u>38</u>	ft.		Well disinfected upon completion	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Depth to water level when pumping <u>43</u>	ft.		Well sealed watertight upon completion	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Water sample sent to <u>Madison</u>			laboratory on: <u>February 7 1973</u>		
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.					
SIGNATURE <u>Roy Grush</u>			COMPLETE MAIL ADDRESS <u>54615- Black River Falls Wis R. 2</u>		
Please do not write in space below					
COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS	CONFIRMED	REMARKS	

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available.) S.W. 1/4 of Sec 17 T18N R1W

RECEIVED
AUG 25 1966

3. OWNER AT TIME OF DRILLING South side Lbr Co

4. OWNER'S COMPLETE MAIL ADDRESS Yonah Wis

5. Distance in feet from well to nearest:

BUILDING	SANITARY SEWER	FLOOR DRAIN	FOUNDATION DRAIN	WASTE WATER DRAIN
C. I.	TILE	C. I.	TILE	C. I.
8	14	16	-	16
SEWER CONNECTED		INDEPENDENT		

CLEAR WATER DRAIN	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
C. I.	TILE							
-	-	50	80	-	-	-	-	-

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: Home

7. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
6	Surface	90			

10. FORMATIONS

Kind	From (ft.)	To (ft.)
Sand	Surface	27
Sandrock	27	90

8. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	Surface	33

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
None	Surface	



11. MISCELLANEOUS DATA

Yield test: 4 Hrs. at 12 GPM

Well construction completed on Aug 17 1966

Well is terminated 9 inches above below final grade

Depth from surface to normal water level 52 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 71 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: Aug 24 1966

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphoms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Rush Registered Well Driller COMPLETE MAIL ADDRESS Blk River Falls Wis R 2

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS

WELL CONSTRUCTOR'S REPORT

DEPARTMENT OF RESOURCE DEVELOPMENT

W.O. 8223

Wel 6

1. COUNTY Monroe CHECK ONE NAME LaGrange
 Town Village City

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available.)
SE 1/4 Sec 17 T18N RLW

3. OWNER AT TIME OF DRILLING
Dean Handy

4. OWNER'S COMPLETE MAIL ADDRESS
Route 1 Tomah, Wisconsin 54487

5. Distance in feet from well to nearest: (Record answer in appropriate block)

BUILDING	SANITARY SEWER C. I.	TILE	FLOOR DRAIN C. I.	TILE	FOUNDATION DRAIN SEWER CONNECTED	INDEPENDENT	WASTE WATER DRAIN C. I.	TILE
12	--	--	15	--	--	--	15	--

CLEAR WATER DRAIN C. I.	TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
--	--	50	--	--	60	--	--	--	--

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)
--above indicates none

6. Well is intended to supply water for:
New Residence

7. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
8	Surface	42			
6	42	127			

10. FORMATIONS


Kind	From (ft.)	To (ft.)
Sand	Surface	7
Sandstone	7	127

8. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	New Std. Black Steel	Surface	42
	P.E. 18.97#		

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
Neat Cement	Surface	42



Well construction completed on 10/30 19 68

11. MISCELLANEOUS DATA

Yield test: 1 Hrs. at 15 GPM

Depth from surface to normal water level 68 ft.

Depth to water level when pumping 85 ft.

Water sample sent to Madison

Well is terminated 8 inches above final grade below

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

laboratory on: 10/30 19 68

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Richard Berkholtz, Pres. Registered Well Driller COMPLETE MAIL ADDRESS Berkholtz Drilling Co. Inc. 1170 Forest Lane, Brookfield, Wisconsin 53005

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS

AUG 17 1976

JUL 14 1976

NOTE:
White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

WELL CONSTRUCTOR'S REPORT
Form 3300-15
Rev. 10-75

1. COUNTY <u>Monroe</u>		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name <u>La Trange</u>	
2. LOCATION <u>NE 1/4</u> Section <u>17</u> Township <u>18N</u> Range <u>R1W</u>		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>Robert Super</u>		ADDRESS <u>Rt #1</u>	
OR - Grid or Street No. _____ Street Name _____		AND - If available subdivision name, lot & block No. _____		POST OFFICE <u>Tomah wis</u>	
4. Distance in feet from well to nearest: (Record answer in appropriate block)		Building <u>36</u>		Sanitary Bldg. Drain C.I. _____ Other _____	
		Sanitary Bldg. Sewer C.I. _____ Other _____		Floor Drain Connected To: C.I. Sewer _____ Other Sewer _____	
		Storm Bldg. Drain C.I. _____ Other _____		Storm Bldg. Sewer C.I. _____ Other _____	
Street Sewer _____ Other Sewers C.I. _____ Other _____		Foundation Drain Connected to: Sewer _____ Sewage Sump _____ Clearwater Dr. _____		Sewage Sump C.I. _____ Other _____	
San. _____ Storm _____		Clearwater Sump _____		Septic Tank _____ Holding Tank _____	
Privy _____ Pet Waste Pit _____		Sewage Absorption Unit: Seepage Pit _____ Seepage Bed _____ Seepage Trench _____		Sewage Absorption Unit: Glass Lined Storage Facility _____ Silo w/o Pit _____ Earthen Silage Storage Trench Or Pit _____	
Solid Manure Storage Structure _____		Subsurface Pumphouse Nonconforming Existing _____		Barn Gutter _____ Animal Barn Pen _____ Animal Yard _____ Silo With Pit _____	
Subsurface Gasoline or Oil Tank _____		Waste Pond or Land Disposal Unit (Specify Type) _____		Other (Give Description) _____	
5. Well is intended to supply water for: <u>Home</u>		9 FORMATIONS			
6. DRILLHOLE		Kind		From (ft.)	To (ft.)
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>10</u>	<u>Surface</u>	<u>30</u>	<u>Sand</u>	<u>Surface</u>	<u>3</u>
<u>6</u>	<u>30</u>	<u>70</u>	<u>Sand rock</u>	<u>3</u>	<u>70</u>
7. CASING, LINER, CURBING AND SCREEN		Material, Weight, Specification & Method of Assembly			
Dia. (in.)	From (ft.)	To (ft.)			
<u>6</u>	<u>Surface</u>	<u>32</u>	<u>Black steel 1 1/2" 7 x CASIMA 53</u>		
8. GROUT OR OTHER SEALING MATERIAL		10. TYPE OF DRILLING MACHINE USED			
Kind		From (ft.)	To (ft.)		
<u>Neat Cement</u>	<u>Surface</u>	<u>30</u>			
				<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Rotary-hammer w/drilling mud & air
				<input type="checkbox"/> Rotary-air w/drilling mud	<input type="checkbox"/> Rotary-hammer & air
				<input type="checkbox"/> Rotary-w/drilling mud	<input type="checkbox"/> Reverse Rotary
				<input type="checkbox"/> Jetting with	<input type="checkbox"/> Air
					<input type="checkbox"/> Water
11. MISCELLANEOUS DATA		Well construction completed on <u>June 5 1976</u>			
Yield Test: <u>5</u> Hrs. at <u>12</u> GPM	Well is terminated <u>8</u> inches		<input checked="" type="checkbox"/> above final grade		
Depth from surface to normal water level <u>31</u> Ft.	Well disinfected upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Depth of water level when pumping <u>39</u> Ft. Stabilized <input type="checkbox"/> Yes <input type="checkbox"/> No	Well sealed watertight upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Water sample sent to <u>Madison</u> laboratory on <u>June 13 1976</u>					
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.					
Signature <u>Roy Bush</u>		Complete Mail Address <u>Black River Falls wis R. 2 54615</u>			
Registered Well Driller					



SEP 14 1972

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section SE 20 Section 17 Township 18N Range 1W 3. OWNER AT TIME OF DRILLING Leroy Powell
OR - Grid or street no. Street name ADDRESS R. #1
AND - If available subdivision name, lot & block no. POST OFFICE Tomah Wis

4. Distance in feet from well to nearest:
(Record answer in appropriate block)

BUILDING C. I.	SANITARY C. I.	SEWER TILE	FLOOR DRAIN C I.	FLOOR DRAIN TILE	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C I.	WASTE WATER DRAIN TILE
6	12							

CLEAR WATER DRAIN C. I.	CLEAR WATER DRAIN TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL	SINK HOLE
		66			96				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

5. Well is intended to supply water for: Home

6. DRILLHOLE


Dia (in.)	From (ft.)	To (ft.)	Dia (in.)	From (ft.)	To (ft.)
6	Surface	70			

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	Surface	29
<u>Sandrock</u>	29	70

7. CASING, LINER, CURBING, AND SCREEN

Dia (in.)	Kind and Weight	From (ft.)	To (ft.)
6	<u>Black steel 19# threaded new</u>	Surface	32



8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
	Surface	

10. TYPE OF DRILLING MACHINE USED

Cable Tool Direct Rotary Reverse Rotary
 Rotary - air w/drilling mud Rotary - hammer with drilling mud & air Jetting with Air Water

Well construction completed on Sept 2 19 72

11. MISCELLANEOUS DATA

Yield test: 7 Hrs. at 12 GPM

Well is terminated 8 inches above below final grade

Depth from surface to normal water level 36 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 42 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: Sept 13 19 72

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Rush Registered Well Driller COMPLETE MAIL ADDRESS Black River Falls Wis Rte 2 54615

COLIFORM TEST RESULT

GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS
---------------	---------------	-----------	---------

WELL CONSTRUCTOR'S REPORT

WISCONSIN STATE BOARD OF HEALTH

REVISED Wel 6

1. COUNTY Monroe CHECK ONE Town Village City La Grange NAME La Grange AP 29 1965

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available)
SE 1/4 of S.W. 1/4 Sec 17 T18N R1W

3. OWNER AT TIME OF DRILLING Gerland Clark **SANITARY ENGINEERING**

4. OWNER'S COMPLETE MAIL ADDRESS Tomah Wisconsin P.I.

5. Distance in feet from well to nearest:

BUILDING C.I.	SANITARY SEWER TILE	FLOOR DRAIN C.I.	FLOOR DRAIN TILE	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C.I.	WASTE WATER DRAIN TILE
4	33	53	-	-	-	-	-

CLEAR WATER DRAIN C.I.	CLEAR WATER DRAIN TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SLO	ABANDONED WELL	SINK HOLE
-	-	40	-	90	-	-	-	-	-

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: Home

7. DRILLHOLE						10. FORMATIONS		
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind	From (ft)	To (ft.)
6	Surface	90				Sand to Soft Rock	Surface	28
						Sand rock firm	28	49
						Solid Rock - Water bearing	49	90

8. CASING, LINER, CURBING, AND SCREEN			
Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	Surface	31

9. GROUT OR OTHER SEALING MATERIAL			
Kind	From (ft.)	To (ft.)	
None	Surface		



Well construction completed on April 20 1965

Well is terminated 12 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

11. MISCELLANEOUS DATA

Yield test: 7 Hrs. at 12 GPM

Depth from surface to normal water level 48 ft.

Depth to water level when pumping 65 ft.

Water sample sent to Madison laboratory on: April 26 1965

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Bush Registered Well Driller COMPLETE MAIL ADDRESS Rt 2 Blk River Falls Wis

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS.	CONFIRMED	REMARKS

WELL CONSTRUCTOR'S REPORT

OCT 1 1970

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

Well-6

1. COUNTY Monroe CHECK ONE Town Village City NAME LaGrange

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available)
SW 1/4 Sec 17 T18N R1W

3. OWNER AT TIME OF DRILLING
Max Gossfeld

4. OWNER'S COMPLETE MAIL ADDRESS
Tomah, Wisconsin

5. Distance in feet from well to nearest:

BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	TILE	FOUNDATION DRAIN SEWER CONNECTED	INDEPENDENT	WASTE WATER DRAIN C. I.	TILE
8	25						

CLEAR WATER DRAIN C. I.	TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL	SINK HOLE
		48			60				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: home

7. DRILLHOLE <u>Rotary</u>						10. FORMATIONS		
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind	From (ft.)	To (ft.)
8	Surface	44				clay and compacted sand	Surface	26
6	44	95						

8. CASING, LINER, CURBING, AND SCREEN			
Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	New plain end Standard Steel 18.75	Surface	44

9. GROUT OR OTHER SEALING MATERIAL		
Kind	From (ft.)	To (ft.)
drill cuttings	Surface	10
neat cement	10	44



11. MISCELLANEOUS DATA

Well construction completed on April 30, 1970

Yield test: 1 Hr. at 15 GPM

Well is terminated 10 inches above below final grade

Depth from surface to normal water level 52 ft. Well disinfected upon completion Yes No

Depth to water level when pumping air test ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison, Wisconsin laboratory on: Sept. 30, 1970

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE [Signature] COMPLETE MAIL ADDRESS 578 Water Ave. Hillsboro, Wis.

Registered Well Driller

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

APR - 5 1978

1. COUNTY Monroe CHECK (✓) ONE
 Town Village City Name La Grange
 2. LOCATION 1/4 Section SW Section 17 Township 18N Range 14W 3. NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
 OR - Grid or Street No Street Name ADDRESS Racesetter Home
 AND - If available subdivision name, lot & block No POST OFFICE Jonah Wier

4. Distance in feet from well to nearest: (Record answer in appropriate block) Building 10 Sanitary Bldg. Drain C.I. Other Sanitary Bldg. Sewer C.I. Other 20 Floor Drain Connected To C.I. Sewer Other Sewer 18 Storm Bldg. Drain C.I. Other Storm Bldg. Sewer C.I. Other
 Street Sewer San Storm C.I. Other Foundation Drain Connected to Sewage Sump Clearwater Sump Septic Tank Holding Tank Sewage Absorption Unit
 San Storm C.I. Other Sewer Sewage Sump Clearwater Dr C.I. Other Clearwater Sump Septic Tank Holding Tank Seepage Pit Seepage Bed Seepage Trench 65
 Privy Pet Waste Pit Nonconforming Existing Subsurface Pumphoom Barn Animal Animal Silo Glass Earthen
 Pit Waste Nonconforming Existing Nonconforming Existing Gutter Barn Pen Yard With Pit Lined Storage Storage
 Tank Tank Structure Oil Tank Disposal Unit (Specify Type) Other (Give Description) None
 Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type) Other (Give Description)

5. Well is intended to supply water for: None

9. FORMATIONS

6. DRILLHOLE						9. FORMATIONS		
						Kind	From (ft)	To (ft)
Dia. (in.)	From (ft)	To (ft)	Dia. (in.)	From (ft)	To (ft)			
<u>8</u>	<u>Surface</u>	<u>45</u>	<u>6</u>	<u>45</u>	<u>68</u>	<u>Sand</u>	<u>Surface</u>	<u>44</u>
						<u>Sand/Stone</u>	<u>44</u>	<u>68</u>

7. CASING, LINER, CURBING AND SCREEN
 Material, Weight, Specification & Method of Assembly
 Dia. (in.) 6 5/8 O.D. From (ft) Surface To (ft) 45
new 3.0 lb. 208 Wall 21.0
ASTM A-53
Chlorinated Steel

10. TYPE OF DRILLING MACHINE USED
 Cable Tool Rotary-hammer w/drilling mud & air Jetting with
 Rotary-air w/drilling mud Rotary-hammer & air Air
 Rotary-w/drilling mud Reverse Rotary Water
 Well construction completed on 12-31 1977

8. GROUT OR OTHER SEALING MATERIAL
 Kind Drill Mud From (ft) Surface To (ft) 45

11. MISCELLANEOUS DATA
 Yield Test: 3 Hrs. at 10 GPM
 Depth from surface to normal water level 40 Ft.
 Depth of water level when pumping 43 Ft. Stabilized Yes No

Well is terminated 10 inches above below final grade
 Well disinfected upon completion Yes No
 Well sealed watertight upon completion Yes No

Water sample sent to La Crosse laboratory on 3-22 1978

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Roy Osier
 Registered Well Driller

Complete Mail Address P.R. #2 Hobman, Wier

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

NOV 15 1972

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section SW 1/4 Section 17 Township T.18N. Range R.1W. 3. OWNER AT TIME OF DRILLING MORVA PINGEL

OR - Grid or street no Street name ADDRESS R.R. 1

AND - If available subdivision name, lot & block no. POST OFFICE Tomahawk Wis

4. Distance in feet from well to nearest: (Record answer in appropriate block)

BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C. I.	WASTE WATER DRAIN TILE
<u>10</u>						


CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
	<u>50 ft</u>		<u>100</u>					

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)

5. Well is intended to supply water for: Home

6. DRILLHOLE						9. FORMATIONS			
Dia (in)	From (ft)	To (ft)	Dia (in)	From (ft)	To (ft)	Kind	From (ft)	To (ft)	
<u>10</u>	<u>Surface</u>	<u>34</u>	<u>6</u>	<u>34</u>	<u>77</u>	<u>Sand</u>	<u>Surface</u>	<u>11</u>	
						<u>Sand Rock</u>	<u>11</u>	<u>77</u>	

7. CASING, LINER, CURBING, AND SCREEN			
Dia (in)	Kind and Weight	From (ft.)	To (ft)
<u>6</u>	<u>New Steel 19.45 TC</u>	<u>Surface</u>	<u>34</u>



8. GROUT OR OTHER SEALING MATERIAL			10. TYPE OF DRILLING MACHINE USED		
Kind	From (ft)	To (ft.)	<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary	<input type="checkbox"/> Reverse Rotary
<u>Neat Cement</u>	<u>Surface</u>	<u>34</u>	<input type="checkbox"/> Rotary - air w/drilling mud	<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water

Well construction completed on Aug 2 19 72

11. MISCELLANEOUS DATA			
Yield test:	<u>1</u>	Hrs. at	<u>8</u> GPM
Depth from surface to normal water level	<u>45</u>	ft.	
Depth to water level when pumping	<u>52</u>	ft.	
Water sample sent to	<u>Madison</u>	laboratory on:	<u>Oct 30</u> 19 <u>72</u>


Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE Jim Parkhurst Jr Registered Well Driller COMPLETE MAIL ADDRESS Eloy Wis

COLIFORM TEST RESULT GAS - 24 HRS GAS - 48 HRS CONFIRMED REMARKS

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

1 COUNTY <u>Monroe</u>		CHECK (✓) ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name <u>La Grange</u>													
2. LOCATION 1/4 Section <u>S.W.</u> Section <u>17</u> Township <u>T18 N.</u> Range <u>1 W.</u>		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>Joe Mapewski</u>		ADDRESS <u>R.R.</u>													
OR - Grid or Street No		Street Name		POST OFFICE <u>Tomah wis.</u>													
AND - If available subdivision name, lot & block No																	
4 Distance in feet from well to nearest: (Record answer in appropriate block)		Building <u>8</u>	Sanitary Bldg. Drain C I Other	Sanitary Bldg Sewer C.I Other	Floor Drain Connected To C I Sewer Other Sewer												
Street Sewer San. Storm		Other Sewers C I Other	Foundation Drain Connected to: Sewer Sewage Sump Clearwater Dr.	Sewage Sump C I Other	Clearwater Sump												
Privy Pet Waste Pit		Pit Nonconforming Existing Well Pump Tank	Subsurface Pumphoom Nonconforming Existing	Barn Gutter	Animal Barn Pen Animal Yard Silo With Pit												
Temporary Manure Stack		Watertight Liquid Manure Tank	Solid Manure Storage Structure	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)												
Other (Give Description)																	
5. Well is intended to supply water for: <u>Home</u>			9 FORMATIONS														
6 DRILLHOLE			Kind														
Dia. (in)	From (ft)	To (ft)	Dia. (in)	From (ft)	To (ft)												
<u>10</u>	<u>Surface</u>	<u>36</u>	<u>6</u>	<u>36</u>	<u>76</u>												
			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2"></td> <td colspan="1">From (ft.)</td> <td colspan="1">To (ft.)</td> </tr> <tr> <td colspan="2"></td> <td colspan="1"><u>Surface</u></td> <td colspan="1"><u>11</u></td> </tr> <tr> <td colspan="2"></td> <td colspan="1"><u>36</u></td> <td colspan="1"><u>76</u></td> </tr> </table>					From (ft.)	To (ft.)			<u>Surface</u>	<u>11</u>			<u>36</u>	<u>76</u>
		From (ft.)	To (ft.)														
		<u>Surface</u>	<u>11</u>														
		<u>36</u>	<u>76</u>														
7 CASING, LINER, CURBING AND SCREEN Material, Weight, Specification & Method of Assembly																	
Dia (in)	Material, Weight, Specification & Method of Assembly	From (ft.)	To (ft)														
<u>6</u>	<u>New Steel T.C.</u> <u>1945 Youngtown</u> <u>ASTM A 53</u>	<u>Surface</u>	<u>36</u>														
																	
8 GROUT OR OTHER SEALING MATERIAL			10. TYPE OF DRILLING MACHINE USED														
Kind	From (ft)	To (ft.)	<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Rotary-hammer w/drilling mud & air	<input type="checkbox"/> Jetting with												
<u>Heat Cement</u>	<u>Surface</u>	<u>36</u>	<input type="checkbox"/> Rotary-air w/drilling mud	<input type="checkbox"/> Rotary-hammer & air	<input type="checkbox"/> Air												
			<input type="checkbox"/> Rotary-w/drilling mud	<input type="checkbox"/> Reverse Rotary	<input type="checkbox"/> Water												
Well construction completed on <u>Aug 20</u> 19 <u>78</u>																	
11. MISCELLANEOUS DATA			Well is terminated <u>8</u> inches <input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below														
Yield Test: <u>1</u>	Hrs. at <u>10</u>	GPM	Well disinfected upon completion	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No													
Depth from surface to normal water level <u>41</u>	Ft.		Well sealed watertight upon completion	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No													
Depth of water level when pumping <u>44</u>	Ft.	Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No															
Water sample sent to <u>Madison</u> laboratory on <u>Aug 22</u> 19 <u>78</u>																	
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.																	
Signature <u>Jim Parshurst</u> Registered Well Driller			Complete Mail Address <u>Elroy wis</u>														

AUG 28 1973

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section 9. N. W. 1/4 Section 16 Township 18 N Range 14 W 3. OWNER AT TIME OF DRILLING Ray Witzel

OR - Grid or street no _____ Street name _____ ADDRESS R. #1

AND - If available subdivision name, lot & block no. _____ POST OFFICE Tomah Wis

4. Distance in feet from well to nearest: (Record answer in appropriate block)

BUILDING C. I.	SANITARY C. I.	SEWER TILE	FLOOR DRAIN C. I.	FLOOR DRAIN TILE	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C. I.	WASTE WATER DRAIN TILE
6	30							

CLEAR WATER DRAIN C. I.	CLEAR WATER DRAIN TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
		65			100				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
6	Surface	50			

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	Surface	26
<u>Sand rock</u>	26	50

7. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	<u>Black steel threaded</u>	Surface	29



8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
	Surface	

10. TYPE OF DRILLING MACHINE USED

Cable Tool Direct Rotary Reverse Rotary
 Rotary - air w/drilling mud Rotary - hammer with drilling mud & air Jetting with Air Water

Well construction completed on August 16 1973

11. MISCELLANEOUS DATA

Yield test: 5 Hrs. at 14 GPM Well is terminated 8 inches above below final grade

Depth from surface to normal water level 24 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 29 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: August 27 1973

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Rush COMPLETE MAIL ADDRESS Black River Falls Wis R. 2
 Registered Well Driller 574615
 Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS	CONFIRMED	REMARKS
----------------------	---------------	--------------	-----------	---------

JUL 28 1976

State of Wisconsin
Department of Natural Resources
Box 450
Madison, Wisconsin 53701

NOTE:

White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

WELL CONSTRUCTOR'S REPORT
Form 3300-15
Rev. 10-75

1. COUNTY Monroe CHECK (✓) ONE Town Village City Name La Trange

2. LOCATION M.E. 712 W Section 16 Township 18N Range 1W 3. NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE Chris. Stefford

OR - Grid or Street No. Street Name ADDRESS R. 2

AND - If available subdivision name, lot & block No. POST OFFICE Tomah Wis

4. Distance in feet from well to nearest: (Record answer in appropriate block)

Building	Sanitary Bldg Drain	Sanitary Bldg Sewer	Floor Drain Connected To	Storm Bldg. Drain	Storm Bldg. Sewer
<u>5</u>	C.I. Other	C.I. Other	C.I. Sewer Other Sewer	C.I. Other	C.I. Other
		<u>30</u>			

Street Sewer	Other Sewers	Foundation Drain Connected to:	Sewage Sump	Clearwater Sump	Septic Tank	Holding Tank	Sewage Absorption Unit
San. Storm C.I. Other	Sewer Clearwater Dr.	Sewage Sump Clearwater Sump	C.I. Other		<u>42</u>		Seepage Pit Seepage Bed Seepage Trench
							<u>75</u>

Privy	Pet Waste Pit	Pit Nonconforming Existing	Subsurface Pumphouse	Barn Gutter	Animal Barn Pen	Animal Yard	Silo With Pit	Glass Lined Storage Facility	Silo w/o Pit	Earthen Silage Storage Trench Or Pit
	Well Pump Tank		Nonconforming Existing							

Temporary Manure Stack	Watertight Liquid Manure Tank	Solid Manure Storage Structure	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)	Other (Give Description)


5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>6</u>	<u>Surface</u>	<u>50</u>			

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>sand</u>	<u>Surface</u>	<u>27</u>
<u>sand rock</u>	<u>27</u>	<u>50</u>



7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification & Method of Assembly	From (ft.)	To (ft.)
<u>6</u>	<u>Blk steel 1940 J4CKSIM-A53</u>	<u>Surface</u>	<u>30</u>

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
	<u>Surface</u>	

10. TYPE OF DRILLING MACHINE USED

<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Rotary-hammer w/drilling mud & air	<input type="checkbox"/> Jetting with
<input type="checkbox"/> Rotary-air w/drilling mud	<input type="checkbox"/> Rotary-hammer & air	<input type="checkbox"/> Air
<input type="checkbox"/> Rotary-w/drilling mud	<input type="checkbox"/> Reverse Rotary	<input type="checkbox"/> Water

Well construction completed on July 15 1976

11. MISCELLANEOUS DATA

Yield Test: 6 Hrs. at 12 GPM

Depth from surface to normal water level 18 Ft.

Depth of water level when pumping 28 Ft. Stabilized Yes No

Well is terminated 8 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on July 27 1976

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.


Signature Roy Rush Registered Well Driller

Complete Mail Address 54615 Black River Falls Wis R. 2

NOTE:

SEP 14 1979

White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

1. COUNTY <u>Monroe</u>		CHECK (✓) ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name <u>La Grana</u>	
2. LOCATION <u>NE 7th 16</u> OR - Grid or Street No Street Name		Township <u>18N</u> Range <u>1W</u>		3 NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>Chris Steffert</u>	
AND - If available subdivision name, lot & block No				ADDRESS <u>R.#2</u> POST OFFICE <u>Tomah wis</u>	
4 Distance in feet from well to nearest: (Record answer in appropriate block)		Building <u>6</u>		Sanitary Bldg. Drain C.I. Other	
				Sanitary Bldg. Sewer C.I. Other <u>30</u>	
				Floor Drain Connected To C.I. Sewer Other Sewer	
				Storm Bldg Drain C I Other	
				Storm Bldg. Sewer C.I. Other	
Street Sewer San Storm C I Other		Foundation Drain Connected to Sewer Sewage Sump Clearwater Dr.		Sewage Sump C I Other Clearwater Sump	
				Clearwater Sump <u>44</u>	
				Sewage Absorption Unit Seepage Pit Seepage Bed Seepage Trench <u>73</u>	
Privy Pet Waste Pit Nonconforming Existing		Subsurface Pumphoom Nonconforming Existing		Barn Gutter Animal Barn Pen Animal Yard Silo With Pit Glass Lined Storage Facility Silo w/o Pit Earthen Silage Storage Trench Or Pit	
Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure		Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type)		Other (Give Description)	
5. Well is intended to supply water for: <u>Home</u>				9 FORMATIONS	
6 DRILLHOLE				Kind From (ft) To (ft)	
Dia (in) From (ft) To (ft) Dia. (in.) From (ft) To (ft)				<u>Sand</u> Surface <u>29</u>	
<u>6</u> Surface <u>50</u>				<u>Sandrock</u> <u>29</u> <u>50</u>	
7. CASING, LINER, CURBING AND SCREEN					
Material, Weight, Specification & Method of Assembly					
Dia (in.) From (ft.) To (ft.)				10. TYPE OF DRILLING MACHINE USED	
<u>6</u> <u>Black steel 1897</u> Surface <u>32</u> <u>Interlake Inc.</u>				<input checked="" type="checkbox"/> Cable Tool <input type="checkbox"/> Rotary-hammer w/drilling mud & air <input type="checkbox"/> Jetting with	
8 GROUT OR OTHER SEALING MATERIAL				<input type="checkbox"/> Rotary-air w/drilling mud <input type="checkbox"/> Rotary-hammer & air <input type="checkbox"/> Air	
Kind From (ft) To (ft)				<input type="checkbox"/> Rotary-w/drilling mud <input type="checkbox"/> Reverse Rotary <input type="checkbox"/> Water	
Surface				Well construction completed on <u>Sept 4</u> 19 <u>79</u>	
11 MISCELLANEOUS DATA				<input checked="" type="checkbox"/> above final grade	
Yield Test: <u>10</u> Hrs. at <u>12</u> GPM				Well is terminated <u>8</u> inches <input type="checkbox"/> below	
Depth from surface to normal water level <u>21</u> Ft.				Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Depth of water level when pumping <u>30</u> Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Water sample sent to <u>Madison</u> laboratory on <u>Sept 11</u> 19 <u>79</u>					
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.					
Signature <u>Roy Bush</u> Registered Well Driller				Complete Mail Address <u>54615</u> <u>Black River Falls Wis OR 5</u>	

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

1 COUNTY Monroe CHECK (✓) ONE
 Town Village City Name La Grange
 2 LOCATION NE 71W Section 16 Township 18N Range 1W 3 NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
 OR - Grid or Street No Street Name ADDRESS Chris Steffner
R. #2
 AND - If available subdivision name, lot & block No POST OFFICE Tomah Wis.

4 Distance in feet from well to nearest: (Record answer in appropriate block)
 Building 8 Sanitary Bldg Drain C.I. Other Sanitary Bldg Sewer C.I. Other 26 Floor Drain Connected To C.I. Sewer Other Sewer Storm Bldg. Drain C.I. Other Storm Bldg. Sewer C.I. Other
 Street Sewer Other Sewers Foundation Drain Connected to Sewage Sump Clearwater Sump Septic Tank Holding Tank Sewage Absorption Unit
 San. Storm C.I. Other Sewer Sewage Sump Clearwater Dr C.I. Other Clearwater Sump Septic Tank Holding Tank Seepage Pit Seepage Bed 105 Seepage Trench
 Privy Pet Waste Pit Nonconforming Existing Subsurface Pumproom Barn Gutter Animal Barn Pen Animal Yard Silo With Pit Glass Lined Storage Facility Silo w/o Pit Earthen Silage Storage Trench Or Pit
 Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type) Other (Give Description)

5. Well is intended to supply water for: Home

6 DRILLHOLE

Dia (in)	From (ft)	To (ft)	Dia. (in)	From (ft)	To (ft)
6	Surface	60			

9 FORMATIONS

Kind	From (ft)	To (ft)
<u>Sand</u>	Surface	30
<u>Sand/rock</u>	30	60

7 CASING, LINER, CURBING AND SCREEN
 Material, Weight, Specification & Method of Assembly

Dia (in)	From (ft)	To (ft)
6	Surface	33

Black steel 1897
Weld ASTM A-53
J. M. Talake Inc



8 GROUT OR OTHER SEALING MATERIAL

Kind	From (ft)	To (ft)
	Surface	

10 TYPE OF DRILLING MACHINE USED

Cable Tool Rotary-hammer w/drilling mud & air Jetting with

Rotary-air w/drilling mud Rotary-hammer & air Air

Rotary-w/drilling mud Reverse Rotary Water

11 MISCELLANEOUS DATA

Yield Test: 10 Hrs. at 12 GPM

Depth from surface to normal water level 26 Ft.

Depth of water level when pumping 34 Ft. Stabilized Yes No

Well construction completed on Nov 2 1978

Well is terminated 8 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on Nov 15 1978

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Roy Bush Registered Well Driller Complete Mail Address Black River Falls, Wis. R. 5 54415

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

DEC - 6 1972

NOV 29 1972

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section NE 1/4 Section 16 Township 18N Range 1W 3 OWNER AT TIME OF DRILLING Ralph Trammel

OR - Grid or street no Street name ADDRESS R #1

AND - If available subdivision name, lot & block no POST OFFICE Tomah Wis

4. Distance in feet from well to nearest. BUILDING SANITARY SEWER FLOOR DRAIN FOUNDATION DRAIN WASTE WATER DRAIN
(Record answer in appropriate block) 27 60 C I TILE C I TILE SEWER CONNECTED INDEPENDENT C I TILE

CLEAR WATER DRAIN SEPTIC TANK PRIVY SEEPAGE PIT ABSORPTION FIELD BARN SILO ABANDONED WELL SINK HOLE
C I TILE 72 96

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)

5. Well is intended to supply water for: Home

6. DRILLHOLE						9 FORMATIONS			
Dia (in)	From (ft)	To (ft)	Dia (in)	From (ft)	To (ft)	Kind	From (ft.)	To (ft)	
10	Surface	29				Sand	Surface	6	
6	29	100				Sandrock	6	100	

7 CASING, LINER, CURBING, AND SCREEN			
Dia (in)	Kind and Weight	From (ft)	To (ft)
6	Black steel, 19.5 threaded new	Surface	31



8. GROUT OR OTHER SEALING MATERIAL Kind Neat Cement From (ft) Surface To (ft) 29

10. TYPE OF DRILLING MACHINE USED Cable Tool Direct Rotary Reverse Rotary Rotary - air w/drilling mud Rotary - hammer with drilling mud & air Jetting with Air Water

Well construction completed on Nov 18 1972

11. MISCELLANEOUS DATA Yield test: 5 Hrs. at 12 GPM Well is terminated 8 inches above below final grade

Depth from surface to normal water level 66 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 74 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: Nov 28 1972

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Bush COMPLETE MAIL ADDRESS Black River Falls Wis P. 2 54613
Registered Well Driller

Please do not write in space below

COLIFORM TEST RESULT GAS - 24 HRS GAS - 48 HRS CONFIRMED REMARKS

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

SEP 17 1975

NOTE

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

1 COUNTY <u>Monroe</u>		CHECK ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City			NAME <u>La Strange</u>	
2 LOCATION - 1/4 Section <u>11W-21N</u> Section <u>16</u> Township <u>18N</u> Range <u>1W</u>		3 OWNER AT TIME OF DRILLING <u>Chris Steffens</u>				
OR - Grid or street no		Street name		ADDRESS <u>R. 2</u>		
AND - If available subdivision name, lot & block no		POST OFFICE <u>Tomah Wis</u>				
4 Distance in feet from well to nearest (Record answer in appropriate block)		BUILDING C I	SANITARY SEWER C I	FLOOR DRAIN C I	FOUNDATION DRAIN SEWER CONNECTED/INDEPENDENT	WASTE WATER DRAIN C I
		<u>6</u>	<u>24</u>			
CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO
	<u>60</u>			<u>93</u>		
OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream pond, lake, etc)						

5. Well is intended to supply water for Home

6. DRILLHOLE						9. FORMATIONS		
Dia (in)	From (ft)	To (ft)	Dia (in)	From (ft)	To (ft)	Kind	From (ft)	To (ft)
<u>6</u>	<u>Surface</u>	<u>60</u>				<u>Sand</u>	<u>Surface</u>	<u>27</u>
						<u>Sand rock</u>	<u>27</u>	<u>60</u>
7. CASING, LINER, CURBING, AND SCREEN								
Dia (in)	Kind and Weight		From (ft)	To (ft)				
<u>6</u>	<u>Blk steel 1 1/2" threaded new</u>		<u>Surface</u>	<u>30</u>				



8 GROUT OR OTHER SEALING MATERIAL			10. TYPE OF DRILLING MACHINE USED		
Kind	From (ft)	To (ft)	<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary	<input type="checkbox"/> Reverse Rotary
	<u>Surface</u>		<input type="checkbox"/> Rotary - air w/drilling mud	<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water

11. MISCELLANEOUS DATA			Well construction completed on <u>Sept 2 1975</u>		
Yield test	<u>5</u> Hrs. at	<u>10</u> GPM	Well is terminated	<u>8</u> inches	<input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade
Depth from surface to normal water level	<u>26</u> ft.		Well disinfected upon completion	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Depth to water level when pumping	<u>35</u> ft.		Well sealed watertight upon completion	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

Water sample sent to Madison laboratory on: Sept 16 1975

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side

SIGNATURE <u>Roy Bush</u>	COMPLETE MAIL ADDRESS <u>Black River Falls Wis R. 2 54615</u>
Registered Well Driller	Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS	CONFIRMED	REMARKS
----------------------	--------------	--------------	-----------	---------

WELL CONSTRUCTOR'S REPORT

WISCONSIN STATE BOARD OF HEALTH

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange
 2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available) S. E 1/4 of NW 1/4 Sec 16 T18N, R1W MAY 20 1965

3. OWNER AT TIME OF DRILLING Walter Wittig **SENIOR ENGINEERING**

4. OWNER'S COMPLETE MAIL ADDRESS Tomah Wis Box 308

5. Distance in feet from well to nearest: (Record answer in appropriate block)

BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C. I.	WASTE WATER DRAIN TILE
4	12	-	-	-	-	-

CLEAR WATER DRAIN C. I.	CLEAR WATER DRAIN TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL	SINK HOLE
-	-	30	-	150	-	-	-	-	-

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: Drilling Station

7. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
6	Surface	50			

10. FORMATIONS


Kind	From (ft.)	To (ft.)
Sand	Surface	31
Sand rock - firm	31	50

8. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	Surface	34

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
None	Surface	



11. MISCELLANEOUS DATA

Well construction completed on May 15 1965

Yield test: 3 Hrs. at 9 GPM Well is terminated 8 inches above below final grade

Depth from surface to normal water level 22 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 36 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: May 17 1965

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Bush Registered Well Driller COMPLETE MAIL ADDRESS Black River Falls Wis R2

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS

WELL CONSTRUCTOR'S REPORT TO WISCONSIN STATE BOARD OF HEALTH
See Instructions on Reverse Side

Well 6

1. County Monroe Town La Grange
 Village
 City Check one and give name
2. Location S. E. 1/4 of NW 1/4 Sec 16, T18N, R14W
 Name of street and number of premise or Section, Town and Range numbers
3. Owner or Agent Henry Kletzke
 Name of individual, partnership or firm
4. Mail Address Tomah Wis
 Complete address required
5. From well to nearest: Building 5 ft; sewer — ft; drain — ft; septic tank — ft;
 dry well or filter bed — ft; abandoned well — ft.
6. Well is intended to supply water for: New Home

OCT 28 1963

SANITARY
 HEALTH DEPARTMENT

7. DRILLHOLE:

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
10	0	27			
6	33	60			

8. CASING AND LINER PIPE OR CURBING:

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	0	31

9. GROUT:

Kind	From (ft.)	To (ft.)
Clay Slurry	0	27

11. MISCELLANEOUS DATA:

Yield test: 4 Hrs. at 12 GPM.
 Depth from surface to water-level: 28 ft.
 Water-level when pumping: 46 ft.
 Water sample was sent to the state laboratory at:
Madison on Oct 21 1963
 City

10. FORMATIONS:

Kind	From (ft.)	To (ft.)
Sand & shell Rock	0	24
Rock firm	13	37
Rock water bearing	23	60



Construction of the well was completed on:

Oct 15 1963

The well is terminated 8 inches
 above, below the permanent ground surface.

Was the well disinfected upon completion?

Yes No

Was the well sealed watertight upon completion?

Yes No

Signature Rush Bros
 Registered Well Driller

Merrillan Wis
 Complete Mail Address

Please do not write in space below

Rec'd OCT 22 1963 No. 51007

Ans'd _____

Interpretation **UNSAFE—BACTERIOLOGICALLY**

Because of the presence of B. Coli in one of the 10 cc. portions of this sample another examination is advisable.

10 ml 10 ml 10 ml 10 ml 10 ml

Gas—24 hrs. T C C C C

48 hrs. T C C C C

Confirm T C C C C

B. Coli T C C C C

Examiner _____

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

JAN 22 1976

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

1 COUNTY Manroe CHECK ONE Town Village City NAME Lack Grange

2 LOCATION - 1/4 Section NW Section 16 Township 18N Range 1W 3. OWNER AT TIME OF DRILLING Ray Eckelberg
OR - Grid or street no Street name ADDRESS RR

AND - If available subdivision name, lot & block no POST OFFICE Tomah, Wis.

4. Distance in feet from well to nearest: BUILDING SANITARY SEWER FLOOR DRAIN FOUNDATION DRAIN WASTE WATER DRAIN
(Record answer in appropriate block) 20 30 - - - -
C I TILE C I TILE SEWER CONNECTED INDEPENDENT C I TILE

CLEAR WATER DRAIN SEPTIC TANK PRIVY SEEPAGE PIT ABSORPTION FIELD BARN SILO ABANDONED WELL SINK HOLE
C. I. TILE 50 - - 70 - - - -

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc) None

5. Well is intended to supply water for. Home

6. DRILLHOLE 9. FORMATIONS
Dia (in.) From (ft) To (ft) Dia (in) From (ft) To (ft) Kind From (ft) To (ft)
8 Surface 39 4 39 65 Sand Surface 38
Sandstone 38 65

7 CASING, LINER, CURBING, AND SCREEN
Dia (in) Kind and Weight From (ft) To (ft)
4 new black steel Surface 39
to c 1 1/4 Per Foot



8. GROUT OR OTHER SEALING MATERIAL 10. TYPE OF DRILLING MACHINE USED
Kind From (ft) To (ft) Cable Tool Direct Rotary Reverse Rotary
Drill Mud Surface 39 Rotary - air Rotary - hammer Jetting with
w/drilling mud with drilling mud & air Air Water

11. MISCELLANEOUS DATA
Yield test: 2 Hrs. at 10 GPM
Depth from surface to normal water level 30 ft.
Depth to water level when pumping 35 ft.
Well construction completed on 5-6- 1975
Well is terminated 10 inches above below final grade
Well disinfected upon completion Yes No
Well sealed watertight upon completion Yes No

Water sample sent to La Crosse laboratory on: 6-4 1975

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Curran Registered Well Driller COMPLETE MAIL ADDRESS RR #2 Holmen, Wis.

COLIFORM TEST RESULT GAS - 24 HRS GAS - 48 HRS CONFIRMED REMARKS


MAR 13 1975
NOTE

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY MONROE		CHECK ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		NAME LA FRANCE		
2. LOCATION - 1/4 Section NW 1/4			Section 16	Township 18N	Range 1W	
OR - Grid or street no			Street name			
AND - If available subdivision name, lot & block no			POST OFFICE TOMAH WIS.			
4. Distance in feet from well to nearest: (Record answer in appropriate block)		BUILDING C I.	SANITARY SEWER TILE	FLOOR DRAIN C I.	FOUNDATION DRAIN SEWER CONNECTED	WASTE WATER DRAIN C I.
		8	25			
CLEAR WATER DRAIN C I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO
	30			70		
ABANDONED WELL	SINK HOLE					

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)


5. Well is intended to supply water for:
Home

6. DRILLHOLE						9. FORMATIONS			
Dia (in)	From (ft)	To (ft)	Dia (in)	From (ft)	To (ft)	Kind		From (ft)	To (ft)
8	Surface	12 1/2				SAND		Surface	10
6	12 1/2	95				SANDSTONE		10	95
7. CASING, LINER, CURBING, AND SCREEN									
Dia (in)	Kind and Weight		From (ft)	To (ft)					
6"	NEW P.E. 18.57 STANDARD STRUCK		Surface	42 1/2					
						8" surface pipe used 810'			

8. GROUT OR OTHER SEALING MATERIAL				10. TYPE OF DRILLING MACHINE USED			
Kind		From (ft)	To (ft.)	<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary	<input type="checkbox"/> Reverse Rotary	
DRILL CUTTINGS		Surface	10	<input checked="" type="checkbox"/> Rotary - air with drilling mud	<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water	
NEAT CEMENT		10	12 1/2	Well construction completed on 6-15 19 74			
11. MISCELLANEOUS DATA				Well is terminated 10 inches <input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade			
Yield test:	2	Hrs. at	12	GPM			
Depth from surface to normal water level	27	ft.	Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
Depth to water level when pumping	35	ft.	Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				

Water sample sent to **MADISON** laboratory on: **2-11 19 75**

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side

SIGNATURE 		COMPLETE MAIL ADDRESS 578 WATER AVE HICKSBORO	
Registered Well Driller			


Please do not write in space below				
COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS	CONFIRMED	REMARKS

plot

NOTE:

White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

NOV 15 1982

1. COUNTY Monroe		CHECK (✓) ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name La Grange	
2. LOCATION % Section N.W. Section 16 Township 18N. Range 1W.		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE Muelcarek		ADDRESS Box	
OR - Grid or Street No		Street Name 718N Banner Dr.		POST OFFICE Tomah	
AND - If available subdivision name, lot & block No					
4. Distance in feet from well to nearest: (Record answer in appropriate block)		Building 6		Sanitary Bldg. Drain C.I. Other	
		Sanitary Bldg. Sewer C.I. Other		Floor Drain Connected To C.I. Sewer Other Sewer	
		Storm Bldg. Drain C.I. Other		Storm Bldg. Sewer C.I. Other	
Street Sewer		Other Sewers		Foundation Drain Connected to	
San. Storm C.I. Other		Sewer		Sewage Sump C.I. Other	
		Clearwater Dr		Clearwater Sump	
				Clearwater Sump 50	
Privy		Pet Waste Pit		Holding Tank	
Pit Nonconforming Existing		Well		Sewage Absorption Unit	
Pump		Tank		Seepage Pit	
				Seepage Bed 75	
				Seepage Trench	
Temporary Manure Stack		Watertight Liquid Manure Tank		Solid Manure Storage Structure	
		Subsurface Gasoline or Oil Tank		Waste Pond or Land Disposal Unit (Specify Type)	
				Other (Give Description)	
5. Well is intended to supply water for: Home		9. FORMATIONS			
6. DRILLHOLE		Kind		From (ft.) To (ft.)	
Dia (in) From (ft) To (ft) Dia (in) From (ft) To (ft)		Sand		Surface 8	
10 Surface 34 6 34 72		Sand Rock		8 72	
7. CASING, LINER, CURBING AND SCREEN Material, Weight, Specification & Method of Assembly		 M O 1 7 0 8			
Dia (in) From (ft) To (ft)					
6 T.C. 7/8" steel Surface					
1945 Young town					
ASTM A 53 34					
8. GROUT OR OTHER SEALING MATERIAL		10. TYPE OF DRILLING MACHINE USED			
Kind From (ft.) To (ft.)		<input checked="" type="checkbox"/> Cable Tool <input type="checkbox"/> Rotary-hammer w/drilling mud & air <input type="checkbox"/> Jetting with			
Heat Cement Surface 34		<input type="checkbox"/> Rotary-air w/drilling mud <input type="checkbox"/> Rotary-hammer & air <input type="checkbox"/> Air			
		<input type="checkbox"/> Rotary-w/drilling mud <input type="checkbox"/> Reverse Rotary <input type="checkbox"/> Water			
11. MISCELLANEOUS DATA		Well construction completed on July 6 19 79			
Yield Test: 7 Hrs. at 8 GPM		Well is terminated 8 inches <input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below			
Depth from surface to normal water level 30 Ft.		Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Depth of water level when pumping 33 Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Water sample sent to Madison laboratory on July 10 19 79					
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.					
Signature Jim Parikurst Registered Well Driller		Complete Mail Address Eloy Wm.			

MAR 1 1972

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section SW Section 16 Township 18N Range 1W 3. OWNER AT TIME OF DRILLING Mike's Texaco

OR - Grid or street no Street name ADDRESS Tomah, Wis.

AND - If available subdivision name, lot & block no POST OFFICE

4. Distance in feet from well to nearest:

BUILDING C I.	SANITARY C I.	SEWER TILE	FLOOR DRAIN C I.	TILE	FOUNDATION DRAIN SEWER CONNECTED	INDEPENDENT	WASTE WATER DRAIN C I.	TILE
	80	80						

(Record answer in appropriate block)

CLEAR WATER DRAIN C I.	TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL	SINK HOLE
		80			100				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)

5. Well is intended to supply water for: Service Station

6. DRILLHOLE


Dia. (in.)	From (ft.)	To (ft.)	Dia (in.)	From (ft.)	To (ft.)
8	Surface	49			
6	49	85			

9. FORMATIONS

Kind	From (ft.)	To (ft.)
Sand	Surface	30
Sandstone	30	85

7. CASING, LINER, CURBING, AND SCREEN

Dia (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Plain end Standard Steel 18.97	Surface	49



8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
drill cuttings	Surface	10
neat cement	10	49

10. TYPE OF DRILLING MACHINE USED

Cable Tool Direct Rotary Reverse Rotary

Rotary - air w/drilling mud Rotary - hammer with drilling mud & air Jetting with Air Water

Well construction completed on Oct. 1, 1972

Well is terminated 1/2 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

11. MISCELLANEOUS DATA
Yield test: 2 Hrs. at 12 GPM
Depth from surface to normal water level 20 ft.
Depth to water level when pumping 22 ft.
Water sample sent to Madison, Wis. laboratory on: Feb. 29, 1972

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE [Signature] Registered Well Driller COMPLETE MAIL ADDRESS 578 Water Ave. Hillsboro

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS	CONFIRMED	REMARKS
----------------------	---------------	--------------	-----------	---------

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

MAR 1 1972

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

NOTE

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section NE Section 8 Township 18N Range 1W

OR - Grid or street no Street name

3. OWNER AT TIME OF DRILLING James Neinas

ADDRESS Tomah, Wis.

AND - If available subdivision name, lot & block no POST OFFICE

4. Distance in feet from well to nearest:

BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C. I.	WASTE WATER DRAIN TILE
<u>6</u>	<u>20</u>					

(Record answer in appropriate block)

CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
	<u>40</u>			<u>80</u>				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)

5. Well is intended to supply water for: home

6. DRILLHOLE


Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>8</u>	<u>Surface</u>	<u>43</u>			
<u>6</u>	<u>43</u>	<u>95</u>			

7. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
<u>6</u>	<u>plain end 18.97 standard steel</u>	<u>Surface</u>	<u>43</u>

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	<u>Surface</u>	<u>10</u>
<u>Sandstone</u>	<u>10</u>	<u>95</u>



8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
<u>drill cuttings</u>	<u>Surface</u>	<u>10</u>
<u>neat cement</u>	<u>10</u>	<u>43</u>

10. TYPE OF DRILLING MACHINE USED

Cable Tool Direct Rotary Reverse Rotary

Rotary - air w/ ~~drilling mud~~ Rotary - hammer with drilling mud & air Jetting with Air Water

Well construction completed on Nov. 24, 1971

11. MISCELLANEOUS DATA

Yield test: 2 Hrs. at 12 GPM

Depth from surface to normal water level 48 ft.

Depth to water level when pumping 52 ft.

Well is terminated 8 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Water sample sent to Madison, Wis. laboratory on: Feb. 29, 1972

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE [Signature] COMPLETE MAIL ADDRESS 578 Water Ave. Hillsboro

Registered Well Driller

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS	CONFIRMED	REMARKS
----------------------	--------------	--------------	-----------	---------

FEB 26 1976

State of Wisconsin
Department of Natural Resources
Box 7921
Madison, Wisconsin 53707

NOTE:
White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

WELL CONSTRUCTOR'S REPORT
Form 3300-15 Rev 12-76

1 COUNTY Monroe CHECK (✓) ONE Name La Grange
 Town Village City

2 LOCATION $\frac{1}{4}$ Section N. W Section 8 Township 18 N. Range 1 W 3 NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
Benny mee

OR - Grid or Street No. Street Name 23 R.D. ADDRESS R.R

AND - If available subdivision name, lot & block No POST OFFICE Tomah wis

4 Distance in feet from well to nearest: (Record answer in appropriate block) Building 10
 Sanitary Bldg. Drain C.I. Other Sanitary Bldg. Sewer C.I. Other Floor Drain Connected To C.I. Sewer Other Sewer Storm Bldg. Drain C.I. Other Storm Bldg. Sewer C.I. Other

Street Sewer San. Storm Other Sewers C.I. Other Foundation Drain Connected to Sewer Clearwater Dr Sewage Sump C.I. Other Clearwater Sump Clearwater Sump Sewage Absorption Unit Seepage Pit Seepage Bed Seepage Trench

Privy Pet Waste Pit Pit Nonconforming Existing Well Pump Tank Subsurface Pumphouse Nonconforming Existing Barn Gutter 25 Animal Barn Pen Animal Yard Silo With Pit 51 Glass Lined Storage Facility Silo w/o Pit Earthen Silage Storage Trench Or Pit

Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type) Other (Give Description)

5. Well is intended to supply water for: Barn 9 FORMATIONS

6 DRILLHOLE						9 FORMATIONS		
Dia (in)	From (ft)	To (ft)	Dia (in)	From (ft)	To (ft)	Kind	From (ft.)	To (ft.)
<u>10</u>	<u>Surface</u>	<u>35</u>	<u>6</u>	<u>35</u>	<u>80</u>	<u>Sand</u>	<u>Surface</u>	<u>8</u>
						<u>Sand Rock</u>	<u>8</u>	<u>80</u>

7 CASING, LINER, CURBING AND SCREEN Material, Weight, Specification & Method of Assembly

Dia (in)	From (ft)	To (ft)
<u>6</u>	<u>Surface</u>	<u>35</u>
<u>19.4"</u>		

New Steel T.C.
United Steel ASTM A53



8 GROUT OR OTHER SEALING MATERIAL Kind Neat Cement From (ft) Surface To (ft) 35

10 TYPE OF DRILLING MACHINE USED
 Cable Tool Rotary-hammer w/drilling mud & air Jetting with Air Water
 Rotary-air w/drilling mud Rotary-hammer & air Reverse Rotary
 Rotary-w/drilling mud

Well construction completed on Nov 1 19 76

11 MISCELLANEOUS DATA Yield Test: 1 Hrs. at 8 GPM Well is terminated 8 inches above final grade below

Depth from surface to normal water level 35 Ft. Well disinfected upon completion Yes No

Depth of water level when pumping 42 Ft. Stabilized Yes No Well sealed watertight upon completion Yes No

Water sample sent to om ashion laboratory on 11 5 19 76

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Jim Parkhurst Registered Well Driller Complete Mail Address E brog wis

Plot

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

OCT 29 1985

1. COUNTY <u>Monroe</u>		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name <u>LaGrange</u>	
2. LOCATION 1/4 Section or Gov't. Lot <u>NW-NE</u> OR - Grid or Street No. Street or Road Name AND - If available subdivision name, lot & block No.		Section <u>17</u> Township <u>18N</u> Range <u>1W</u>		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>David Spaid</u> ADDRESS <u>Box 411</u> POST OFFICE <u>Tomah, Wis</u> ZIP CODE <u>54660</u>	
4. Distance in feet from well to nearest: (Record answer in appropriate block)		Building <u>12</u>		Sanitary Bldg. Drain C.I. Other	
		Sanitary Bldg. Sewer C.I. Other		Floor Drain Connected To: C.I. Sewer Other Sewer	
		Storm Bldg. Drain C.I. Other		Storm Bldg. Sewer C.I. Other	
Street Sewer		Other Sewers		Foundation Drain Connected to:	
San. Storm C.I. Other		Sewer Clearwater Dr.		Sewage Sump Clearwater Sump	
		Sewage Sump Clearwater Sump		Clearwater Sump	
Privy		Pet Waste Pit		Septic Tank	
Pit: Nonconforming Existing		Well		Holding Tank	
Subsurface Pumproom		Pump		Sewage Absorption Unit	
Nonconforming Existing		Tank		Seepage Pit	
Barn Gutter				Storage Bed	
Animal Barn Pen				Seepage Trench	
Animal Yard				Manure Hopper or Retention or Pneumatic Tank	
Silo With Pit					
Glass Lined Storage Facility					
Silo w/o Pit					
Earthen Silage Storage Or Pit					
Earthen Manure Basin					
Temporary Manure Stack or Platform		Watertight Liquid Manure Tank or Basin		Manure Pressure Pipe	
		Subsurface Gasoline or Oil Tank		Waste Pond or Land Disposal Unit (Specify Type)	
				Manure Storage Basin	
				Concrete Floor Only	
				Concrete Floor and Partial Concrete Walls	
				Other (Describe)	
5. Well is intended to supply water for: <u>New house</u>				9. FORMATIONS	
6. DRILLHOLE				Kind	
Dia. (in.) From (ft.) To (ft.) Dia. (in.) From (ft.) To (ft.)				From (ft.) To (ft.)	
<u>10</u> <u>Surface</u> <u>62</u>				<u>Sand</u> <u>Surface</u> <u>4</u>	
<u>6</u> <u>62</u> <u>100</u>				<u>Clay</u> <u>4</u> <u>17</u>	
				<u>Sandstone</u> <u>17</u> <u>100</u>	
7. CASING, LINER, CURBING AND SCREEN					
Material, Weight, Specification					
Mfg. & Method of Assembly					
Dia. (in.)		From (ft.)		To (ft.)	
<u>6</u>		<u>Surface</u>		<u>62</u>	
<u>18" new steel</u>					
<u>Astm-A-53 welded</u>					
<u>N.K.K</u>					
8. GROUT OR OTHER SEALING MATERIAL					
Kind		From (ft.)		To (ft.)	
<u>Drill Slurry</u>		<u>Surface</u>		<u>10</u>	
<u>Neat Cement</u>		<u>10</u>		<u>62</u>	
10. TYPE OF DRILLING MACHINE USED					
<input type="checkbox"/> Cable Tool		<input type="checkbox"/> Rotary-hammer w/drilling mud & air		<input type="checkbox"/> Jetting with	
<input type="checkbox"/> Rotary-air w/drilling mud		<input checked="" type="checkbox"/> Rotary-hammer & air		<input type="checkbox"/> Air	
<input type="checkbox"/> Rotary-w/drilling mud		<input type="checkbox"/> Reverse Rotary		<input type="checkbox"/> Water	
Well construction completed on <u>October 18</u> 19 <u>85</u>					
Well is terminated <u>12</u> inches <input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below					
Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
11. MISCELLANEOUS DATA					
Yield Test: <u>1</u> Hrs. at <u>20</u> GPM		Water sample sent to <u>Marshfield</u> laboratory on <u>October 18</u> 19 <u>85</u>			
Depth from surface to normal water level <u>62</u> Ft.					
Depth of water level when pumping <u>90</u> Ft.		Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.					
Signature <u>414 David Kline</u>			Business Name and Complete Mailing Address <u>Ditter Well Drilling, Box 176 Loyal, Wis 54446</u>		
Registered Well Driller					

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

AUG 1 1985

1. COUNTY Monroe		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City Name La Grange		
2. LOCATION 1/4 Section or Gov't. Lot ✓ NW NW OR - Grid or Street No. Street or Road Name AND - If available subdivision name, lot & block No.		Section 17	Township 18N	Range 1W
3. NAME Tim Kirska ADDRESS Rt. 1 Box 184 POST OFFICE Tomah, WI ZIP CODE 54660		<input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE		
4. Distance in feet from well to nearest: (Record answer in appropriate block) 7'		Building	Sanitary Bldg. Drain C.I. Other	Sanitary Bldg. Sewer C.I. Other
Street Sewer		Foundation Drain Connected to:	Sewage Sump C.I. Other	Clearwater Sump
San. Storm		Sewer	Clearwater Dr.	Septic Tank
Other Sewers C.I. Other		Clearwater Sump	Clearwater Sump	Septic Tank
Holding Tank		Sewage Absorption Unit Seepage Pit Seepage Bed Seepage Trench	Manure Hopper or Retention or Pneumatic Tank	
Private		Pit: Nonconforming Existing	Subsurface Pumproom Nonconforming Existing	Barn Gutter
Pet Waste Pit		Well	Pump	Tank
Temporary Manure Stack or Platform		Watertight Liquid Manure Tank or Basin	Manure Pressure Pipe	Subsurface Gasoline or Oil Tank
		Waste Pond or Land Disposal Unit (Specify Type)	Manure Storage Basin Concrete Floor Only Concrete Floor and Partial Concrete Walls	Other (Describe)
5. Well is intended to supply water for: Private Home		9. FORMATIONS		
6. DRILLHOLE		Kind		
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)
6"	Surface	110		
			Sand	Surface
			Sand Rock	32
				110
7. CASING, LINER, CURBING AND SCREEN		Material, Weight, Specification		
Dia. (in.)	Mfg. & Method of Assembly	From (ft.)	To (ft.)	
6"	Black Steel 18.47 Wld ASTM A 53	Surface	33'	
8. GROUT OR OTHER SEALING MATERIAL		10. TYPE OF DRILLING MACHINE USED		
Kind		From (ft.)	To (ft.)	<input checked="" type="checkbox"/> Cable Tool <input type="checkbox"/> Rotary-hammer w/drilling mud & air <input type="checkbox"/> Jetting with <input type="checkbox"/> Rotary-air w/drilling mud <input type="checkbox"/> Rotary-hammer & air <input type="checkbox"/> Air <input type="checkbox"/> Rotary-w/drilling mud <input type="checkbox"/> Reverse Rotary <input type="checkbox"/> Water
Surface				
11. MISCELLANEOUS DATA		Well construction completed on 7-5-85 19		
Yield Test: 6	Hrs. at 9	GPM	Well is terminated 9 inches	<input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below
Depth from surface to normal water level 81 Ft.	Well disinfected upon completion	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Depth of water level when pumping 86 Ft.	Well sealed watertight upon completion	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water sample sent to Madison laboratory on July 23 19 85			
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.				
Signature 413 Robert L. Rush Registered Well Driller		Business Name and Complete Mailing Address Robert Rush + Sons 54615 Rt. 4 Box 190 Black River Falls, WI		

AUG 1 1985

1. COUNTY Monroe		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City			Name La Grange	
2. LOCATION OR - Grid or Street No. NW NW Street or Road Name AND - If available subdivision name, lot & block No.		Section 17	Township 18N	Range 1W	3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE Walter Friske	
4. Distance in feet from well to nearest: (Record answer in appropriate block) 6'		Building C.I. Other	Sanitary Bldg. Drain C.I. Other	Sanitary Bldg. Sewer C.I. Other	Floor Drain Connected To: C.I. Sewer Other Sewer	Storm Bldg. Drain C.I. Other
Street Sewer San. Storm C.I. Other		Foundation Drain Connected to: Sewer Sewage Sump Clearwater Dr.		Sewage Sump C.I. Other	Clearwater Sump	Septic Tank
Private Pit Well Pump Tank		Subsurface Pumproom Nonconforming Existing		Barn Gutter	Animal Barn Pen	Animal Yard
Temporary Manure Stack or Platform		Watertight Liquid Manure Tank or Basin	Manure Pressure Pipe	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)	Manure Storage Basin Concrete Floor Only Concrete Floor and Partial Concrete Walls
5. Well is intended to supply water for: Private Home		9. FORMATIONS				
6. DRILLHOLE		7. CASING, LINER, CURBING AND SCREEN		10. TYPE OF DRILLING MACHINE USED		
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind
6"	Surface	100'	6"	Surface	34	Sand
						Sand Rock
						Surface
						32
						32
						100
8. GROUT OR OTHER SEALING MATERIAL		11. MISCELLANEOUS DATA		Well construction completed on 7-10 19 85		
Kind		From (ft.)	To (ft.)	Yield Test: 6 Hrs. at 10 GPM	Well is terminated 8 inches <input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade	
		Surface		Depth from surface to normal water level 69 Ft.	Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				Depth of water level when pumping 76 Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Water sample sent to Madison		laboratory on 7-23 19 85		Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.		
Signature 412 Robert L. Rush Registered Well Driller		Business Name and Complete Mailing Address Robert & Rush & Sons 54615 Rt. 4 Box 190 Black River Falls, WI				

SEP 9 1982

1. COUNTY Monroe CHECK (✓) ONE: Town Village City Name La Grange

2. LOCATION NE-91.9W Section 16 Township 18N Range 1W 3. NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE Ronald Ficks

OR - Grid or Street No. Street or Road Name ADDRESS RI

AND - If available subdivision name, lot & block No. POST OFFICE Tomah ZIP CODE 54660

4. Distance in feet from well to nearest: (Record answer in appropriate block)

Building	Sanitary Bldg. Drain	Sanitary Bldg. Sewer	Floor Drain Connected To:	Storm Bldg. Drain	Storm Bldg. Sewer
<u>5</u>	C.I. Other	C.I. Other	C.I. Sewer Other Sewer	C.I. Other	C.I. Other
			<u>30</u>		

Street Sewer	Other Sewers	Foundation	Drain Connected to	Sewage Sump	Clearwater Sump	Septic Tank	Holding Tank	Sewage Absorption Unit	Manure Hopper or Retention or Pneumatic Tank
San. Storm C.I. Other	Sewer Clearwater Dr.	Sewage Sump Clearwater Sump	C.I. Other	C.I. Other				Seepage Pit Seepage Bed Seepage Trench	
								<u>75</u>	

Privy	Pet Waste Pit	Pit: Nonconforming Existing	Subsurface Pumproom	Barn Gutter	Animal Barn Pen	Animal Yard	Silo With Pit	Glass Lined Storage Facility	Silo w/o Pit	Earthen Silage Storage Trench; Or Pit	Earthen Manure Basin
		Well Pump Tank	Nonconforming Existing								

Temporary Manure Stack or Platform	Watertight Liquid Manure Tank or Basin	Manure Pressure Pipe	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)	Manure Storage Basin	Other (Describe)
					Concrete Floor Only Concrete Floor and Partial Concrete Walls	

5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>6</u>	<u>Surface</u>	<u>100</u>			

7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification Mfg. & Method of Assembly	From (ft.)	To (ft.)
<u>6</u>	<u>Blacksteel 18 27 2 1/2" A S T M A - 3 3</u>	<u>Surface</u>	<u>32</u>

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	<u>Surface</u>	<u>29</u>
<u>Sand rock</u>	<u>29</u>	<u>100</u>

10. TYPE OF DRILLING MACHINE USED

<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Rotary-hammer w/drilling mud & air	<input type="checkbox"/> Jetting with
<input type="checkbox"/> Rotary-air w/drilling mud	<input type="checkbox"/> Rotary-hammer & air	<input type="checkbox"/> Air
<input type="checkbox"/> Rotary-w/drilling mud	<input type="checkbox"/> Reverse Rotary	<input type="checkbox"/> Water

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
	<u>Surface</u>	

11. MISCELLANEOUS DATA

Well construction completed on Aug. 27 1982

Yield Test: 5 Hrs. at 10 GPM Well is terminated 8 inches above final grade below

Depth from surface to normal water level 54 Ft. Well disinfected upon completion Yes No

Depth of water level when pumping 62 Ft. Stabilized Yes No Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on Sept 7 1982

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Roy Bush Registered Well Driller Business Name and Complete Mailing Address Black River Falls Wis RS 54615

RECEIVED
 SEP 8 1982
 DNR - WCD

RECEIVED

JUL 26 1983

1. COUNTY Monroe CHECK (✓) ONE: Town Village City Name La Orange

2. LOCATION SE. 9. W. 16 18N 1W 3. NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
 ADDRESS RI POST OFFICE Tomahawk Wis ZIP CODE 54660

4. Distance in feet from well to nearest: (Record answer in appropriate block)

Building	Sanitary Bldg. Drain	Sanitary Bldg. Sewer	Floor Drain Connected To:	Storm Bldg. Drain	Storm Bldg. Sewer
<u>6</u>	C.I. Other	C.I. Other	C.I. Sewer Other Sewer	C.I. Other	C.I. Other
Street Sewer	Other Sewers	Foundation Drain Connected to:	Sewage Sump	Clearwater Sump	Septic Tank
San. Storm	C.I. Other	Sewer Sewage Sump	C.I. Other	Clearwater Sump	Holding Tank
		Clearwater Dr. Sewage Sump			Sewage Absorption Unit
					Seepage Pit
					Seepage Bed
					Seepage Trench
Privy	Pit: Nonconforming Existing	Subsurface Pumproom	Barn Gutter	Animal Barn Pen	Animal Yard
Pet Waste Pit	Well Pump Tank	Nonconforming Existing			Silo With Pig
					Glass Lined Storage Facility
					Silo w/o Pit
					Earthen Silage Storage Trench Or Pit
					Earthen Manure Basin
Temporary Manure Stack or Platform	Watertight Liquid Manure Tank or Basin	Manure Pressure Pipe	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)	Manure Storage Basin
					Concrete Floor Only
					Concrete Floor and Partial Concrete Walls
					Other (Describe)

5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>6</u>	<u>Surface</u>	<u>90</u>			

7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification	From (ft.)	To (ft.)
<u>6</u>	<u>Besteel 1877</u> <u>2" W.P. ASTM A-53</u>	<u>Surface</u>	<u>33</u>

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
	<u>Surface</u>	

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	<u>Surface</u>	<u>30</u>
<u>Sand rock</u>	<u>30</u>	<u>90</u>

10. TYPE OF DRILLING MACHINE USED

<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Rotary-hammer w/drilling mud & air	<input type="checkbox"/> Jetting with
<input type="checkbox"/> Rotary-air w/drilling mud	<input type="checkbox"/> Rotary-hammer & air	<input type="checkbox"/> Air
<input type="checkbox"/> Rotary-w/drilling mud	<input type="checkbox"/> Reverse Rotary	<input type="checkbox"/> Water

11. MISCELLANEOUS DATA

Yield Test: 5 Hrs. at 10 GPM Well is terminated 8 inches above final grade below

Depth from surface to normal water level 50 Ft. Well disinfected upon completion Yes No

Depth of water level when pumping 58 Ft. Stabilized Yes No Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on July 25 1983

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature 410 Roy Bush Registered Well Driller Business Name and Complete Mailing Address Black River Falls Wis R5 54665

Well Construction Report For
WISCONSIN UNIQUE WELL NUMBER AG547

State of Wisconsin
 Department of Natural Resources
 Private Water Supply - WS/2
 Box 7921
 Madison, WI 53707
 AUG 3 1988
 DNR-WCD

Property Owner: P & R Construction Telephone Number: (608) 372-7862
 Mailing Address: Rt. 2 Bix 399
 City: Tomah State: WI Zip Code: 54660
 County: Monroe County Well Location Permit No.: W Well Completion Date: 06/17/88

1. Location (Please type or print using a black pen.)
 Town City Village Fire # (if available)
 of LaGrange
 Grid or Street Address or Road Name and Number (if available)
Bittersweet Ct.
 Subdivision Name _____ Lot # _____ Block # _____

Well Constructor (Business Name) License #
Robert Bush & Sons 181
 Address
Rt. 4 Bix 190
 City State Zip Code
Black River Falls WI 54615

2. Mark well location in correct 40-acre parcel of section.
 N

	X		

 W E
 S

Gov't Lot # _____ or SE 1/4 of NW 1/4 of Section 16; T 18 N; R 1 E W

3. Well Type New
 Replacement Reconstruction/Rehabilitation
 of well constructed in 19 _____.
 Reason for new, reconstructed, replaced, or rehabilitated well?
New Home
 Drilled Driven Point Jetted Other _____

4. Well serves 1 # of homes and/or _____
 (ex: barn, restaurant, church, school, industry, etc.) High Capacity Well? Yes No
 High Capacity Property? Yes No

5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings? Yes No
 Well Located in Floodplain? Yes No
 Distance In Feet From Well To Nearest:
 1. Landfill 30
 2. Building Overhang 65
 3. Septic or Holding Tank 90
 4. Sewage Absorption Unit _____
 5. Nonconforming Pit _____
 6. Buried Home Heating Oil Tank _____
 7. Buried Petroleum Tank _____
 8. Shoreline/Swimming Pool _____
 9. Downspout/Yard Hydrant _____
 10. Privy _____
 11. Foundation Drain to Clearwater _____
 12. Foundation Drain to Sewer _____
 13. Building Drain _____
 Cast Iron or Plastic Other
 14. Building Sewer 50' Gravity Pressure
 Cast Iron or Plastic Other
 15. Collector Sewer #40
 16. Clearwater Sump _____
 17. Wastewater Sump _____
 18. Paved Animal Barn Pen _____
 19. Animal Yard or Shelter _____
 20. Silo - Type _____
 21. Barn Gutter _____
 22. Manure Pipe Gravity Pressure
 Cast Iron or Plastic Other
 23. Other Manure Storage _____
 Other NR 112 Waste Source _____
 24. _____

6. Drillhole Dimensions
 From To
 Dia. (in.) (ft.) (ft.)
6 surface 70
 Method of constructing upper enlarged drillhole. (If applicable check more than one.)
 1. Rotary - Mud Circulation
 2. Rotary - Air
 3. Rotary - Foam
 4. Reverse Rotary
 5. Cable-tool Bit 6 in. dia.
 6. Temp. Outer Casing _____ in. dia.
 Removed? Yes No
 If no, explain _____
 7. Other _____

9. Geology
 Type, Caving/Noncaving, Color, Hardness, Etc. From (ft.) To (ft.)

<u>OS</u>	<u>Sandy Caving Material</u>	surface	<u>31</u>
<u>N</u>	<u>Sand Rock</u>	<u>31</u>	<u>70</u>

7. Casing, Liner, Screen
 Material, Weight, Specification From To
 Dia. (in.) Mfg. & Method of Assembly (ft.) (ft.)
6 Black Steel 18.97 surface 33
ASTMA-120 0.280
Yieh Hsing Enterprise Co. LTD.
Welded

Dia. (in.) screen type and material From To

10. Static Water Level
40 ft. below ground surface
 11. Pump Test
 Pumping Level 46 ft. below surface
 Pumping at 8 GPM for 8 hours
 12. Well Is:
 Above Grade
 Below Grade
10 in.
 Developed? Yes No
 Disinfected? Yes No
 Capped? Yes No

8. Grout or Other Sealing Material
 Method From To # Sacks
 Kind of Sealing Material (ft.) (ft.) Cement
 surface _____

13. Were all unused, noncomplying, or unsafe wells properly filled with sealant?
 Yes No If no, explain None
 14. Signature of Well Constructor Date Signed
Robert L. Rush RLR 7/6/88
 Signature of Drill Rig Operator Date Signed
Robert L. Rush RLR 7/6/88


Well Construction Report For WISCONSIN UNIQUE WELL NUMBER AG546

RECEIVED State of Wisconsin Department of Natural Resources Private Water Supply - WS/2 Box 7921 Madison, WI 53707
 AUG 3 1988

Property Owner: C & R Construction Telephone Number: (608) 372-7862
 Mailing Address: R# 2 Box 399
 City: Janesville State: WI Zip Code: 54660
 County: Monroe County Well Location Permit No.: W Well Completion Date: 06/13/88
M M D D Y Y

1. Location (Please type or print using a black pen.)
 Town City Village Fire # (if available)
 of La Grange
 Grid or Street Address or Road Name and Number (if available)
Bittersweet Ct.
 Subdivision Name Lot # Block #

Well Constructor (Business Name) License #
Robert Rush & Sons 181
 Address
R# 4 Box 190 54660
 City State Zip Code
Blk. River Falls, WI



Gov't Lot # _____ or SE 1/4 of NW 1/4 of Section 16; T 18 N; R 1 E W

3. Well Type New
 Replacement Reconstruction/Rehabilitation

of well constructed in 19 _____
 Reason for new, reconstructed, replaced, or rehabilitated well?
New Construction
 Drilled Driven Point Jetted Other _____

4. Well serves 1 # of homes and/or _____
 (ex: barn, restaurant, church, school, industry, etc.) High Capacity Well? Yes No
 High Capacity Property? Yes No

5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings? Yes No
 Well Located in Floodplain? Yes No
 Distance In Feet From Well To Nearest:
 1. Landfill _____
 2. Building Overhang _____
 3. Septic or Holding Tank _____
 4. Sewage Absorption Unit _____
 5. Nonconforming Pit _____
 6. Buried Home Heating Oil Tank _____
 7. Buried Petroleum Tank _____
 8. Shoreline/Swimming Pool _____
 9. Downspout/Yard Hydrant _____
 10. Privy _____
 11. Foundation Drain to Clearwater _____
 12. Foundation Drain to Sewer _____
 13. Building Drain _____
 Cast Iron or Plastic Other _____
 14. Building Sewer Gravity Pressure
 Cast Iron or Plastic Other _____
 15. Collector Sewer _____
 16. Clearwater Sump _____
 17. Wastewater Sump _____
 18. Paved Animal Barn Pen _____
 19. Animal Yard or Shelter _____
 20. Silo - Type _____
 21. Barn Gutter _____
 22. Manure Pipe Gravity Pressure
 Cast Iron or Plastic Other _____
 23. Other Manure Storage _____
 Other NR 112 Waste Source _____
 24. _____

6. Drillhole Dimensions

Dia. (in.)	From (ft.)	To (ft.)
6	surface	70

Method of constructing upper enlarged drillhole. (If applicable more than one.)
 1. Rotary - Mud Circulation
 2. Rotary - Air
 3. Rotary - Foam
 4. Reverse Rotary
 5. Cable-tool Bit 6 in. dia.
 6. Temp. Outer Casing _____ in. dia.
 Removed? Yes No
 If no, explain _____
 7. Other _____

9. Geology

Type, Caving/Noncaving, Color, Hardness, Etc.	From (ft.)	To (ft.)
<u>Sandy Caving Material</u>	surface	32
<u>Sand Rock</u>	32	70

7. Casing, Liner, Screen

Dia. (in.)	Material, Weight, Specification Mfg. & Method of Assembly	From (ft.)	To (ft.)
6	<u>Black Steel 18.97</u> <u>ASTMA-120</u> <u>Yieh Hsing Enterprise Co.</u> <u>ETD</u>	surface	34
	<u>Welded</u>		

10. Static Water Level
40 ft. below ground surface

11. Pump Test
 Pumping Level 46 ft. below surface
 Pumping at 8 GPM for 8 hours

12. Well Is:
 Above Grade
 Below Grade
 Developed? Yes No
 Disinfected? Yes No
 Capped? Yes No

8. Grout or Other Sealing Material

Method	From (ft.)	To (ft.)	# Sacks Cement
Kind of Sealing Material			
	surface		

13. Were all unused, noncomplying, or unsafe wells properly filled with sealant?
 Yes No If no, explain None

14. Signature of Well Constructor Robert L. Rush RLR Date Signed 7/6/88
 Signature of Drill Rig Operator Robert L. Rush RLR Date Signed 7/6/88

Well Construction Report For WISCONSIN UNIQUE WELL NUMBER **AH551**

State of Wisconsin
Department of Natural Resources
Private Water Supply - WS/2
Box 7921
Madison, WI 53707

DEC 15 1988

Property Owner: Terry Lee Meacham Telephone Number: 608 772 9166
 Mailing Address: Box 683 City: _____ State: _____ Zip Code: _____
 County: Tomah County Well Location Permit No.: W 42 Well Completion Date: 11/30/88

1. Location (Please type or print using a black pen.)
 Town City Village Fire # (if available) _____
 of La Grange
 Grid or Street Address or Road Name and Number (if available) _____

Well Constructor (Business Name): Gene Maurer and son License #: 296
 Address: RII City: _____ State: _____ Zip Code: _____
Black River Falls WI 54605

2. Mark well location in correct 40-acre parcel of section.
 N

	X	

 W E
 S

Subdivision Name _____ Lot # _____ Block # _____
 Gov't Lot # _____ or SE ¼ of NW ¼ of Section 16; T 18 N; R 1 E W

3. Well Type New
 Replacement Reconstruction/Rehabilitation
 of well constructed in 19 _____
 Reason for new, reconstructed, replaced, or rehabilitated well?
New Home

4. Well serves 1 # of homes and/or _____
 (ex: barn, restaurant, church, school, industry, etc.)
 High Capacity Well? Yes No
 High Capacity Property? Yes No

5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings? Yes No
 Well Located in Floodplain? Yes No
 Distance In Feet From Well To Nearest:
 _____ 1. Landfill
11 2. Building Overhang
None 3. Septic or Holding Tank
None 4. Sewage Absorption Unit
 _____ 5. Nonconforming Pit
 _____ 6. Buried Home Heating Oil Tank
 _____ 7. Buried Petroleum Tank
 _____ 8. Shoreline/Swimming Pool
 _____ 9. Downspout/Yard Hydrant
 _____ 10. Privy
 _____ 11. Foundation Drain to Clearwater
 _____ 12. Foundation Drain to Sewer
 _____ 13. Building Drain
 Cast Iron or Plastic Other
None 14. Building Sewer Gravity Pressure
 Cast Iron or Plastic Other
 _____ 15. Collector Sewer
 _____ 16. Clearwater Sump
 _____ 17. Wastewater Sump
 _____ 18. Paved Animal Barn Pen
 _____ 19. Animal Yard or Shelter
 _____ 20. Silo - Type _____
 _____ 21. Barn Gutter
 _____ 22. Manure Pipe Gravity Pressure
 Cast Iron or Plastic Other
 _____ 23. Other Manure Storage _____
 Other NR 112 Waste Source _____
 _____ 24. _____

6. Drillhole Dimensions

Dia. (in.)	From (ft.)	To (ft.)
10	surface	31
6	31	90

 Method of constructing upper enlarged drillhole. (If applicable more than one.)
 1. Rotary - Mud Circulation
 2. Rotary - Air
 3. Rotary - Foam
 4. Reverse Rotary
 5. Cable-tool Bit 10 in. dia.
 6. Temp. Outer Casing 10 in. dia.
 Removed? Yes No
 If no, explain _____
 7. Other _____

9. Geology
 Type, Caving/Noncaving, Color, Hardness, Etc. From (ft.) To (ft.)

GI	caving black dirt	surface	2
OS	caving brown sand	2	10
TN	brown sand rock	10	21
GN	gray sand rock	21	63
IN	white sand rock	63	90

7. Casing, Liner, Screen

Dia. (in.)	Material, Weight, Specification, Mfg. & Method of Assembly	From (ft.)	To (ft.)
6	Black steel 18 92 weld ASTM-A53 Taiwan	surface	34

 Dia. (in.) screen type and material From To

10. Static Water Level 60 ft. below ground surface
 11. Pump Test
 Pumping Level 67 ft. below surface
 Pumping at 10 GPM for 4 hours
 12. Well Is:
 Above Grade
 Below Grade
 Developed? Yes No
 Disinfected? Yes No
 Capped? Yes No

8. Grout or Other Sealing Material

Method	Kind of Sealing Material	From (ft.)	To (ft.)	# Sacks Cement
Tremie pipe gravity	Neat cement	surface	31	12

13. Were all unused, noncomplying, or unsafe wells properly filled with sealant?
 Yes No If no, explain _____
 14. Signature of Well Constructor: Gene Maurer GM Date Signed: 12-13-88
 Signature of Drill Rig Operator: Walter Maurer MM Date Signed: 12-13-88

Make additional comments on reverse side about geology, etc.
 407

DNR. ORIGINAL

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

DEC 13 1985

1. COUNTY MONROE		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name LA GRANGE	
2. LOCATION Section or Gov't. Lot NE-SE OR - Grid or Street No. Street or Road Name		Section 9 Township 18N Range 1W		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> RENT AT TIME OF DRILLING CHECK (✓) ONE Mike Smith ADDRESS R2 Box 178 POST OFFICE TOMAH, WIS. ZIP CODE	
4. Distance in feet from well to nearest: (Record answer in appropriate block) 10'		Building Sanitary Bldg. Drain C.I. Other		Sanitary Bldg. Sewer C.I. Other	
Street Sewer San. Storm C.I. Other		Foundation Drain Connected to: Sewer Sewage Sump Clearwater Dr. Clearwater Sump		Clearwater Sump Septic Tank Holding Tank	
Privy Pet Waste Pit		Pit: Nonconforming Existing		Subsurface Pumproom Nonconforming Existing	
Temporary Manure Stack or Platform		Watertight Liquid Manure Tank or Basin		Manure Pressure Pipe	
Subsurface Gasoline or Oil Tank		Waste Pond or Land Disposal Unit (Specify Type)		Manure Storage Basin Concrete Floor Only Concrete Floor and Partial Concrete Walls	
5. Well is intended to supply water for: Home		9. FORMATIONS			
6. DRILLHOLE		Kind		From (ft.) To (ft.)	
Dia. (in.) From (ft.) To (ft.) Dia. (in.) From (ft.) To (ft.)		BLACK DIRT		Surface 4	
10 Surface 10 8 10 40		Clay with SAND layers		4 11	
6 40 44		SOFT SANDSTONE		11 36	
7. CASING, LINER, CURBING AND SCREEN		Material, Weight, Specification		Mfg. & Method of Assembly	
Dia. (in.)		From (ft.) To (ft.)		SANDSTONE	
6		Surface		36 44	
New B&K steel P.E.					
280" USP					
AIZO EQUIV.		40			
1200 PSI D.P.					
8. GROUT OR OTHER SEALING MATERIAL		10. TYPE OF DRILLING MACHINE USED			
Kind From (ft.) To (ft.)		<input type="checkbox"/> Cable Tool		<input checked="" type="checkbox"/> Rotary-hammer w/drilling mud & air	
Cement Surface 40		<input type="checkbox"/> Rotary-air w/drilling mud		<input type="checkbox"/> Rotary-hammer & air	
		<input type="checkbox"/> Rotary-w/drilling mud		<input type="checkbox"/> Reverse Rotary	
				<input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water	
11. MISCELLANEOUS DATA		Well construction completed on 11-16 19 85			
Yield Test: 1 Hrs. at 10 GPM		Well is terminated 24 inches <input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below			
Depth from surface to normal water level 10 Ft.		Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Depth of water level when pumping 35 Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Water sample sent to C.T.A. laboratory on 11-16 19 85					
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.					
Signature 400 David Haupt		Business Name and Complete Mailing Address Haupt Well + Pump - Auburndale			
Registered Well Driller					

Well Construction Report For
WISCONSIN UNIQUE WELL NUMBER AH736

State of Wisconsin
 Department of Natural Resources
 Private Water Supply - WS/2
 Box 7921
 Madison, WI 53707
 SEP 27 1988
 DNR-WCD

Property Owner: David Caauwe Telephone Number: none
 Mailing Address: Rt 1 Box 190 A
 City: Tomah State: WI Zip Code: 54660
 County: Monroe County Well Location: W Well Completion Date: 9/26/88

I. Location (Please type or print using a black pen.)
 Town City Village Fire # (if available) _____
 of LaGrange
 Grid or Street Address or Road Name and Number (if available)
23rd Lane
 Subdivision Name _____ Lot # _____ Block # _____

Well Constructor (Business Name) License #
Robert RUSH, SONS 181
 Address
Rt 4 Box 190
 City: Black River Falls, WI State: WI Zip Code: 54615

2. Mark well location in correct 40-acre parcel of section.
 N
 W E
 S

Gov't Lot # _____ or SW 1/4 of SE 1/4 of ??
 Section 8 T 18 N; R 1 E W

3. Well Type New
 Replacement Reconstruction/Rehabilitation
 of well constructed in 19 _____
 Reason for new, reconstructed, replaced, or rehabilitated well?
New Home

4. Well serves 1 # of homes and/or _____
 (ex: barn, restaurant, church, school, industry, etc.)
 High Capacity Well? Yes No
 High Capacity Property? Yes No

5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings? Yes No
 Well Located in Floodplain? Yes No
 Distance In Feet From Well To Nearest:
 1. Landfill 7
 2. Building Overhang 90
 3. Septic or Holding Tank 90
 4. Sewage Absorption Unit
 5. Nonconforming Pit 36
 6. Buried Home Heating Oil Tank
 7. Buried Petroleum Tank
 8. Shoreline/Swimming Pool
 9. Downspout/Yard Hydrant
 10. Privy
 11. Foundation Drain to Clearwater
 12. Foundation Drain to Sewer
 13. Building Drain
 Cast Iron or Plastic Other
 Cast Iron or Plastic Other
 14. Building Sewer Gravity Pressure
 15. Collector Sewer
 16. Clearwater Sump
 17. Wastewater Sump
 18. Paved Animal Barn Pen
 19. Animal Yard or Shelter
 20. Silo - Type _____
 21. Barn Gutter
 22. Manure Pipe Gravity Pressure
 Cast Iron or Plastic Other
 23. Other Manure Storage
 Other NR 112 Waste Source
 24. _____

6. Drillhole Dimensions
 From To
 Dia. (in.) (ft.) (ft.)
6 surface 110
 Method of constructing upper enlarged drillhole. (If applicable more than one.)
 1. Rotary - Mud Circulation
 2. Rotary - Air
 3. Rotary - Foam
 4. Reverse Rotary
 5. Cable-tool Bit in. dia.
 6. Temp. Outer Casing _____ in. dia.
 Removed? Yes No
 If no, explain _____
 7. Other _____

9. Geology		From (ft.)	To (ft.)
Type, Caving/Noncaving, Color, Hardness, Etc.			
<u>QS - Sandy Caving Soil</u>		surface	<u>33</u>
<u>NR - Sand Rock</u>		<u>33</u>	<u>110</u>

7. Casing, Liner, Screen
 Material, Weight, Specification From To
 Dia. (in.) Mfg. & Method of Assembly (ft.) (ft.)
6 Black Plain end Steel surface 36
Schedule 40
A-120 - 18.47
Welded
Yieh-Hsing-Enterprise
Co. LTD
 Dia. (in.) screen type and material From To

10. Static Water Level
65 ft. below ground surface
 11. Pump Test
 Pumping Level 72 ft. below surface
 Pumping at 8 GPM for 6 hours
 12. Well Is:
 Above Grade
 Below Grade
 Developed? Yes No
 Disinfected? Yes No
 Capped? Yes No

8. Grout or Other Sealing Material
 Method From To # Sacks
 Kind of Sealing Material (ft.) (ft.) Cement
 surface

13. Were all unused, noncomplying, or unsafe wells properly filled with sealant?
 Yes No If no, explain None
 14. Signature of Well Constructor Robert L. Rush RLR Date Signed 9/25/88
 Signature of Drill Rig Operator Robert L. Rush RLR Date Signed 9/25/88

FEB 26 1976

State of Wisconsin
Department of Natural Resources
Box 7921
Madison, Wisconsin 53707

NOTE:
White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

WELL CONSTRUCTOR'S REPORT
Form 3300-15 Rev 12-76

1 COUNTY Monroe CHECK (✓) ONE Name La Grange
 Town Village City

2 LOCATION 1/4 Section N. W Section 8 Township 18 N. Range 1 W 3 NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
Benny mee

OR - Grid or Street No. Street Name 23 R.D. ADDRESS R.R

AND - If available subdivision name, lot & block No POST OFFICE Tomah wis

4 Distance in feet from well to nearest: (Record answer in appropriate block) Building 10
 Sanitary Bldg. Drain C.I. Other Sanitary Bldg. Sewer C.I. Other Floor Drain Connected To C.I. Sewer Other Sewer Storm Bldg. Drain C.I. Other Storm Bldg. Sewer C.I. Other

Street Sewer San. Storm Other Sewers C.I. Other Foundation Drain Connected to Sewer Clearwater Dr Sewage Sump C.I. Other Clearwater Sump Clearwater Sump Sewage Absorption Unit Seepage Pit Seepage Bed Seepage Trench

Privy Pet Waste Pit Nonconforming Existing Well Pump Tank Subsurface Pumphouse Nonconforming Existing Barn Gutter 25 Animal Barn Pen Animal Yard Silo With Pit 51 Glass Lined Storage Facility Silo w/o Pit Earthen Silage Storage Trench Or Pit

Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type) Other (Give Description)

5. Well is intended to supply water for: Barn 9 FORMATIONS

6 DRILLHOLE						9 FORMATIONS		
Dia (in)	From (ft)	To (ft)	Dia (in)	From (ft)	To (ft)	Kind	From (ft.)	To (ft.)
<u>10</u>	<u>Surface</u>	<u>35</u>	<u>6</u>	<u>35</u>	<u>80</u>	<u>Sand</u>	<u>Surface</u>	<u>8</u>
						<u>Sand Rock</u>	<u>8</u>	<u>80</u>

7 CASING, LINER, CURBING AND SCREEN Material, Weight, Specification & Method of Assembly

Dia (in)	From (ft)	To (ft)
<u>6</u>	<u>Surface</u>	<u>35</u>
<u>19.4"</u>		

New Steel T.C.
United Steel ASTM A53



8 GROUT OR OTHER SEALING MATERIAL Kind Neat Cement From (ft) Surface To (ft) 35

10 TYPE OF DRILLING MACHINE USED
 Cable Tool Rotary-hammer w/drilling mud & air Jetting with Air Water
 Rotary-air w/drilling mud Rotary-hammer & air Reverse Rotary
 Rotary-w/drilling mud

Well construction completed on Nov 1 19 76

11 MISCELLANEOUS DATA Yield Test: 1 Hrs. at 8 GPM Well is terminated 8 inches above final grade below

Depth from surface to normal water level 35 Ft. Well disinfected upon completion Yes No

Depth of water level when pumping 42 Ft. Stabilized Yes No Well sealed watertight upon completion Yes No

Water sample sent to om ashion laboratory on 11 5 19 76

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Jim Parkhurst Registered Well Driller Complete Mail Address E. brog wis

Plot

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

MAR 1 1972

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

NOTE

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe		CHECK ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City			NAME La Grange	
2. LOCATION - 1/4 Section NE		Section 8	Township 18N	Range 1W	3. OWNER AT TIME OF DRILLING James Neinas	
OR - Grid or street no		Street name			ADDRESS Tomah, Wis.	
AND - If available subdivision name, lot & block no					POST OFFICE	
4. Distance in feet from well to nearest: <small>(Record answer in appropriate block)</small>		BUILDING C. I. 6	SANITARY SEWER TILE 20	FLOOR DRAIN C. I. 20	FOUNDATION DRAIN SEWER CONNECTED <input checked="" type="checkbox"/>	WASTE WATER DRAIN TILE <input type="checkbox"/>
CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO
	40			80		
						ABANDONED WELL
						SINK HOLE

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)

5. Well is intended to supply water for:
home

6. DRILLHOLE						9. FORMATIONS			
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind		From (ft.)	To (ft.)
8	Surface	43				Sand		Surface	10
6	43	95				Sandstone		10	95
7. CASING, LINER, CURBING, AND SCREEN									
Dia. (in.)	Kind and Weight			From (ft.)	To (ft.)				
6	plain end 18.97 standard steel			Surface	43				



8. GROUT OR OTHER SEALING MATERIAL			10. TYPE OF DRILLING MACHINE USED			
Kind		From (ft.)	To (ft.)	<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary	<input type="checkbox"/> Reverse Rotary
drill cuttings		Surface	10	<input checked="" type="checkbox"/> Rotary - air w/ drilling mud	<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water
neat cement		10	43	Well construction completed on Nov. 24, 1971		
11. MISCELLANEOUS DATA			Well is terminated 8 inches <input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade			
Yield test:	2 Hrs. at	12	GPM	Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Depth from surface to normal water level	48	ft.	Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Depth to water level when pumping	52	ft.				

Water sample sent to **Madison, Wis.** laboratory on: **Feb. 29, 1972**

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE 		COMPLETE MAIL ADDRESS 578 Water Ave. Hillsboro	
Registered Well Driller			

COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS	CONFIRMED	REMARKS
----------------------	--------------	--------------	-----------	---------

MAR 1 1972

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section SW Section 16 Township 18N Range 1W 3. OWNER AT TIME OF DRILLING Mike's Texaco

OR - Grid or street no Street name ADDRESS Tomah, Wis.

AND - If available subdivision name, lot & block no POST OFFICE

4. Distance in feet from well to nearest:

BUILDING C I.	SANITARY C I.	SEWER TILE	FLOOR DRAIN C I.	FLOOR DRAIN TILE	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C I.	WASTE WATER DRAIN TILE
80	80							

CLEAR WATER DRAIN C I.	CLEAR WATER DRAIN TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL	SINK HOLE
		80			100				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)

5. Well is intended to supply water for: Service Station

6. DRILLHOLE


Dia. (in.)	From (ft.)	To (ft.)	Dia (in.)	From (ft.)	To (ft.)
8	Surface	49			
6	49	85			

7. CASING, LINER, CURBING, AND SCREEN

Dia (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Plain end Standard Steel 18.97	Surface	49

9. FORMATIONS

Kind	From (ft.)	To (ft.)
Sand	Surface	30
Sandstone	30	85



8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
drill cuttings	Surface	10
neat cement	10	49

10. TYPE OF DRILLING MACHINE USED

Cable Tool Direct Rotary Reverse Rotary

Rotary - air w/drilling mud Rotary - hammer with drilling mud & air Jetting with Air Water

Well construction completed on Oct. 1, 1972

Well is terminated 1/2 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

11. MISCELLANEOUS DATA
Yield test: 2 Hrs. at 12 GPM
Water sample sent to Madison, Wis. laboratory on: Feb. 29, 1972

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE [Signature] Registered Well Driller COMPLETE MAIL ADDRESS 578 Water Ave. Hillsboro


Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS	CONFIRMED	REMARKS
----------------------	---------------	--------------	-----------	---------

NOTE:

White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

NOV 15 1982


1. COUNTY Monroe		CHECK (✓) ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City				Name La Grange	
2. LOCATION % Section N.W. Section 16 Township 18N. Range 1W.		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE Muelcarek		ADDRESS Box			
OR - Grid or Street No		Street Name 718N Banner Dr.		POST OFFICE Tomah			
AND - If available subdivision name, lot & block No							
4. Distance in feet from well to nearest: (Record answer in appropriate block)		Building 6		Sanitary Bldg. Drain C.I. Other		Sanitary Bldg. Sewer C.I. Other	
		Floor Drain Connected To		Storm Bldg. Drain C.I. Other		Storm Bldg. Sewer C.I. Other	
Street Sewer		Other Sewers		Foundation Drain Connected to		Sewage Sump	
San. Storm C.I. Other		Sewer		Sewage Sump C.I. Other		Clearwater Sump	
		Clearwater Dr		Clearwater Sump		Septic Tank 50	
Privy		Pet Waste Pit		Pit Nonconforming Existing		Subsurface Pumphoom	
		Well		Nonconforming Existing		Barn Gutter	
		Pump				Animal Barn Pen	
		Tank				Animal Yard	
Temporary Manure Stack		Watertight Liquid Manure Tank		Solid Manure Storage Structure		Subsurface Gasoline or Oil Tank	
				Waste Pond or Land Disposal Unit (Specify Type)		Other (Give Description)	
5. Well is intended to supply water for: Home				9. FORMATIONS			
6. DRILLHOLE				Kind		From (ft.) To (ft.)	
Dia (in)		From (ft)		To (ft)			
10		Surface		34		72	
				Sand		Surface	
				Sand Rock		8	
						72	
7. CASING, LINER, CURBING AND SCREEN Material, Weight, Specification & Method of Assembly				Dia (in)			
Dia (in)		From (ft)		To (ft)			
6		Surface		34			
T.C. 7/16" steel							
1945 Young town							
ASTM A53							
							
8. GROUT OR OTHER SEALING MATERIAL				10. TYPE OF DRILLING MACHINE USED			
Kind		From (ft.)		To (ft.)			
Heat Cement		Surface		34			
						<input checked="" type="checkbox"/> Cable Tool	
						<input type="checkbox"/> Rotary-air w/drilling mud	
						<input type="checkbox"/> Rotary-w/drilling mud	
						<input type="checkbox"/> Rotary-hammer w/drilling mud & air	
						<input type="checkbox"/> Rotary-hammer & air	
						<input type="checkbox"/> Reverse Rotary	
						<input type="checkbox"/> Jetting with	
						<input type="checkbox"/> Air	
						<input type="checkbox"/> Water	
11. MISCELLANEOUS DATA				Well construction completed on July 6 19 79			
Yield Test: 7		Hrs. at 8		GPM		<input checked="" type="checkbox"/> above final grade	
Depth from surface to normal water level 30		Ft.		Well is terminated 8		inches <input type="checkbox"/> below final grade	
Depth of water level when pumping 33		Ft.		Well disinfected upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Well sealed watertight upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Water sample sent to Madison				laboratory on July 10 19 79			
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.							
Signature Jim Parikurst Registered Well Driller				Complete Mail Address Elroy Wis.			

MAR 13 1975
NOTE

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY MONROE		CHECK ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City			NAME LA FRANCE	
2. LOCATION - 1/4 Section Section Township Range NW 1/4 16 18N 1W				3. OWNER AT TIME OF DRILLING C. STEFFERUD		
OR - Grid or street no Street name				ADDRESS RT. TOMAH		
AND - If available subdivision name, lot & block no				POST OFFICE TOMAH WIS.		
4. Distance in feet from well to nearest: (Record answer in appropriate block)		BUILDING C.I.	SANITARY TILE	SEWER TILE	FLOOR DRAIN C.I.	FLOOR DRAIN TILE
		8	25			
		FOUNDATION DRAIN SEWER CONNECTED		FOUNDATION DRAIN INDEPENDENT		WASTE WATER DRAIN C.I.
CLEAR WATER DRAIN C.I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO
	30			70		
OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)						

5. Well is intended to supply water for:
Home


6. DRILLHOLE						9. FORMATIONS				
Dia (in)	From (ft)	To (ft)	Dia (in)	From (ft)	To (ft)	Kind	From (ft)	To (ft)		
8	Surface	12 1/2				SAND	Surface	10		
6	12 1/2	95				SANDSTONE	10	95		
7. CASING, LINER, CURBING, AND SCREEN										
Dia (in)	Kind and Weight		From (ft)	To (ft)						
6"	NEW P.E. 18.57 STANDARD STRUCK		Surface	42 1/2						
						8" surface pipe used 810'				

8. GROUT OR OTHER SEALING MATERIAL				10. TYPE OF DRILLING MACHINE USED					
Kind		From (ft)	To (ft.)	<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary	<input type="checkbox"/> Reverse Rotary			
DRILL CUTTINGS		Surface	10	<input checked="" type="checkbox"/> Rotary - air with drilling mud	<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water			
NEAT CEMENT		10	12 1/2	Well construction completed on 6-15 19 74					

11. MISCELLANEOUS DATA				Well is terminated 10 inches <input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade			
Yield test:	2	Hrs. at	12	GPM			
Depth from surface to normal water level	27	ft.	Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
Depth to water level when pumping	35	ft.	Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				

Water sample sent to **MADISON** laboratory on: **2-11 19 75**

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side

SIGNATURE 	COMPLETE MAIL ADDRESS 578 WATER AVE HICKSBORO
---	---

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS	CONFIRMED	REMARKS

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

JAN 22 1976

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

1 COUNTY Manroe CHECK ONE Town Village City NAME Lack Grange

2 LOCATION - 1/4 Section NW Section 16 Township 18N Range 1W 3. OWNER AT TIME OF DRILLING Ray Eckelberg
OR - Grid or street no Street name ADDRESS RR 2

AND - If available subdivision name, lot & block no POST OFFICE Tomah, Wis.

4. Distance in feet from well to nearest: BUILDING SANITARY SEWER FLOOR DRAIN FOUNDATION DRAIN WASTE WATER DRAIN
(Record answer in appropriate block) 20 30 - - - - -
C I TILE C I TILE SEWER CONNECTED INDEPENDENT C I TILE

CLEAR WATER DRAIN SEPTIC TANK PRIVY SEEPAGE PIT ABSORPTION FIELD BARN SILO ABANDONED WELL SINK HOLE
C. I. TILE 50 - - 70 - - - -

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc) None

5. Well is intended to supply water for. Home

6. DRILLHOLE 9. FORMATIONS
Dia (in.) From (ft) To (ft) Dia (in) From (ft) To (ft) Kind From (ft) To (ft)
8 Surface 39 4 39 65 Sand Surface 38
Sandstone 38 65

7 CASING, LINER, CURBING, AND SCREEN
Dia (in) Kind and Weight From (ft) To (ft)
4 new black steel Surface 39
to c 1 1/4 Per Foot



8. GROUT OR OTHER SEALING MATERIAL 10. TYPE OF DRILLING MACHINE USED
Kind From (ft) To (ft) Cable Tool Direct Rotary Reverse Rotary
Drill Mud Surface 39 Rotary - air Rotary - hammer Jetting with
w/drilling mud with drilling mud & air Air Water

11. MISCELLANEOUS DATA
Yield test: 2 Hrs. at 10 GPM
Depth from surface to normal water level 30 ft.
Depth to water level when pumping 35 ft.
Well construction completed on 5-6- 1975
Well is terminated 10 inches above below final grade
Well disinfected upon completion Yes No
Well sealed watertight upon completion Yes No

Water sample sent to La Crosse laboratory on: 6-4 1975

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Curran Registered Well Driller COMPLETE MAIL ADDRESS RR 2 Holmen, Wis.

COLIFORM TEST RESULT GAS - 24 HRS GAS - 48 HRS CONFIRMED REMARKS

WELL CONSTRUCTOR'S REPORT TO WISCONSIN STATE BOARD OF HEALTH
See Instructions on Reverse Side

Well 6

1. County Monroe Town La Grange
 Village City Check one and give name
2. Location S. E. 1/4 of NW 1/4 Sec 16, T18N, R14W
 Name of street and number of premise or Section, Town and Range numbers
3. Owner or Agent Henry Kletzke
 Name of individual, partnership or firm
4. Mail Address Tomah Wis
 Complete address required
5. From well to nearest: Building 5 ft; sewer — ft; drain — ft; septic tank — ft;
 dry well or filter bed — ft; abandoned well — ft.
6. Well is intended to supply water for: New Home

OCT 28 1963

SANITARY
 HEALTH DEPARTMENT

7. DRILLHOLE:

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
10	0	27			
6	33	60			

8. CASING AND LINER PIPE OR CURBING:

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	0	31

9. GROUT:

Kind	From (ft.)	To (ft.)
Clay Slurry	0	27

11. MISCELLANEOUS DATA:

Yield test: 4 Hrs. at 12 GPM.
 Depth from surface to water-level: 28 ft.
 Water-level when pumping: 46 ft.
 Water sample was sent to the state laboratory at:
Madison on Oct 21 1963
 City

10. FORMATIONS:

Kind	From (ft.)	To (ft.)
Sand & shell Rock	0	24
Rock firm	13	37
Rock water bearing	23	60



Construction of the well was completed on:

Oct 15 1963

The well is terminated 8 inches
 above, below the permanent ground surface.

Was the well disinfected upon completion?

Yes No

Was the well sealed watertight upon completion?

Yes No

Signature Rush Bros
 Registered Well Driller

Merrillan Wis
 Complete Mail Address

Please do not write in space below

Rec'd OCT 22 1963 No. 51007

Ans'd _____

Interpretation **UNSAFE—BACTERIOLOGICALLY**
Because of the presence of B. Coli in
one of the 10 cc. portions of this sam-
ple another examination is advisable.

	10 ml	10 ml	10 ml	10 ml	10 ml
Gas—24 hrs.	T	C	C	C	C
48 hrs.	T	C	C	C	C
Confirm	T	C	C	C	C
B. Coli	T	C	C	C	C

Examiner _____

WELL CONSTRUCTOR'S REPORT

WISCONSIN STATE BOARD OF HEALTH

Wel 6

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange
 2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available) S. E 1/4 of NW 1/4 Sec 16 T18N, R1W MAY 20 1965

3. OWNER AT TIME OF DRILLING Walter Wittig **SENIOR ENGINEERING**

4. OWNER'S COMPLETE MAIL ADDRESS Tomah Wis Box 308

5. Distance in feet from well to nearest: (Record answer in appropriate block)

BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	TILE	FOUNDATION DRAIN SEWER CONNECTED	INDEPENDENT	WASTE WATER DRAIN C. I.	TILE
4	12	-	-	-	-	-	-

CLEAR WATER DRAIN C. I.	TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL	SINK HOLE
-	-	30	-	150	-	-	-	-	-

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: Drilling Station

7. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
6	Surface	50			

10. FORMATIONS


Kind	From (ft.)	To (ft.)
Sand	Surface	31
Sand rock - firm	31	50

8. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	Surface	34

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
None	Surface	



11. MISCELLANEOUS DATA

Well construction completed on May 15 1965

Yield test: 3 Hrs. at 9 GPM Well is terminated 8 inches above below final grade

Depth from surface to normal water level 22 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 36 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: May 17 1965

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Bush Registered Well Driller COMPLETE MAIL ADDRESS Black River Falls Wis R2

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

SEP 17 1975

NOTE

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

1 COUNTY <u>Monroe</u>		CHECK ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City			NAME <u>La Strange</u>		
2 LOCATION - 1/4 Section <u>11W-21N</u> Section <u>16</u> Township <u>18N</u> Range <u>1W</u>		3 OWNER AT TIME OF DRILLING <u>Chris Steffens</u>				ADDRESS <u>R. 2</u>	
OR - Grid or street no		Street name		POST OFFICE <u>Tomah Wis</u>			
AND - If available subdivision name, lot & block no							
4 Distance in feet from well to nearest (Record answer in appropriate block)		BUILDING C I	SANITARY SEWER C I	FLOOR DRAIN C I	FOUNDATION DRAIN SEWER CONNECTED/INDEPENDENT	WASTE WATER DRAIN C I	TILE
		<u>6</u>	<u>24</u>				
CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL
	<u>60</u>			<u>93</u>			SINK HOLE

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream pond, lake, etc)

5. Well is intended to supply water for Home

6. DRILLHOLE						9. FORMATIONS			
Dia (in)	From (ft)	To (ft)	Dia (in)	From (ft)	To (ft)	Kind	From (ft)	To (ft)	
<u>6</u>	<u>Surface</u>	<u>60</u>				<u>Sand</u>	<u>Surface</u>	<u>27</u>	
						<u>Sand rock</u>	<u>27</u>	<u>60</u>	
7. CASING, LINER, CURBING, AND SCREEN									
Dia (in)	Kind and Weight		From (ft)	To (ft)					
<u>6</u>	<u>Blk steel 1 1/2" threaded new</u>		<u>Surface</u>	<u>30</u>					



8 GROUT OR OTHER SEALING MATERIAL			10. TYPE OF DRILLING MACHINE USED			
Kind	From (ft)	To (ft)	<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary	<input type="checkbox"/> Reverse Rotary	
	<u>Surface</u>		<input type="checkbox"/> Rotary - air w/drilling mud	<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with	<input type="checkbox"/> Air <input type="checkbox"/> Water

11. MISCELLANEOUS DATA			Well construction completed on <u>Sept 2 1975</u>		
Yield test	Hrs. at	GPM	Well is terminated	inches	<input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade
<u>5</u>	<u>10</u>		<u>8</u>		
Depth from surface to normal water level	ft.		Well disinfected upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<u>26</u>			Well sealed watertight upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Water sample sent to Madison laboratory on: Sept 16 1975

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side

SIGNATURE <u>Roy Bush</u>		COMPLETE MAIL ADDRESS <u>Black River Falls Wis R. 2 54615</u>	
Registered Well Driller		Please do not write in space below	

COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS	CONFIRMED	REMARKS

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

DEC - 6 1972

NOV 29 1972

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section NE 1/4 Section 16 Township 18N Range 1W 3 OWNER AT TIME OF DRILLING Ralph Trammel

OR - Grid or street no Street name ADDRESS R #1

AND - If available subdivision name, lot & block no POST OFFICE Tomah Wis

4. Distance in feet from well to nearest. BUILDING SANITARY SEWER FLOOR DRAIN FOUNDATION DRAIN WASTE WATER DRAIN
(Record answer in appropriate block) 27 60 C I TILE C I TILE SEWER CONNECTED INDEPENDENT C I TILE

CLEAR WATER DRAIN SEPTIC TANK PRIVY SEEPAGE PIT ABSORPTION FIELD BARN SILO ABANDONED WELL SINK HOLE
C I TILE 72 96

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)

5. Well is intended to supply water for: Home

6. DRILLHOLE						9 FORMATIONS			
Dia (in)	From (ft)	To (ft)	Dia (in)	From (ft)	To (ft)	Kind	From (ft.)	To (ft)	
10	Surface	29				Sand	Surface	6	
6	29	100				Sandrock	6	100	

7 CASING, LINER, CURBING, AND SCREEN			
Dia (in)	Kind and Weight	From (ft)	To (ft)
6	Black steel, 19.5 threaded new	Surface	31



8. GROUT OR OTHER SEALING MATERIAL Kind Neat Cement From (ft) Surface To (ft) 29

10. TYPE OF DRILLING MACHINE USED Cable Tool Direct Rotary Reverse Rotary Rotary - air w/drilling mud Rotary - hammer with drilling mud & air Jetting with Air Water

Well construction completed on Nov 18 1972

11. MISCELLANEOUS DATA Yield test: 5 Hrs. at 12 GPM Well is terminated 8 inches above below final grade

Depth from surface to normal water level 66 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 74 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: Nov 28 1972

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Bush Registered Well Driller COMPLETE MAIL ADDRESS Black River Falls Wis P. 2 54613

Please do not write in space below

COLIFORM TEST RESULT GAS - 24 HRS GAS - 48 HRS CONFIRMED REMARKS

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

1 COUNTY Monroe CHECK (✓) ONE
 Town Village City Name La Grange
 2 LOCATION NE 71W Section 16 Township 18N Range 1W 3 NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
 OR - Grid or Street No Street Name ADDRESS Chris Steffner
P.O. #2
 AND - If available subdivision name, lot & block No POST OFFICE Tomah, Wis.

4 Distance in feet from well to nearest: (Record answer in appropriate block)
 Building 8 Sanitary Bldg Drain C.I. Other Sanitary Bldg Sewer C.I. Other 26 Floor Drain Connected To C.I. Sewer Other Sewer Storm Bldg. Drain C.I. Other Storm Bldg. Sewer C.I. Other
 Street Sewer Other Sewers Foundation Drain Connected to Sewage Sump Clearwater Sump Septic Tank Holding Tank Sewage Absorption Unit
 San. Storm C.I. Other Sewer Sewage Sump Clearwater Dr C.I. Other Clearwater Sump Septic Tank Holding Tank Seepage Pit Seepage Bed 105 Seepage Trench
 Privy Pet Waste Pit Pit Nonconforming Existing Subsurface Pumproom Barn Gutter Animal Barn Pen Animal Yard Silo With Pit Glass Lined Storage Facility Silo w/o Pit Earthen Silage Storage Trench Or Pit
 Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type) Other (Give Description)

5. Well is intended to supply water for: Home

6 DRILLHOLE

Dia (in)	From (ft)	To (ft)	Dia. (in)	From (ft)	To (ft)
6	Surface	60			

9 FORMATIONS

Kind	From (ft)	To (ft)
<u>Sand</u>	Surface	30
<u>Sand/rock</u>	30	60

7 CASING, LINER, CURBING AND SCREEN
 Material, Weight, Specification & Method of Assembly

Dia (in)	From (ft)	To (ft)
6	Surface	33

Black steel 1897
Weld ASTM A-53
J. M. Talake Inc



8 GROUT OR OTHER SEALING MATERIAL

Kind	From (ft)	To (ft)
	Surface	

10 TYPE OF DRILLING MACHINE USED

Cable Tool Rotary-hammer w/drilling mud & air Jetting with

Rotary-air w/drilling mud Rotary-hammer & air Air

Rotary-w/drilling mud Reverse Rotary Water

11 MISCELLANEOUS DATA

Yield Test: 10 Hrs. at 12 GPM

Depth from surface to normal water level 26 Ft.

Depth of water level when pumping 34 Ft. Stabilized Yes No

Well construction completed on Nov 2 1978

Well is terminated 8 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on Nov 15 1978

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Roy Bush Registered Well Driller Complete Mail Address Black River Falls, Wis P.O. 54415

NOTE:

SEP 14 1979

White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

1. COUNTY <u>Monroe</u>		CHECK (✓) ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name <u>La Grana</u>	
2. LOCATION <u>NE 9th 16</u>		Township <u>18N</u>	Range <u>1W</u>	3 NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>Chris Steffert</u>	
OR - Grid or Street No		Street Name		ADDRESS <u>R.#2</u>	
AND - If available subdivision name, lot & block No				POST OFFICE <u>Tomah wis</u>	
4 Distance in feet from well to nearest: (Record answer in appropriate block)		Building <u>6</u>	Sanitary Bldg. Drain C.I. Other	Sanitary Bldg. Sewer C.I. Other <u>30</u>	Floor Drain Connected To C.I. Sewer Other Sewer
Street Sewer		Other Sewers	Foundation	Drain Connected to	Sewage Sump
San	Storm	C I Other	Sewer	Sewage Sump	Clearwater Sump
Septic Tank <u>44</u>		Sewage Absorption Unit		Holding Tank	
Seepage Pit		Seepage Bed <u>73</u>		Seepage Trench	
Privy	Pet Waste Pit	Pit Nonconforming Existing	Well	Pump	Tank
Temporary Manure Stack		Watertight Liquid Manure Tank	Solid Manure Storage Structure	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)
5. Well is intended to supply water for: <u>Home</u>		9 FORMATIONS			
6 DRILLHOLE		Dia (in)		From (ft)	To (ft)
Dia (in)		From (ft)	To (ft)	Kind	
<u>6</u>	<u>Surface</u>	<u>50</u>		<u>Surface</u>	<u>29</u>
				<u>Sand</u>	
				<u>Sandrock</u>	<u>29 50</u>
7. CASING, LINER, CURBING AND SCREEN		Material, Weight, Specification & Method of Assembly			
Dia (in.)		From (ft.)	To (ft.)		
<u>6</u>	<u>Black steel 1897</u>	<u>Surface</u>	<u>32</u>	<u>Interlake Inc.</u>	
8 GROUT OR OTHER SEALING MATERIAL		10. TYPE OF DRILLING MACHINE USED			
Kind		From (ft)	To (ft)	<input checked="" type="checkbox"/> Cable Tool <input type="checkbox"/> Rotary-air w/drilling mud <input type="checkbox"/> Rotary-w/drilling mud <input type="checkbox"/> Reverse Rotary <input type="checkbox"/> Rotary-hammer w/drilling mud & air <input type="checkbox"/> Rotary-hammer & air <input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water	
Surface				Well construction completed on <u>Sept 4 1979</u>	
11 MISCELLANEOUS DATA		Well is terminated <u>8</u> inches <input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below			
Yield Test: <u>10</u> Hrs. at <u>12</u> GPM		Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Depth from surface to normal water level <u>21</u> Ft.		Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Depth of water level when pumping <u>30</u> Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Water sample sent to <u>Madison</u> laboratory on <u>Sept 11 1979</u>			
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.					
Signature <u>Roy Bush</u>		Complete Mail Address <u>Black River Falls Wis OR 5</u>			
Registered Well Driller		54615			



JUL 28 1976

State of Wisconsin
Department of Natural Resources
Box 450
Madison, Wisconsin 53701

NOTE:

White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

WELL CONSTRUCTOR'S REPORT
Form 3300-15
Rev. 10-75

1. COUNTY Monroe CHECK (✓) ONE Town Village City Name La Trange

2. LOCATION M.E. 712 16 Township 18N Range 1W 3. NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE Chris. Stefford

OR - Grid or Street No. Street Name ADDRESS R. 2

AND - If available subdivision name, lot & block No POST OFFICE Tomah Wis

4. Distance in feet from well to nearest: (Record answer in appropriate block)

Building	Sanitary Bldg Drain	Sanitary Bldg Sewer	Floor Drain Connected To	Storm Bldg. Drain	Storm Bldg. Sewer
<u>5</u>	C.I. Other	C.I. Other	C.I. Sewer Other Sewer	C.I. Other	C.I. Other
		<u>30</u>			

Street Sewer	Other Sewers	Foundation Drain Connected to:	Sewage Sump	Clearwater Sump	Septic Tank	Holding Tank	Sewage Absorption Unit
San. Storm C.I. Other	Sewer Clearwater Dr.	Sewage Sump Clearwater Sump	C.I. Other		<u>42</u>		Seepage Pit Seepage Bed Seepage Trench
							<u>75</u>

Privy	Pet Waste Pit	Pit Nonconforming Existing	Subsurface Pumphoom	Barn Gutter	Animal Barn Pen	Animal Yard	Silo With Pit	Glass Lined Storage Facility	Silo w/o Pit	Earthen Silage Storage Trench Or Pit
	Well Pump Tank		Nonconforming Existing							

Temporary Manure Stack	Watertight Liquid Manure Tank	Solid Manure Storage Structure	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)	Other (Give Description)


5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>6</u>	<u>Surface</u>	<u>50</u>			

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>sand</u>	<u>Surface</u>	<u>27</u>
<u>sand rock</u>	<u>27</u>	<u>50</u>



7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification & Method of Assembly	From (ft.)	To (ft.)
<u>6</u>	<u>Blk steel 1940 J4CKSIM-A53</u>	<u>Surface</u>	<u>30</u>

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
<u>Surface</u>		

10. TYPE OF DRILLING MACHINE USED

<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Rotary-hammer w/drilling mud & air	<input type="checkbox"/> Jetting with
<input type="checkbox"/> Rotary-air w/drilling mud	<input type="checkbox"/> Rotary-hammer & air	<input type="checkbox"/> Air
<input type="checkbox"/> Rotary-w/drilling mud	<input type="checkbox"/> Reverse Rotary	<input type="checkbox"/> Water

Well construction completed on July 15 1976

11. MISCELLANEOUS DATA

Yield Test: 6 Hrs. at 12 GPM

Depth from surface to normal water level 18 Ft.

Depth of water level when pumping 28 Ft. Stabilized Yes No

Well is terminated 8 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on July 27 1976

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Roy Rush Registered Well Driller

Complete Mail Address 54615 Black River Falls Wis R. 2

AUG 28 1973

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section 9. N. W. 1/4 Section 16 Township 18 N Range 14 W 3. OWNER AT TIME OF DRILLING Ray Witzel

OR - Grid or street no _____ Street name _____ ADDRESS R. #1

AND - If available subdivision name, lot & block no. _____ POST OFFICE Tomah Wis

4. Distance in feet from well to nearest:

BUILDING	SANITARY SEWER	FLOOR DRAIN	FOUNDATION DRAIN	WASTE WATER DRAIN
C. I.	C. I.	C. I.	SEWER CONNECTED	C. I.
TILE	TILE	TILE	INDEPENDENT	TILE
<u>6</u>	<u>30</u>			

CLEAR WATER DRAIN	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
C. I.	TILE							
	<u>65</u>			<u>100</u>				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>6</u>	<u>Surface</u>	<u>50</u>			

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	<u>Surface</u>	<u>26</u>
<u>Sand rock</u>	<u>26</u>	<u>50</u>

7. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
<u>6</u>	<u>Black steel threaded</u>	<u>Surface</u>	<u>29</u>



8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
	<u>Surface</u>	

10. TYPE OF DRILLING MACHINE USED

Cable Tool Direct Rotary Reverse Rotary

Rotary - air w/drilling mud Rotary - hammer with drilling mud & air Jetting with Air Water

Well construction completed on August 16 1973

11. MISCELLANEOUS DATA

Yield test: 5 Hrs. at 14 GPM Well is terminated 8 inches above below final grade

Depth from surface to normal water level 24 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 29 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: August 27 1973

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Rush COMPLETE MAIL ADDRESS Black River Falls Wis R. 2


Registered Well Driller 574615

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS	CONFIRMED	REMARKS
----------------------	---------------	--------------	-----------	---------

NOTE:

White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

1 COUNTY <u>Monroe</u>		CHECK (✓) ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City				Name <u>La Grange</u>	
2. LOCATION 1/4 Section <u>S.W.</u> Section <u>17</u> Township <u>T18 N.</u> Range <u>1 W.</u>		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>Joe Mapewski</u>				ADDRESS <u>R.R.</u>	
OR - Grid or Street No		Street Name				POST OFFICE <u>Tomah wis.</u>	
AND - If available subdivision name, lot & block No							
4 Distance in feet from well to nearest: (Record answer in appropriate block)		Building <u>8</u>		Sanitary Bldg. Drain C I Other		Sanitary Bldg Sewer C.I Other	
		Floor Drain Connected To C I Sewer Other Sewer		Storm Bldg. Drain C.I Other		Storm Bldg Sewer C I Other	
Street Sewer San. Storm		Other Sewers C I Other		Foundation Drain Connected to Sewer Sewage Sump Clearwater Dr.		Sewage Sump C I Other	
				Clearwater Sump		Septic Tank <u>40</u>	
Privy		Pet Waste Pit		Pit Nonconforming Existing		Subsurface Pumphoom Nonconforming Existing	
		Well Pump Tank		Barn Gutter		Animal Barn Pen	
Temporary Manure Stack		Watertight Liquid Manure Tank		Solid Manure Storage Structure		Subsurface Gasoline or Oil Tank	
				Waste Pond or Land Disposal Unit (Specify Type)		Other (Give Description)	
5. Well is intended to supply water for: <u>Home</u>				9 FORMATIONS			
				Kind		From (ft.) To (ft.)	
6 DRILLHOLE				Dia. (in.)		From (ft.) To (ft.)	
				From (ft.) To (ft.)			
<u>10</u>				<u>Surface</u>		<u>36</u>	
				<u>6</u>		<u>36</u>	
				<u>76</u>		<u>76</u>	
7 CASING, LINER, CURBING AND SCREEN Material, Weight, Specification & Method of Assembly							
Dia (in)				From (ft.)		To (ft.)	
<u>6</u>				<u>Surface</u>		<u>36</u>	
<u>New Steel T.C.</u>							
<u>1945 Youngtown</u>							
<u>ASTM A 53</u>							
				 M O 1 7 2 2			
8 GROUT OR OTHER SEALING MATERIAL				10. TYPE OF DRILLING MACHINE USED			
Kind				From (ft.)		To (ft.)	
<u>Heat Cement</u>				<u>Surface</u>		<u>36</u>	
				<input checked="" type="checkbox"/> Cable Tool <input type="checkbox"/> Rotary-air w/drilling mud <input type="checkbox"/> Rotary-w/drilling mud <input type="checkbox"/> Rotary-hammer w/drilling mud & air <input type="checkbox"/> Rotary-hammer & air <input type="checkbox"/> Reverse Rotary <input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water			
Well construction completed on <u>Aug 20</u> 19 <u>78</u>							
11. MISCELLANEOUS DATA							
Yield Test: <u>1</u> Hrs. at <u>10</u> GPM				Well is terminated <u>8</u> inches <input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below			
Depth from surface to normal water level <u>41</u> Ft.				Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Depth of water level when pumping <u>44</u> Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Water sample sent to <u>Madison</u> laboratory on <u>Aug 22</u> 19 <u>78</u>							
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.							
Signature <u>Jim Parshurst</u> Registered Well Driller				Complete Mail Address <u>Elroy wis</u>			

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

NOV 15 1972

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section SW 1/4 Section 17 Township T.18N. Range R.1W. 3. OWNER AT TIME OF DRILLING MORVA PINGEL

OR - Grid or street no Street name ADDRESS R.R. 1

AND - If available subdivision name, lot & block no. POST OFFICE Tomahawk

4. Distance in feet from well to nearest: (Record answer in appropriate block)

BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	TILE	FOUNDATION DRAIN SEWER CONNECTED	INDEPENDENT	WASTE WATER DRAIN C. I.	TILE
<u>10</u>							

CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
	<u>50 ft</u>		<u>100</u>					

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)

5. Well is intended to supply water for: Home

6. DRILLHOLE						9. FORMATIONS			
Dia (in)	From (ft)	To (ft)	Dia. (in)	From (ft.)	To (ft)	Kind	From (ft)	To (ft.)	
<u>10</u>	<u>Surface</u>	<u>34</u>	<u>6</u>	<u>34</u>	<u>77</u>	<u>Sand</u>	<u>Surface</u>	<u>11</u>	
						<u>Sand Rock</u>	<u>11</u>	<u>77</u>	

7. CASING, LINER, CURBING, AND SCREEN			
Dia (in)	Kind and Weight	From (ft.)	To (ft)
<u>6</u>	<u>New Steel 19.45 TC</u>	<u>Surface</u>	<u>34</u>



8. GROUT OR OTHER SEALING MATERIAL				10. TYPE OF DRILLING MACHINE USED			
Kind	From (ft)	To (ft.)		<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary	<input type="checkbox"/> Reverse Rotary	
<u>Neat Cement</u>	<u>Surface</u>	<u>34</u>		<input type="checkbox"/> Rotary - air w/drilling mud	<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water	
				Well construction completed on <u>Aug 2</u> 19 <u>72</u>			
11. MISCELLANEOUS DATA				Well is terminated <u>12</u> inches <input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade			
Yield test:	<u>1</u>	Hrs. at	<u>8</u>	GPM			
Depth from surface to normal water level	<u>45</u>	ft.	Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
Depth to water level when pumping	<u>52</u>	ft.	Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
Water sample sent to <u>Madison</u>				laboratory on: <u>Oct 30</u> 19 <u>72</u>			

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE Jim Parkhurst Jr Registered Well Driller COMPLETE MAIL ADDRESS Eloy Wis

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS	CONFIRMED	REMARKS
----------------------	--------------	--------------	-----------	---------

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

APR - 5 1978

1. COUNTY Monroe CHECK (✓) ONE
 Town Village City Name La Grange
 2. LOCATION 1/4 Section SW Section 17 Township 18N Range 14W 3. NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
 OR - Grid or Street No Street Name ADDRESS Racesetter Home
 AND - If available subdivision name, lot & block No POST OFFICE Jonah Wis

4. Distance in feet from well to nearest: (Record answer in appropriate block) Building 10 Sanitary Bldg. Drain C.I. Other Sanitary Bldg. Sewer C.I. Other 20 Floor Drain Connected To C.I. Sewer Other Sewer 18 Storm Bldg. Drain C.I. Other Storm Bldg. Sewer C.I. Other
 Street Sewer San Storm C.I. Other Foundation Drain Connected to Sewage Sump Clearwater Sump Septic Tank Holding Tank Sewage Absorption Unit
 San Storm C.I. Other Sewer Sewage Sump Clearwater Dr C.I. Other Clearwater Sump Septic Tank Holding Tank Seepage Pit Seepage Bed Seepage Trench 65
 Privy Pet Waste Pit Nonconforming Existing Subsurface Pumphoom Barn Animal Animal Silo Glass Earthen
 Pit Waste Pit Well Nonconforming Existing Gutter Barn Pen Yard With Pit Lined Storage Silo w/o Earthen
 Tank Pump Tank Nonconforming Existing Gutter Pen Yard With Pit Storage Facility Pit Pit Storage Trench Or
 Tank Tank Tank Nonconforming Existing Gutter Pen Pen Yard With Pit Storage Facility Pit Pit Storage Trench Or
 Temporary Watertight Solid Manure Subsurface Waste Pond or Land Other (Give Description)
 Manure Liquid Manure Storage Manure Gasoline or Disposal Unit (Specify Type) None
 Stack Tank Tank Structure Oil Tank Unit (Specify Type)

5. Well is intended to supply water for: None

9. FORMATIONS

6. DRILLHOLE						9. FORMATIONS		
						Kind	From (ft)	To (ft)
Dia. (in.)	From (ft)	To (ft)	Dia. (in.)	From (ft)	To (ft)			
<u>8</u>	<u>Surface</u>	<u>45</u>	<u>6</u>	<u>45</u>	<u>68</u>	<u>Sand</u>	<u>Surface</u>	<u>44</u>
						<u>Sand/Stone</u>	<u>44</u>	<u>68</u>

7. CASING, LINER, CURBING AND SCREEN
 Material, Weight, Specification & Method of Assembly
 Dia. (in.) From (ft) To (ft)
6 5/8" O.D. new 3.6 lb. 20.0 Wall 21.0 Surface 45
ASTM A-53
Chlorinated Steel

10. TYPE OF DRILLING MACHINE USED
 Cable Tool Rotary-hammer w/drilling mud & air Jetting with
 Rotary-air w/drilling mud Rotary-hammer & air Air
 Rotary-w/drilling mud Reverse Rotary Water

8. GROUT OR OTHER SEALING MATERIAL
 Kind From (ft) To (ft)
Drill Mud Surface 45

Well construction completed on 12-31 1977

11. MISCELLANEOUS DATA
 Yield Test: 3 Hrs. at 10 GPM
 Depth from surface to normal water level 40 Ft.
 Depth of water level when pumping 43 Ft. Stabilized Yes No

Well is terminated 10 inches above below final grade
 Well disinfected upon completion Yes No
 Well sealed watertight upon completion Yes No

Water sample sent to La Crosse laboratory on 3-22 1978

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Roy Osier
 Registered Well Driller

Complete Mail Address P.R. #2 Hobman, Wis.

WELL CONSTRUCTOR'S REPORT

OCT 1 1970

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

Well-6

1. COUNTY Monroe CHECK ONE Town Village City NAME LaGrange

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available)
SW 1/4 Sec 17 T18N R1W

3. OWNER AT TIME OF DRILLING
Max Gossfeld

4. OWNER'S COMPLETE MAIL ADDRESS
Tomah, Wisconsin

5. Distance in feet from well to nearest: (Record answer in appropriate block)

BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C. I.	WASTE WATER DRAIN TILE			
8	25								
CLEAR WATER DRAIN C. I.	TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL	SINK HOLE
		48			60				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: home

7. DRILLHOLE <u>Rotary</u>						10. FORMATIONS			
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind	From (ft.)	To (ft.)	
8	Surface	44				clay and compacted sand	Surface	26	
6	44	95							
8. CASING, LINER, CURBING, AND SCREEN									
Dia. (in.)	Kind and Weight		From (ft.)	To (ft.)					
6	New plain end Standard Steel 18.75		Surface	44	sandstone	26	95		

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
drill cuttings	Surface	10
neat cement	10	44



11. MISCELLANEOUS DATA

Well construction completed on April 30, 1970

Yield test: 1 Hr. at 15 GPM Well is terminated 10 inches above below final grade

Depth from surface to normal water level 52 ft. Well disinfected upon completion Yes No

Depth to water level when pumping air test ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison, Wisconsin laboratory on: Sept. 30, 1970

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE [Signature] COMPLETE MAIL ADDRESS 578 Water Ave. Hillsboro, Wis.

Registered Well Driller

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS

WELL CONSTRUCTOR'S REPORT

WISCONSIN STATE BOARD OF HEALTH

REVISED Wel 6

1. COUNTY Monroe CHECK ONE Town Village City La Grange NAME La Grange AP 29 1965

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available)
SE 1/4 of S.W. 1/4 Sec 17 T18N R1W

3. OWNER AT TIME OF DRILLING Gerland Clark **SANITARY ENGINEERING**

4. OWNER'S COMPLETE MAIL ADDRESS Tomah Wisconsin P.I.

5. Distance in feet from well to nearest: (Record answer in appropriate block)

BUILDING C.I.	SANITARY SEWER TILE	FLOOR DRAIN C.I.	FLOOR DRAIN TILE	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C.I.	WASTE WATER DRAIN TILE
4	33	53	-	-	-	-	-

CLEAR WATER DRAIN C.I.	CLEAR WATER DRAIN TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SLO	ABANDONED WELL	SINK HOLE
-	-	40	-	90	-	-	-	-	-

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: Home

7. DRILLHOLE						10. FORMATIONS			
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind	From (ft)	To (ft.)	
6	Surface	90				Sand to Soft Rock	Surface	28	
						Sand rock firm	28	49	
						Solid Rock - Water bearing	49	90	

8. CASING, LINER, CURBING, AND SCREEN			
Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	Surface	31

9. GROUT OR OTHER SEALING MATERIAL			
Kind	From (ft.)	To (ft.)	
None	Surface		



Well construction completed on April 20 1965

Well is terminated 12 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

11. MISCELLANEOUS DATA

Yield test: 3 Hrs. at 12 GPM

Depth from surface to normal water level 48 ft.

Depth to water level when pumping 65 ft.

Water sample sent to Madison laboratory on: April 26 1965

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Bush Registered Well Driller COMPLETE MAIL ADDRESS Rt 2 Blk River Falls Wis

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS	GAS - 48 HRS.	CONFIRMED	REMARKS

SEP 14 1972

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

NOTE
WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION - 1/4 Section SE 24 Section 17 Township 18N Range 1W 3. OWNER AT TIME OF DRILLING Leroy Powell
OR - Grid or street no. Street name ADDRESS R. #1
AND - If available subdivision name, lot & block no. POST OFFICE Tomah Wis

4. Distance in feet from well to nearest:
(Record answer in appropriate block)

BUILDING C. I.	SANITARY C. I.	SEWER TILE	FLOOR DRAIN C I	FLOOR DRAIN TILE	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C I.	WASTE WATER DRAIN TILE
6	12							

CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILLO	ABANDONED WELL	SINK HOLE
	66			96				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

5. Well is intended to supply water for: Home

6. DRILLHOLE


Dia (in.)	From (ft.)	To (ft.)	Dia (in.)	From (ft.)	To (ft.)
6	Surface	70			

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	Surface	29
<u>Sandrock</u>	29	70

7. CASING, LINER, CURBING, AND SCREEN

Dia (in.)	Kind and Weight	From (ft.)	To (ft.)
6	<u>Black steel 19# threaded new</u>	Surface	32



8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
	Surface	

10. TYPE OF DRILLING MACHINE USED

Cable Tool Direct Rotary Reverse Rotary
 Rotary - air w/drilling mud Rotary - hammer with drilling mud & air Jetting with Air Water

Well construction completed on Sept 2 19 72

Well is terminated 8 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: Sept 13 19 72

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Rush Registered Well Driller COMPLETE MAIL ADDRESS Black River Falls Wis Rte 2 54615

COLIFORM TEST RESULT GAS - 24 HRS. GAS - 48 HRS. CONFIRMED REMARKS

AUG 17 1976

JUL 14 1976

NOTE:
White Copy - Division's Copy
Green Copy - Driller's Copy
Yellow Copy - Owner's Copy

WELL CONSTRUCTOR'S REPORT
Form 3300-15
Rev. 10-75

1. COUNTY Monroe CHECK (✓) ONE
 Town Village City Name La Trange

2. LOCATION NE 1/4 Section 17 Township 18N Range R1W 3 NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
 OR - Grid or Street No. Street Name ADDRESS Robert Super
 AND - If available subdivision name, lot & block No. POST OFFICE Rt #1
Tomah wis

4. Distance in feet from well to nearest: (Record answer in appropriate block)

Building	Sanitary Bldg. Drain	Sanitary Bldg. Sewer	Floor Drain Connected To	Storm Bldg. Drain	Storm Bldg. Sewer
<u>36</u>	C.I. Other	C.I. Other	C.I. Sewer Other Sewer	C.I. Other	C.I. Other

Street Sewer Other Sewers Foundation Drain Connected to Sewage Sump Clearwater Sump Septic Tank Holding Tank Sewage Absorption Unit

San. Storm C.I. Other Sewer Sewage Sump Clearwater Dr. C.I. Other Clearwater Sump

Privy Pet Waste Pit Pit Nonconforming Existing Subsurface Pumproom Barn Gutter Animal Barn Pen Animal Yard Silo With Pit Glass Lined Storage Facility Silo w/o Pit Earthen Silage Storage Trench Or Pit

Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type) Other (Give Description)

5. Well is intended to supply water for: Home 9 FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	Surface	<u>3</u>
<u>Sand rock</u>	<u>3</u>	<u>70</u>

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>10</u>	Surface	<u>30</u>			
<u>6</u>	<u>30</u>	<u>70</u>			

7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification & Method of Assembly	From (ft.)	To (ft.)
<u>6</u>	<u>Black steel 19 1/2</u> <u>7 x CASIMA 53</u>	Surface	<u>32</u>

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
<u>Neat cement</u>	Surface	<u>30</u>

10. TYPE OF DRILLING MACHINE USED

Cable Tool Rotary-hammer w/drilling mud & air Jetting with

Rotary-air w/drilling mud Rotary-hammer & air Air

Rotary-w/drilling mud Reverse Rotary Water

11. MISCELLANEOUS DATA

Well construction completed on June 5 1976

Yield Test: 5 Hrs. at 12 GPM Well is terminated 8 inches above final grade below

Depth from surface to normal water level 31 Ft. Well disinfected upon completion Yes No

Depth of water level when pumping 39 Ft. Stabilized Yes No Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on June 13 1976

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.



Signature Roy Bush Complete Mail Address Black River Falls wis R. 2 54615
 Registered Well Driller

WELL CONSTRUCTOR'S REPORT

DEPARTMENT OF RESOURCE DEVELOPMENT

W.O. 8223

Wel 6

1. COUNTY Monroe CHECK ONE NAME
 Town Village City LaGrange

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available.)
SE 1/4 Sec 17 T18N RLW

3. OWNER AT TIME OF DRILLING
Dean Handy

4. OWNER'S COMPLETE MAIL ADDRESS
Route 1 Tomah, Wisconsin 54487

5. Distance in feet from well to nearest: (Record answer in appropriate block)

BUILDING	SANITARY SEWER C. I.	TILE	FLOOR DRAIN C. I.	TILE	FOUNDATION DRAIN SEWER CONNECTED	INDEPENDENT	WASTE WATER DRAIN C. I.	TILE
12	--	--	15	--	--	--	15	--

CLEAR WATER DRAIN C. I.	TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
--	--	50	--	--	60	--	--	--	--

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)
--above indicates none

6. Well is intended to supply water for:
New Residence

7. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
8	Surface	42			
6	42	127			

10. FORMATIONS


Kind	From (ft.)	To (ft.)
Sand	Surface	7
Sandstone	7	127

8. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	New Std. Black Steel	Surface	42
	P.E. 18.97#		

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
Neat Cement	Surface	42



Well construction completed on 10/30 19 68

11. MISCELLANEOUS DATA
 Yield test: 1 Hrs. at 15 GPM

Well is terminated 8 inches above below final grade

Depth from surface to normal water level 68 ft.

Well disinfected upon completion Yes No

Depth to water level when pumping 85 ft.

Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: 10/30 19 68

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE
Richard Berkholtz, Pres. Registered Well Driller

COMPLETE MAIL ADDRESS
Berkholtz Drilling Co. Inc.
1170 Forest Lane, Brookfield, Wisconsin 53005

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS
----------------------	---------------	---------------	-----------	---------

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available.) S.W. 1/4 of Sec 17 T18N R1W

RECEIVED
AUG 25 1966

3. OWNER AT TIME OF DRILLING South Side Lbr Co

4. OWNER'S COMPLETE MAIL ADDRESS Yonah Wis

5. Distance in feet from well to nearest:

BUILDING	SANITARY SEWER	FLOOR DRAIN	FOUNDATION DRAIN	WASTE WATER DRAIN
C. I.	TILE	C. I.	TILE	C. I.
8	14	16	-	16
SEWER CONNECTED		INDEPENDENT		

CLEAR WATER DRAIN	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
C. I.	TILE							
-	-	50	80	-	-	-	-	-

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: Home

7. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
6	Surface	90			

10. FORMATIONS

Kind	From (ft.)	To (ft.)
Sand	Surface	27
Sandrock	27	90

8. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	Surface	33

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
None	Surface	



11. MISCELLANEOUS DATA

Yield test: 4 Hrs. at 12 GPM

Well construction completed on Aug 17 1966

Well is terminated 9 inches above below final grade

Depth from surface to normal water level 52 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 71 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: Aug 24 1966

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphoms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Rush Registered Well Driller COMPLETE MAIL ADDRESS Blk River Falls Wis R 2

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS

WELL CONSTRUCTOR'S REPORT
FORM 3300-15

FEB - 8 1973
NOTE

WHITE COPY - DIVISION'S COPY
GREEN COPY - DRILLER'S COPY
YELLOW COPY - OWNER'S COPY

STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES
Box 450
Madison, Wisconsin 53701

1 COUNTY <i>Monroe</i>		CHECK ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City			NAME <i>La Grange</i>							
2. LOCATION - $\frac{1}{4}$ Section <i>SE 1/4 E</i> Section <i>17</i> Township <i>18N</i> Range <i>1W</i>				3. OWNER AT TIME OF DRILLING <i>Ruaine Colkins Sr.</i>								
OR - Grid or street no		Street name		ADDRESS <i>R.#1</i>		POST OFFICE <i>Tonah Wis</i>						
4. Distance in feet from well to nearest. (Record answer in appropriate block)				BUILDING C. I.	SANITARY TILE	SEWER TILE	FLOOR DRAIN C. I.	FLOOR DRAIN TILE	FOUNDATION DRAIN SEWER CONNECTED	FOUNDATION DRAIN INDEPENDENT	WASTE WATER DRAIN C. I.	WASTE WATER DRAIN TILE
CLEAR WATER DRAIN C. I.	CLEAR WATER DRAIN TILE	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE			
OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc)												
5. Well is intended to supply water for: <i>Home</i>												
6. DRILLHOLE						9. FORMATIONS						
Dia (in)	From (ft)	To (ft)	Dia (in.)	From (ft)	To (ft.)	Kind	From (ft)	To (ft)				
<i>6</i>	<i>Surface</i>	<i>70</i>				<i>sand</i>	<i>Surface</i>	<i>26</i>				
						<i>sand rock</i>	<i>26</i>	<i>70</i>				
7. CASING, LINER, CURBING, AND SCREEN												
Dia (in)	Kind and Weight		From (ft)	To (ft)								
<i>6</i>	<i>Black steel 19# threaded new</i>		<i>Surface</i>	<i>30</i>								
8. GROUT OR OTHER SEALING MATERIAL						10. TYPE OF DRILLING MACHINE USED						
Kind			From (ft)	To (ft)	<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Direct Rotary	<input type="checkbox"/> Reverse Rotary					
			<i>Surface</i>		<input type="checkbox"/> Rotary - air w/drilling mud	<input type="checkbox"/> Rotary - hammer with drilling mud & air	<input type="checkbox"/> Jetting with <input type="checkbox"/> Air <input type="checkbox"/> Water					
11. MISCELLANEOUS DATA						Well construction completed on <i>January 30 1973</i>						
Yield test:	<i>4</i>	Hrs. at	<i>12</i>	GPM	Well is terminated	<i>8</i> inches	<input checked="" type="checkbox"/> above	<input type="checkbox"/> below	final grade			
Depth from surface to normal water level	<i>38</i>	ft.				Well disinfected upon completion	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No				
Depth to water level when pumping	<i>43</i>	ft.				Well sealed watertight upon completion	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No				
Water sample sent to <i>Madison</i>						laboratory on: <i>February 7 1973</i>						
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.												
SIGNATURE <i>Roy Grush</i>						COMPLETE MAIL ADDRESS <i>54615- Black River Falls Wis R. 2</i>						
Please do not write in space below												
COLIFORM TEST RESULT	GAS - 24 HRS		GAS - 48 HRS		CONFIRMED	REMARKS						

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available) NW 1/4 of Sec E 14 Sec 17 T18N R1W


3. OWNER AT TIME/OF DRILLING Robert Constant

4. OWNER'S COMPLETE MAIL ADDRESS Yonah Wis

5. Distance in feet from well to nearest: BUILDING SANITARY SEWER FLOOR DRAIN FOUNDATION DRAIN WASTE WATER DRAIN
 (Record answer in appropriate block) C. I. TILE C. I. TILE SEWER CONNECTED INDEPENDENT C. I. TILE
4 16 - - - - -

CLEAR WATER DRAIN SEPTIC TANK PRIVY SEEPAGE PIT ABSORPTION FIELD BARN SILO ABANDONED WELL SINK HOLE
 C. I. TILE
- - 53 - 70 - - - - -

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)



6. Well is intended to supply water for: New Home

7. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
6	Surface	110			

10. FORMATIONS

Kind	From (ft.)	To (ft.)
Sand	Surface	8
Soft sand rock	8	27
Sand rock - firm	27	74
Rock - Water bearing	74	110

8. CASING, LINER, CURBING, AND SCREEN

Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	Steel	Surface	31

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
None	Surface	

Well construction completed on Nov 8 1966

11. MISCELLANEOUS DATA

Yield test: 4 Hrs. at 12 GPM

Depth from surface to normal water level 74 ft.

Depth to water level when pumping 91 ft.

Well is terminated 10 inches above below final grade

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: Nov 14 1966

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Rush Registered Well Driller COMPLETE MAIL ADDRESS Blk River Falls Wis R2 54615

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS

1. COUNTY Monroe CHECK ONE Town Village City NAME La Grange

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available)
N.W. 1/4 S.E. 1/4 Sec 17 - T.18N. - R.1W

3. OWNER AT TIME OF DRILLING Robert Heagle

4. OWNER'S COMPLETE MAIL ADDRESS R#1 Tomah Wis

5. Distance in feet from well to nearest:

BUILDING C. I.	SANITARY SEWER TILE	FLOOR DRAIN C. I.	TILE	FOUNDATION DRAIN SEWER CONNECTED	INDEPENDENT	WASTE WATER DRAIN C. I.	TILE
8	24						

CLEAR WATER DRAIN C. I.	SEPTIC TANK TILE	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
		34		76				

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: Home

7. DRILLHOLE						10. FORMATIONS			
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind	From (ft.)	To (ft.)	
6	Surface	90				sand	Surface	26	
						sand rock	26	90	

8. CASING, LINER, CURBING, AND SCREEN				
Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)	
6	Black Steel 19 lb Threaded new	Surface	29	

9. GROUT OR OTHER SEALING MATERIAL		
Kind	From (ft.)	To (ft.)
	Surface	



11. MISCELLANEOUS DATA

Well construction completed on June 18 1966

Yield test: 6 Hrs. at 12 GPM Well is terminated 8 inches above below final grade

Depth from surface to normal water level 56 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 62 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison (By Owner) laboratory on: 19

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Roy Dush COMPLETE MAIL ADDRESS Black River Falls Wis R#2

Registered Well Driller 54615'

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS
----------------------	---------------	---------------	-----------	---------

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

WELL CONSTRUCTOR'S REPORT
 Form 3300-15 Rev 12-76

APR - 9 1978

1 COUNTY <u>Menasha</u>			CHECK (✓) ONE <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City			Name <u>La Grange</u>									
2 LOCATION OR - Grid or Street No. Street Name AND - If available subdivision name, lot & block No		1/2 Section <u>NE</u> Section <u>17</u> Township <u>18N</u> Range <u>1W</u>		3. NAME <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>Roseville Homes</u>		ADDRESS									
4. Distance in feet from well to nearest: (Record answer in appropriate block)				Building <u>10</u>		Sanitary Bldg. Drain C.I. Other		Sanitary Bldg. Sewer C.I. <u>15</u> Other		Floor Drain Connected To C.I. Sewer <u>17</u> Other Sewer		Storm Bldg. Drain C.I. Other		Storm Bldg. Sewer C.I. Other	
Street Sewer		Other Sewers		Foundation Drain Connected to		Sewage Sump		Clearwater Sump		Septic Tank		Holding Tank		Sewage Absorption Unit	
San. Storm		C.I. Other		Sewer Clearwater Dr		Sewage Sump Clearwater Sump		C.I. Other		<u>50</u>				Seepage Pit Seepage Bed Seepage Trench <u>7.5</u>	
Privy		Pet Waste Pit		Pit. Nonconforming Existing		Subsurface Pumproom		Barn Gutter		Animal Barn Pen		Animal Yard		Silo With Pit	
		Well Pump Tank		Nonconforming Existing								Glass Lined Storage Facility		Silo w/o Pit	
Temporary Manure Stack		Watertight Liquid Manure Tank		Solid Manure Storage Structure		Subsurface Gasoline or Oil Tank		Waste Pond or Land Disposal Unit (Specify Type)		Other (Give Description) <u>None</u>					
5. Well is intended to supply water for: <u>Home</u>					9. FORMATIONS										
6. DRILLHOLE					Kind										
Dia. (in.)		From (ft.)		To (ft.)		Dia. (in.)		From (ft.)		To (ft.)		From (ft.)		To (ft.)	
<u>8</u>		<u>Surface</u>		<u>63</u>		<u>6</u>		<u>63</u>		<u>128</u>		<u>Surface</u>		<u>15</u>	
					<u>Sand Stone (unstable)</u>										
					<u>Sandstone</u>										
7. CASING, LINER, CURBING AND SCREEN					Material, Weight, Specification & Method of Assembly										
Dia (in.)		From (ft.)		To (ft.)		Dia (in.)		From (ft.)		To (ft.)					
<u>6 3/8</u>		<u>Surface</u>		<u>63</u>		<u>6 3/8</u>		<u>Surface</u>		<u>63</u>					
<u>new black RL steel</u>					<u>19.99. H288 well well</u>										
<u>ASTMA 63</u>															
<u>Inter Lake steel</u>															
8. GROUT OR OTHER SEALING MATERIAL					10. TYPE OF DRILLING MACHINE USED										
Kind		From (ft.)		To (ft.)		<input type="checkbox"/> Cable Tool <input type="checkbox"/> Rotary-hammer w/drilling mud & air <input type="checkbox"/> Jetting with <input checked="" type="checkbox"/> Rotary-air w/drilling mud <input type="checkbox"/> Rotary-hammer & air <input type="checkbox"/> Air <input type="checkbox"/> Rotary-w/drilling mud <input type="checkbox"/> Reverse Rotary <input type="checkbox"/> Water									
<u>Cement Grout</u>		<u>Surface</u>		<u>63</u>		Well construction completed on <u>12-9</u> 19 <u>77</u>									
11. MISCELLANEOUS DATA					Well is terminated <u>12</u> inches <input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below										
Yield Test: <u>3</u>		Hrs. at <u>10</u>		GPM		Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No									
Depth from surface to normal water level <u>90</u>		Ft.		Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No											
Depth of water level when pumping <u>95</u>		Ft.		Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No											
Water sample sent to <u>La Crosse</u> laboratory on <u>3-22</u> 19 <u>78</u>					Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.										
Signature <u>Roy Quinn</u>					Complete Mail Address <u>R.R. #2 Halmar, Wis</u>										
Registered Well Driller															

Well Construction Report For
WISCONSIN UNIQUE WELL NUMBER AH736

State of Wisconsin
 Department of Natural Resources
 Private Water Supply - WS/2
 Box 7921
 Madison, WI 53707
 SEP 27 1988
 DNR-WCD

Property Owner: David Caauwe Telephone Number: none
 Mailing Address: Rt 1 Box 190 A
 City: Tomah State: WI Zip Code: 54660
 County: Monroe County Well Location: W Well Completion Date: 9/26/88

I. Location (Please type or print using a black pen.)
 Town City Village Fire # (if available) _____
 of LaGrange
 Grid or Street Address or Road Name and Number (if available) 23rd Lane
 Subdivision Name _____ Lot # _____ Block # _____

Well Constructor (Business Name) License #
Robert RUSH, SONS 181
 Address: Rt 4 Box 190
 City: Black River Falls, WI State: WI Zip Code: 54615

2. Mark well location in correct 40-acre parcel of section.
 N
 W E
 S

Gov't Lot # _____ or SW 1/4 of SE 1/4 of ??
 Section 8 T 18 N; R 1 E W

3. Well Type New
 Replacement Reconstruction/Rehabilitation
 of well constructed in 19 _____
 Reason for new, reconstructed, replaced, or rehabilitated well?
New Home
 Drilled Driven Point Jetted Other _____

4. Well serves 1 # of homes and/or _____
 (ex: barn, restaurant, church, school, industry, etc.)
 High Capacity Well? Yes No
 High Capacity Property? Yes No

5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings? Yes No
 Well Located in Floodplain? Yes No
 Distance In Feet From Well To Nearest:
 1. Landfill 7
 2. Building Overhang 90
 3. Septic or Holding Tank 90
 4. Sewage Absorption Unit _____
 5. Nonconforming Pit _____
 6. Buried Home Heating Oil Tank _____
 7. Buried Petroleum Tank _____
 8. Shoreline/Swimming Pool _____
 9. Downspout/Yard Hydrant _____
 10. Privy _____
 11. Foundation Drain to Clearwater _____
 12. Foundation Drain to Sewer _____
 13. Building Drain _____
 Cast Iron or Plastic Other _____
 14. Building Sewer 36 Gravity Pressure
 Cast Iron or Plastic Other _____
 15. Collector Sewer _____
 16. Clearwater Sump _____
 17. Wastewater Sump _____
 18. Paved Animal Barn Pen _____
 19. Animal Yard or Shelter _____
 20. Silo - Type _____
 21. Barn Gutter _____
 22. Manure Pipe Gravity Pressure
 Cast Iron or Plastic Other _____
 23. Other Manure Storage _____
 Other NR 112 Waste Source _____
 24. _____

6. Drillhole Dimensions
 Dia. (in.) From (ft.) To (ft.)
6 surface 110
 Method of constructing upper enlarged drillhole. (If applicable more than one.)
 1. Rotary - Mud Circulation
 2. Rotary - Air
 3. Rotary - Foam
 4. Reverse Rotary
 5. Cable-tool Bit in. dia.
 6. Temp. Outer Casing _____ in. dia.
 Removed? Yes No
 If no, explain _____
 7. Other _____

9. Geology
 Type, Caving/Noncaving, Color, Hardness, Etc. From (ft.) To (ft.)

<u>OS - Sandy Caving Soil</u>	surface	<u>33</u>
<u>NR - Sand Rock</u>	<u>33</u>	<u>110</u>

7. Casing, Liner, Screen
 Dia. (in.) Material, Weight, Specification From (ft.) To (ft.)
6 Black Plain end Steel surface 36
Schedule 40
A-120 - 18.47
Welded
Yieh-Hsing-Enterprise
Co. LTD
 Dia. (in.) screen type and material From To

10. Static Water Level 65 ft. below ground surface
 11. Pump Test
 Pumping Level 72 ft. below surface
 Pumping at 8 GPM for 6 hours
 12. Well Is:
 Above Grade
 Below Grade
 Developed? Yes No
 Disinfected? Yes No
 Capped? Yes No

8. Grout or Other Sealing Material
 Method From (ft.) To (ft.) # Sacks Cement
 Kind of Sealing Material
 surface

13. Were all unused, noncomplying, or unsafe wells properly filled with sealant?
 Yes No If no, explain None
 14. Signature of Well Constructor Robert L. Rush RLR Date Signed 9/25/88
 Signature of Drill Rig Operator Robert L. Rush RLR Date Signed 9/25/88

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

DEC 13 1985

1. COUNTY MONROE		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name LA GRANGE	
2. LOCATION Section or Gov't. Lot NE-SE OR - Grid or Street No. Street or Road Name		Section 9 Township 18N Range 1W		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> RENT AT TIME OF DRILLING CHECK (✓) ONE Mike Smith ADDRESS R2 Box 178 POST OFFICE TOMAH, WIS. ZIP CODE	
4. Distance in feet from well to nearest: (Record answer in appropriate block) 10'		Building Sanitary Bldg. Drain C.I. Other		Sanitary Bldg. Sewer C.I. Other	
Street Sewer San. Storm C.I. Other		Foundation Drain Connected to: Sewer Sewage Sump Clearwater Dr. Clearwater Sump		Clearwater Sump Septic Tank Holding Tank	
Privy Pet Waste Pit		Pit: Nonconforming Existing		Subsurface Pumproom Nonconforming Existing	
Temporary Manure Stack or Platform		Watertight Liquid Manure Tank or Basin		Manure Pressure Pipe	
Subsurface Gasoline or Oil Tank		Waste Pond or Land Disposal Unit (Specify Type)		Manure Storage Basin Concrete Floor and Partial Concrete Walls	
5. Well is intended to supply water for: Home		9. FORMATIONS			
6. DRILLHOLE		Kind		From (ft.)	To (ft.)
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
10	Surface	10	8	10	40
6	40	44			
7. CASING, LINER, CURBING AND SCREEN		Material, Weight, Specification		From (ft.) To (ft.)	
Dia. (in.)	Mfg. & Method of Assembly				
6	New B&K steel P.E.	Surface			
	280" USP				
	A120 EQUIV.			40	
	1200 PSI D.P.				
8. GROUT OR OTHER SEALING MATERIAL		Kind		From (ft.)	To (ft.)
Cement		Surface		40	
11. MISCELLANEOUS DATA		Yield Test: 1 Hrs. at 10 GPM		Well construction completed on 11-16 19 85	
Depth from surface to normal water level 10 Ft.		Well is terminated 24 inches <input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade			
Depth of water level when pumping 35 Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Water sample sent to C.T.A. laboratory on 11-16 19 85					
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.					
Signature 400 David Haupt		Business Name and Complete Mailing Address Haupt Well + Pump - Auburndale			
Registered Well Driller					

Well Construction Report For WISCONSIN UNIQUE WELL NUMBER AH551

State of Wisconsin
Department of Natural Resources
Private Water Supply - WS/2
Box 7921
Madison, WI 53707

DEC 15 1988

Property Owner: Terry Lee Meacham Telephone Number: 608 772 9166
 Mailing Address: Box 683 City: _____ State: _____ Zip Code: _____
 County: Tomah County Well Location Permit No.: W 42 Well Completion Date: 11/30/88

1. Location (Please type or print using a black pen.)
 Town City Village Fire # (if available) _____
 of La Grange
 Grid or Street Address or Road Name and Number (if available) _____

Well Constructor (Business Name): Gene Maurer and son License #: 296
 Address: RH City: _____ State: _____ Zip Code: _____
Black River Falls WI 54605

2. Mark well location in correct 40-acre parcel of section.
 N

	X	

 E
 S

Subdivision Name _____ Lot # _____ Block # _____
 Gov't Lot # _____ or SE 1/4 of NW 1/4 of Section 16; T 18 N; R 1 E W

3. Well Type New
 Replacement Reconstruction/Rehabilitation
 of well constructed in 19 _____
 Reason for new, reconstructed, replaced, or rehabilitated well?
New Home

4. Well serves 1 # of homes and/or _____ (ex: barn, restaurant, church, school, industry, etc.)
 High Capacity Well? Yes No
 High Capacity Property? Yes No

5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings? Yes No
 Well Located in Floodplain? Yes No
 Distance In Feet From Well To Nearest:
11 1. Landfill
none 2. Building Overhang
none 3. Septic or Holding Tank
 4. Sewage Absorption Unit
 5. Nonconforming Pit
 6. Buried Home Heating Oil Tank
 7. Buried Petroleum Tank
 8. Shoreline/Swimming Pool
 9. Downspout/Yard Hydrant
 10. Privy
 11. Foundation Drain to Clearwater
 12. Foundation Drain to Sewer
 13. Building Drain
 Cast Iron or Plastic Other
 14. Building Sewer Gravity Pressure
 Cast Iron or Plastic Other
 15. Collector Sewer
 16. Clearwater Sump
 17. Wastewater Sump
 18. Paved Animal Barn Pen
 19. Animal Yard or Shelter
 20. Silo - Type _____
 21. Barn Gutter
 22. Manure Pipe Gravity Pressure
 Cast Iron or Plastic Other
 23. Other Manure Storage _____
 Other NR 112 Waste Source _____
 24. _____

6. Drillhole Dimensions

Dia. (in.)	From (ft.)	To (ft.)
10	surface	31
6	31	90

 Method of constructing upper enlarged drillhole. (If applicable more than one.)
 1. Rotary - Mud Circulation
 2. Rotary - Air
 3. Rotary - Foam
 4. Reverse Rotary
 5. Cable-tool Bit 10 in. dia.
 6. Temp. Outer Casing 10 in. dia.
 Removed? Yes No
 If no, explain _____
 7. Other _____

9. Geology
 Type, Caving/Noncaving, Color, Hardness, Etc.

	From (ft.)	To (ft.)
GI - caving black dirt	surface	2
OS - caving brown sand	2	10
TN - brown sand rock	10	21
GN - gray sand rock	21	63
IN - white sand rock	63	90

7. Casing, Liner, Screen

Dia. (in.)	Material, Weight, Specification, Mfg. & Method of Assembly	From (ft.)	To (ft.)
6	Black steel 18 92 weld ASTM-A53 Taiwan	surface	34

 Dia. (in.) screen type and material _____ From _____ To _____

10. Static Water Level 60 ft. below ground surface
 11. Pump Test
 Pumping Level 67 ft. below surface
 Pumping at 10 GPM for 4 hours
 12. Well Is:
 Above Grade
 Below Grade
 Developed? Yes No
 Disinfected? Yes No
 Capped? Yes No

8. Grout or Other Sealing Material

Method	Kind of Sealing Material	From (ft.)	To (ft.)	# Sacks Cement
Tremie pipe gravity	Neat cement	surface	31	12

13. Were all unused, noncomplying, or unsafe wells properly filled with sealant?
 Yes No If no, explain _____
 14. Signature of Well Constructor Gene Maurer GM Date Signed 12-13-88
 Signature of Drill Rig Operator Mark Maurer MM Date Signed 12-13-88

Make additional comments on reverse side about geology, etc.
 407

DNR. ORIGINAL


Well Construction Report For WISCONSIN UNIQUE WELL NUMBER AG546

RECEIVED State of Wisconsin Department of Natural Resources Private Water Supply - WS/2 Box 7921 Madison, WI 53707
 JUL 08 1988 AUG 3 1988

Property Owner: C & R Construction Telephone Number: (608) 372-7862
 Mailing Address: R#2 Box 399
 City: Janesville State: WI Zip Code: 54660
 County: Monroe County Well Location Permit No.: W Well Completion Date: 06/13/88
M M D D Y Y

1. Location (Please type or print using a black pen.)
 Town City Village Fire # (if available)
 of La Grange
 Grid or Street Address or Road Name and Number (if available)
Bittersweet Ct.
 Subdivision Name Lot # Block #

Well Constructor (Business Name) License #
Robert Rush & Sons 181
 Address
R#4 Box 190 54660
 City State Zip Code
Blk. River Falls, WI



Gov't Lot # _____ or SE 1/4 of NW 1/4 of Section 16; T 18 N; R 1 E W

3. Well Type New
 Replacement Reconstruction/Rehabilitation

of well constructed in 19 _____
 Reason for new, reconstructed, replaced, or rehabilitated well?
New Construction
 Drilled Driven Point Jetted Other _____

4. Well serves 1 # of homes and/or _____
 (ex: barn, restaurant, church, school, industry, etc.)
 High Capacity Well? Yes No
 High Capacity Property? Yes No

5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings? Yes No
 Well Located in Floodplain? Yes No
 Distance In Feet From Well To Nearest:
 1. Landfill _____
 2. Building Overhang _____
 3. Septic or Holding Tank _____
 4. Sewage Absorption Unit _____
 5. Nonconforming Pit _____
 6. Buried Home Heating Oil Tank _____
 7. Buried Petroleum Tank _____
 8. Shoreline/Swimming Pool _____
 9. Downspout/Yard Hydrant _____
 10. Privy _____
 11. Foundation Drain to Clearwater _____
 12. Foundation Drain to Sewer _____
 13. Building Drain _____
 Cast Iron or Plastic Other _____
 14. Building Sewer Gravity Pressure
 Cast Iron or Plastic Other _____
 15. Collector Sewer _____
 16. Clearwater Sump _____
 17. Wastewater Sump _____
 18. Paved Animal Barn Pen _____
 19. Animal Yard or Shelter _____
 20. Silo - Type _____
 21. Barn Gutter _____
 22. Manure Pipe Gravity Pressure
 Cast Iron or Plastic Other _____
 23. Other Manure Storage _____
 Other NR 112 Waste Source _____
 24. _____

6. Drillhole Dimensions
 From To
 Dia. (in.) (ft.) (ft.)
6 surface 70
 Method of constructing upper enlarged drillhole. (If applicable more than one.)
 1. Rotary - Mud Circulation
 2. Rotary - Air
 3. Rotary - Foam
 4. Reverse Rotary
 5. Cable-tool Bit 6 in. dia.
 6. Temp. Outer Casing _____ in. dia.
 Removed? Yes No
 If no, explain _____
 7. Other _____

9. Geology
 Type, Caving/Noncaving, Color, Hardness, Etc. From (ft.) To (ft.)

<u>SS</u>	<u>Sandy Caving Material</u>	surface	<u>32</u>
<u>N</u>	<u>Sand Rock</u>	<u>32</u>	<u>70</u>

7. Casing, Liner, Screen
 Material, Weight, Specification From To
 Dia. (in.) Mfg. & Method of Assembly (ft.) (ft.)
6 Black Steel 18.97 surface 34
ASTMA-120
Yieh Hsing Enterprise Co.
LTD
Welded

10. Static Water Level
40 ft. below ground surface

11. Pump Test
 Pumping Level 46 ft. below surface
 Pumping at 8 GPM for 8 hours

12. Well Is:
 Above Grade
 Below Grade
10 in.
 Developed? Yes No
 Disinfected? Yes No
 Capped? Yes No

8. Grout or Other Sealing Material
 Method From To # Sacks
 Kind of Sealing Material (ft.) (ft.) Cement
 surface

13. Were all unused, noncomplying, or unsafe wells properly filled with sealant?
 Yes No If no, explain None

14. Signature of Well Constructor Robert L. Rush RLR Date Signed 7/6/88
 Signature of Drill Rig Operator Robert L. Rush RLR Date Signed 7/6/88

Well Construction Report For
WISCONSIN UNIQUE WELL NUMBER AG547

State of Wisconsin
 Department of Natural Resources
 Private Water Supply - WS/2
 Box 7921
 Madison, WI 53707
 AUG 3 1988
 DNR-WCD

Property Owner: P & R Construction Telephone Number: (608) 372-7862
 Mailing Address: Rt. 2 Box 399
 City: Tomah State: WI Zip Code: 54660
 County: Monroe County Well Location Permit No.: W
 Well Completion Date: 06/17/88

1. Location (Please type or print using a black pen.)
 Town City Village Fire # (if available)
 of LaGrange
 Grid or Street Address or Road Name and Number (if available)
Bittersweet Ct.
 Subdivision Name _____ Lot # _____ Block # _____

Well Constructor (Business Name) License #
Robert Bush & Sons 181
 Address
Rt. 4 Box 190
 City State Zip Code
Black River Falls WI 54615

2. Mark well location in correct 40-acre parcel of section.
 N

	X		

 W E
 S

Gov't Lot # _____ or SE 1/4 of NW 1/4 of Section 16; T 18 N; R 1 E W

3. Well Type New
 Replacement Reconstruction/Rehabilitation
 of well constructed in 19 _____.
 Reason for new, reconstructed, replaced, or rehabilitated well?
New Home
 Drilled Driven Point Jetted Other

4. Well serves 1 # of homes and/or _____
 (ex: barn, restaurant, church, school, industry, etc.)
 High Capacity Well? Yes No
 High Capacity Property? Yes No

5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings? Yes No
 Well Located in Floodplain? Yes No
 Distance In Feet From Well To Nearest:
 1. Landfill 30
 2. Building Overhang 65
 3. Septic or Holding Tank 90
 4. Sewage Absorption Unit _____
 5. Nonconforming Pit _____
 6. Buried Home Heating Oil Tank _____
 7. Buried Petroleum Tank _____
 8. Shoreline/Swimming Pool _____
 9. Downspout/Yard Hydrant _____
 10. Privy _____
 11. Foundation Drain to Clearwater _____
 12. Foundation Drain to Sewer _____
 13. Building Drain _____
 Cast Iron or Plastic Other
 14. Building Sewer 50' Gravity Pressure
 Cast Iron or Plastic Other
 15. Collector Sewer #40
 16. Clearwater Sump _____
 17. Wastewater Sump _____
 18. Paved Animal Barn Pen _____
 19. Animal Yard or Shelter _____
 20. Silo - Type _____
 21. Barn Gutter _____
 22. Manure Pipe Gravity Pressure
 Cast Iron or Plastic Other
 23. Other Manure Storage _____
 Other NR 112 Waste Source _____
 24. _____

6. Drillhole Dimensions
 From To
 Dia. (in.) (ft.) (ft.)
6 surface 70
 Method of constructing upper enlarged drillhole. (If applicable check more than one.)
 1. Rotary - Mud Circulation
 2. Rotary - Air
 3. Rotary - Foam
 4. Reverse Rotary
 5. Cable-tool Bit 6 in. dia.
 6. Temp. Outer Casing _____ in. dia.
 Removed? Yes No
 If no, explain _____
 7. Other _____

9. Geology
 Type, Caving/Noncaving, Color, Hardness, Etc. From (ft.) To (ft.)

<u>OS</u>	<u>Sandy Caving Material</u>	surface	<u>31</u>
<u>N</u>	<u>Sand Rock</u>	<u>31</u>	<u>70</u>

7. Casing, Liner, Screen
 Material, Weight, Specification From To
 Dia. (in.) Mfg. & Method of Assembly (ft.) (ft.)
6 Black Steel 18.97 surface 33
ASTMA-120 0.280
Yieh Hsing Enterprise Co. LTD.
Welded

Dia. (in.) screen type and material From To

10. Static Water Level
40 ft. below ground surface
 11. Pump Test
 Pumping Level 46 ft. below surface
 Pumping at 8 GPM for 8 hours
 12. Well Is:
 Above Grade
 Below Grade 10 in.
 Developed? Yes No
 Disinfected? Yes No
 Capped? Yes No

8. Grout or Other Sealing Material
 Method From To # Sacks
 Kind of Sealing Material (ft.) (ft.) Cement
 surface _____

13. Were all unused, noncomplying, or unsafe wells properly filled with sealant?
 Yes No If no, explain None
 14. Signature of Well Constructor Date Signed
Robert L. Rush RLR 7/6/88
 Signature of Drill Rig Operator Date Signed
Robert L. Rush RLR 7/6/88

RECEIVED
 JUL 26 1983

1. COUNTY Monroe CHECK (✓) ONE: Town Village City Name La Orange

2. LOCATION SE. 9. W. 16 18N 1W 3. NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE
 ADDRESS RI POST OFFICE Tomahawk Wis ZIP CODE 54660

AND - If available subdivision name, lot & block No.

4. Distance in feet from well to nearest: (Record answer in appropriate block)

Building	Sanitary Bldg. Drain	Sanitary Bldg. Sewer	Floor Drain Connected To:	Storm Bldg. Drain	Storm Bldg. Sewer					
<u>6</u>	C.I. Other	C.I. Other	C.I. Sewer Other Sewer	C.I. Other	C.I. Other					
Street Sewer	Other Sewers	Foundation Drain Connected to:	Sewage Sump	Clearwater Sump	Septic Tank	Holding Tank	Sewage Absorption Unit	Manure Hopper or Retention or Pneumatic Tank		
San. Storm	C.I. Other	Sewer Sewage Sump Clearwater Dr.	C.I. Other		<u>27</u>		Seepage Pit Seepage Bed <u>55</u> Seepage Trench			
Privy	Pit: Nonconforming Existing	Subsurface Pumproom	Barn Gutter	Animal Barn Pen	Animal Yard	Silo With Pit	Glass Lined Storage Facility	Silo w/o Pit	Earthen Silage Storage Trench Or Pit	Earthen Manure Basin
Pet Waste Pit	Well Tank	Nonconforming Existing								
Temporary Manure Stack or Platform	Watertight Liquid Manure Tank or Basin	Manure Pressure Pipe	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)	Manure Storage Basin	Concrete Floor Only	Concrete Floor and Partial Concrete Walls	Other (Describe)		

5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>6</u>	Surface	<u>90</u>			

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	Surface	<u>30</u>
<u>Sand rock</u>	<u>30</u>	<u>90</u>

7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification	From (ft.)	To (ft.)
<u>6</u>	<u>Besteel 1897</u> <u>2" W.P. ASTM A-53</u>	Surface	<u>33</u>

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
	Surface	

10. TYPE OF DRILLING MACHINE USED

Cable Tool Rotary-hammer w/drilling mud & air Jetting with

Rotary-air w/drilling mud Rotary-hammer & air Air

Rotary-w/drilling mud Reverse Rotary Water

11. MISCELLANEOUS DATA

Well construction completed on July 14 1983

Yield Test: 5 Hrs. at 10 GPM Well is terminated 8 inches above final grade below

Depth from surface to normal water level 50 Ft. Well disinfected upon completion Yes No

Depth of water level when pumping 58 Ft. Stabilized Yes No Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on July 25 1983

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature 410 Roy Bush Registered Well Driller Business Name and Complete Mailing Address Black River Falls Wis R5 54615

SEP 9 1982

1. COUNTY Monroe CHECK (✓) ONE: Town Village City Name La Grange

2. LOCATION NE-91.9W Section 16 Township 18N Range 1W 3. NAME OWNER AGENT AT TIME OF DRILLING CHECK (✓) ONE Ronald Ficks

OR - Grid or Street No. Street or Road Name ADDRESS RI

AND - If available subdivision name, lot & block No. POST OFFICE Tomah ZIP CODE 54660

4. Distance in feet from well to nearest: (Record answer in appropriate block)

Building	Sanitary Bldg. Drain	Sanitary Bldg. Sewer	Floor Drain Connected To:	Storm Bldg. Drain	Storm Bldg. Sewer
<u>5</u>	C.I. Other	C.I. Other	C.I. Sewer Other Sewer	C.I. Other	C.I. Other
			<u>30</u>		

Street Sewer	Other Sewers	Foundation	Drain Connected to	Sewage Sump	Clearwater Sump	Septic Tank	Holding Tank	Sewage Absorption Unit	Manure Hopper or Retention or Pneumatic Tank
San. Storm	C.I. Other	Sewer Clearwater Dr.	Sewage Sump Clearwater Sump	C.I. Other				Seepage Pit Seepage Bed Seepage Trench	
						<u>36</u>		<u>75</u>	

Privy	Pet Waste Pit	Pit: Nonconforming Existing	Subsurface Pumproom	Barn Gutter	Animal Barn Pen	Animal Yard	Silo With Pit	Glass Lined Storage Facility	Silo w/o Pit	Earthen Silage Storage Trench; Or Pit	Earthen Manure Basin
		Well Pump Tank	Nonconforming Existing								

Temporary Manure Stack or Platform	Watertight Liquid Manure Tank or Basin	Manure Pressure Pipe	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)	Manure Storage Basin	Other (Describe)
					Concrete Floor Only Concrete Floor and Partial Concrete Walls	

5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>6</u>	<u>Surface</u>	<u>100</u>			

7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification	Mfg. & Method of Assembly	From (ft.)	To (ft.)
<u>6</u>	<u>Blacksteel 18 27</u>	<u>2 1/2" A S T M A - 3 3</u>	<u>Surface</u>	<u>32</u>

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>Sand</u>	<u>Surface</u>	<u>29</u>
<u>Sand rock</u>	<u>29</u>	<u>100</u>

RECEIVED
 SEP 8 1982
 DNR - WCD

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
	<u>Surface</u>	

10. TYPE OF DRILLING MACHINE USED

<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Rotary-hammer w/drilling mud & air	<input type="checkbox"/> Jetting with
<input type="checkbox"/> Rotary-air w/drilling mud	<input type="checkbox"/> Rotary-hammer & air	<input type="checkbox"/> Air
<input type="checkbox"/> Rotary-w/drilling mud	<input type="checkbox"/> Reverse Rotary	<input type="checkbox"/> Water

11. MISCELLANEOUS DATA

Yield Test: 5 Hrs. at 10 GPM

Depth from surface to normal water level 54 Ft.

Depth of water level when pumping 62 Ft. Stabilized Yes No

Water sample sent to Madison laboratory on Sept 7 1982

Well construction completed on Aug. 27 1982

Well is terminated 8 inches above final grade below

Well disinfected upon completion Yes No

Well sealed watertight upon completion Yes No

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Roy Bush Registered Well Driller Business Name and Complete Mailing Address Black River Falls Wis 54615

AUG 1 1985

1. COUNTY Monroe		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City			Name La Grange	
2. LOCATION OR - Grid or Street No. Street or Road Name AND - If available subdivision name, lot & block No.		1/4 Section or Gov't. Lot NW NW	Section 17	Township 18N	Range 1W	3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE Walter Friske
4. Distance in feet from well to nearest: (Record answer in appropriate block)		Building 6'	Sanitary Bldg. Drain C.I. Other	Sanitary Bldg. Sewer C.I. Other	Floor Drain Connected To: C.I. Sewer Other Sewer	Storm Bldg. Drain C.I. Other
Street Sewer		Foundation Drain Connected to:		Sewage Sump C.I. Other	Clearwater Sump	Septic Tank
Other Sewers San. Storm C.I. Other		Sewage Absorption Unit Seepage Pit Seepage Bed Seepage Trench		Manure Hopper or Retention or Pneumatic Tank	Manure Storage Basin Concrete Floor Only Concrete Floor and Partial Concrete Walls	
Private Well		Subsurface Pumproom Nonconforming Existing		Barn Gutter	Animal Barn Pen	Animal Yard
Pit: Nonconforming Existing Well Pump Tank		Subsurface Gasoline or Oil Tank		Waste Pond or Land Disposal Unit (Specify Type)	Manure Storage Basin	Other (Describe)
5. Well is intended to supply water for: Private Home		9. FORMATIONS				
6. DRILLHOLE		7. CASING, LINER, CURBING AND SCREEN		10. TYPE OF DRILLING MACHINE USED		
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind
6"	Surface	100'	6"	Surface	34	Sand
						Sand Rock
						Surface
						32
						32
						100
8. GROUT OR OTHER SEALING MATERIAL		11. MISCELLANEOUS DATA		Well construction completed on 7-10 19 85		
Kind		From (ft.)	To (ft.)	Yield Test: 6 Hrs. at 10 GPM	Well is terminated 8 inches	<input checked="" type="checkbox"/> above final grade
		Surface		Depth from surface to normal water level 69 Ft.	Well disinfected upon completion	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
				Depth of water level when pumping 76 Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Well sealed watertight upon completion	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Water sample sent to Madison		laboratory on 7-23 19 85		Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.		
Signature 412 Robert L. Rush Registered Well Driller		Business Name and Complete Mailing Address Robert & Rush & Sons 54615 Rt. 4 Box 190 Black River Falls, WI				

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

AUG 1 1985

1. COUNTY <u>Monroe</u>		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name <u>La Grange</u>											
2. LOCATION 1/4 Section or Gov't. Lot <input checked="" type="checkbox"/> Section <u>17</u> Township <u>18N</u> Range <u>1W</u> OR - Grid or Street No. Street or Road Name AND - If available subdivision name, lot & block No.		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>Tim Kirska</u> ADDRESS <u>Rt. 1 Box 184</u> POST OFFICE <u>Tomah, WI</u> ZIP CODE <u>54660</u>													
4. Distance in feet from well to nearest: (Record answer in appropriate block) <u>7'</u>		Building		Sanitary Bldg. Drain		Sanitary Bldg. Sewer		Floor Drain Connected To:		Storm Bldg. Drain		Storm Bldg. Sewer			
		C.I.		Other		C.I.		Other		C.I.		Other			
Street Sewer		Other Sewers		Foundation Drain Connected to:		Sewage Sump		Clearwater Sump		Septic Tank		Holding Tank			
San.		Storm		C.I.		Other		Sewer		Clearwater Dr.		Clearwater Sump			
				Sewage Sump		Clearwater Sump		C.I.		Other		Sewage Absorption Unit			
				Clearwater Dr.		Clearwater Sump				35'		Seepage Pit			
				Clearwater Sump								Seepage Bed			
				Clearwater Sump								Seepage Trench			
Private		Pet Waste Pit		Pit: Nonconforming Existing		Subsurface Pumproom		Barn Gutter		Animal Barn Pen		Animal Yard			
				Well		Nonconforming Existing						Silo With Pit			
				Pump								Glass Lined Storage Facility			
				Tank								Silo w/o Pit			
Temporary Manure Stack or Platform		Watertight Liquid Manure Tank or Basin		Manure Pressure Pipe		Subsurface Gasoline or Oil Tank		Waste Pond or Land Disposal Unit (Specify Type)		Manure Storage Basin		Other (Describe)			
										Concrete Floor Only					
										Concrete Floor and Partial Concrete Walls					
5. Well is intended to supply water for: <u>Private Home</u>						9. FORMATIONS									
6. DRILLHOLE						Kind									
Dia. (in.)		From (ft.)		To (ft.)		Dia. (in.)		From (ft.)		To (ft.)		From (ft.)		To (ft.)	
6"		Surface		110								Sand		Surface 32	
												Sand Rock		32 110	
7. CASING, LINER, CURBING AND SCREEN															
Dia. (in.)		Material, Weight, Specification		From (ft.)		To (ft.)									
6"		Black Steel 18.47 Wld ASTM A 53		Surface		33'									
8. GROUT OR OTHER SEALING MATERIAL						10. TYPE OF DRILLING MACHINE USED									
Kind		From (ft.)		To (ft.)		<input checked="" type="checkbox"/> Cable Tool		<input type="checkbox"/> Rotary-hammer w/drilling mud & air		<input type="checkbox"/> Jetting with					
						<input type="checkbox"/> Rotary-air w/drilling mud		<input type="checkbox"/> Rotary-hammer & air		<input type="checkbox"/> Air					
						<input type="checkbox"/> Rotary-w/drilling mud		<input type="checkbox"/> Reverse Rotary		<input type="checkbox"/> Water					
11. MISCELLANEOUS DATA						Well construction completed on <u>7-5-85</u> 19									
Yield Test: <u>6</u>		Hrs. at <u>9</u>		GPM		Well is terminated <u>9</u> inches		<input checked="" type="checkbox"/> above final grade		<input type="checkbox"/> below					
Depth from surface to normal water level <u>81</u> Ft.		Well disinfected upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Well sealed watertight upon completion		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No							
Depth of water level when pumping <u>86</u> Ft.		Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No													
Water sample sent to <u>Madison</u> laboratory on <u>July 23</u> 19 <u>85</u>															
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.															
Signature <u>413</u> <u>Robert L. Rush</u> Registered Well Driller						Business Name and Complete Mailing Address <u>Robert Rush + Sons</u> <u>54615</u> <u>Rt. 4 Box 190 Black River Falls, WI</u>									

NOTE:

White Copy - Division's Copy
 Green Copy - Driller's Copy
 Yellow Copy - Owner's Copy

OCT 29 1985

1. COUNTY <u>Monroe</u>		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name <u>LaGrange</u>	
2. LOCATION 1/4 Section or Gov't. Lot <u>NW-NE</u> OR - Grid or Street No. Street or Road Name AND - If available subdivision name, lot & block No.		Section <u>17</u> Township <u>18N</u> Range <u>1W</u>		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <u>David Spaid</u> ADDRESS <u>Box 411</u> POST OFFICE <u>Tomah, Wis</u> ZIP CODE <u>54660</u>	
4. Distance in feet from well to nearest: (Record answer in appropriate block)		Building <u>12</u>		Sanitary Bldg. Drain C.I. Other	
		Sanitary Bldg. Sewer C.I. Other		Floor Drain Connected To: C.I. Sewer Other Sewer	
		Storm Bldg. Drain C.I. Other		Storm Bldg. Sewer C.I. Other	
Street Sewer		Other Sewers		Foundation Drain Connected to:	
San. Storm C.I. Other		Sewer Clearwater Dr.		Sewage Sump Clearwater Sump	
		Sewage Sump Clearwater Sump		Clearwater Sump	
Privy		Pet Waste Pit		Septic Tank	
Pit: Nonconforming Existing		Well		Holding Tank	
Subsurface Pumproom		Pump		Sewage Absorption Unit	
Nonconforming Existing		Tank		Seepage Pit	
Barn Gutter				Storage Bed	
Animal Barn Pen				Seepage Trench	
Animal Yard				Manure Hopper or Retention or Pneumatic Tank	
Silo With Pit					
Glass Lined Storage Facility					
Silo w/o Pit					
Earthen Silage Storage Or Pit					
Earthen Manure Basin					
Temporary Manure Stack or Platform		Watertight Liquid Manure Tank or Basin		Manure Pressure Pipe	
				Subsurface Gasoline or Oil Tank	
				Waste Pond or Land Disposal Unit (Specify Type)	
				Manure Storage Basin	
				Concrete Floor Only	
				Concrete Floor and Partial Concrete Walls	
				Other (Describe)	
5. Well is intended to supply water for: <u>New house</u>				9. FORMATIONS	
				Kind From (ft.) To (ft.)	
6. DRILLHOLE				<u>Sand</u> Surface 4	
Dia. (in.) From (ft.) To (ft.) Dia. (in.) From (ft.) To (ft.)				<u>Clay</u> 4 17	
<u>10</u> Surface <u>62</u>				<u>Sandstone</u> 17 100	
<u>6</u> <u>62</u> <u>100</u>					
7. CASING, LINER, CURBING AND SCREEN					
Material, Weight, Specification					
Mfg. & Method of Assembly					
Dia. (in.)		From (ft.)		To (ft.)	
<u>6</u>		<u>Surface</u>		<u>62</u>	
<u>18" new steel</u>					
<u>Astm-A-53 welded</u>					
<u>N.K.K</u>					
8. GROUT OR OTHER SEALING MATERIAL					
Kind		From (ft.)		To (ft.)	
<u>Drill Slurry</u>		<u>Surface</u>		<u>10</u>	
<u>Neat Cement</u>		<u>10</u>		<u>62</u>	
10. TYPE OF DRILLING MACHINE USED					
<input type="checkbox"/> Cable Tool		<input type="checkbox"/> Rotary-hammer w/drilling mud & air		<input type="checkbox"/> Jetting with	
<input type="checkbox"/> Rotary-air w/drilling mud		<input checked="" type="checkbox"/> Rotary-hammer & air		<input type="checkbox"/> Air	
<input type="checkbox"/> Rotary-w/drilling mud		<input type="checkbox"/> Reverse Rotary		<input type="checkbox"/> Water	
Well construction completed on <u>October 18</u> 19 <u>85</u>					
Well is terminated <u>12</u> inches <input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below					
Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
11. MISCELLANEOUS DATA					
Yield Test: <u>1</u> Hrs. at <u>20</u> GPM		Water sample sent to <u>Marshfield</u> laboratory on <u>October 18</u> 19 <u>85</u>			
Depth from surface to normal water level <u>62</u> Ft.					
Depth of water level when pumping <u>90</u> Ft.		Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.					
Signature <u>414 David Kline</u>			Business Name and Complete Mailing Address <u>Ditter Well Drilling, Box 176 Loyal, Wis 54446</u>		
Registered Well Driller					

Appendix E

Biological Information

E-1 – Species Occurring in the Central Sand Plains Ecological Landscape

E-2 – SEH Wetland Delineation Report, Wyeville Site, September 2011

E-3 – SEH Technical Memorandum Wetland Delineation Update, October 13, 2011

E-1 – Species Occurring in the Central Sand Plains Ecological Landscape

Species Occurring in the Central Sand Plains Ecological Landscape

Common Name	Scientific Name	Probability of Occurring*
<i>Birds</i>		
American Bittern	<i>Botaurus lentiginosus</i>	3
American Woodcock	<i>Scolopax minor</i>	3
Bald Eagle	<i>Haliaeetus leucocephalus</i>	3
Black Tern	<i>Chlidonias niger</i>	3
Black-billed Cuckoo	<i>Coccyzus erythrophthalmus</i>	3
Blue-winged Teal	<i>Anas discors</i>	3
Blue-winged Warbler	<i>Vermivora pinus</i>	3
Bobolink	<i>Dolichonyx oryzivorus</i>	3
Brown Thrasher	<i>Toxostoma rufum</i>	3
Dickcissel	<i>Spiza americana</i>	3
Eastern Meadowlark	<i>Sturnella magna</i>	3
Field Sparrow	<i>Spizella pusilla</i>	3
Golden-winged Warbler	<i>Vermivora chrysoptera</i>	3
Grasshopper Sparrow	<i>Ammodramus savannarum</i>	3
Greater Prairie-Chicken	<i>Tympanuchus cupido</i>	3
Henslow's Sparrow	<i>Ammodramus henslowii</i>	3
Least Flycatcher	<i>Empidonax minimus</i>	3
Lesser Scaup	<i>Aythya affinis</i>	3
Northern Harrier	<i>Circus cyaneus</i>	3
Osprey	<i>Pandion haliaetus</i>	3
Prothonotary Warbler	<i>Protonotaria citrea</i>	3
Red-headed Woodpecker	<i>Melanerpes erythrocephalus</i>	3
Red-shouldered Hawk	<i>Buteo lineatus</i>	3
Short-billed Dowitcher	<i>Limnodromus griseus</i>	3
Short-eared Owl	<i>Asio flammeus</i>	3
Trumpeter Swan	<i>Cygnus buccinators</i>	3
Upland Sandpiper	<i>Bartramia longicauda</i>	3
Veery	<i>Catharus fuscescens</i>	3
Vesper Sparrow	<i>Pooecetes gramineus</i>	3
Western Meadowlark	<i>Sturnella neglecta</i>	3
Whip-poor-will	<i>Caprimulgus vociferus</i>	3
Whooping Crane	<i>Grus Americana</i>	3
Willow Flycatcher	<i>Empidonax traillii</i>	3
Wood Thrush	<i>Hylocichla mustelina</i>	3
Yellow-billed Cuckoo	<i>Coccyzus americanus</i>	3
American Golden Plover	<i>Pluvialis dominica</i>	2
Canada Warbler	<i>Wilsonia canadensis</i>	2
Canvasback	<i>Aythya valisineria</i>	2
Cerulean Warbler	<i>Dendroica cerulea</i>	2
Connecticut Warbler	<i>Oporornis agilis</i>	2
Dunlin	<i>Calidris alpina</i>	2
Hudsonian Godwit	<i>Limosa haemastica</i>	2
King Rail	<i>Rallus elegans</i>	2
Lark Sparrow	<i>Chondestes grammacus</i>	2
Le Conte's Sparrow	<i>Ammodramus leconteii</i>	2
Louisiana Waterthrush	<i>Seiurus motacilla</i>	2
Northern Goshawk	<i>Accipiter gentilis</i>	2
Red Crossbill	<i>Loxia curvirostra</i>	2
Red-necked Grebe	<i>Podiceps grisegena</i>	2
Rusty Blackbird	<i>Euphagus carolinus</i>	2
Sharp-tailed Grouse	<i>Tympanuchus phasianellus</i>	2
Solitary Sandpiper	<i>Tringa solitaria</i>	2
Wilson's Phalarope	<i>Phalaropus tricolor</i>	2
Yellow Rail	<i>Coturnicops noveboracensis</i>	2
Acadian Flycatcher	<i>Empidonax virescens</i>	1
Barn Owl	<i>Tyto alba</i>	1

Species Occurring in the Central Sand Plains Ecological Landscape (Continued)

Common Name	Scientific Name	Probability of Occurring*
Black-backed Woodpecker	<i>Picoides arcticus</i>	1
Black-throated Blue Warbler	<i>Dendroica caerulescens</i>	1
Horned Grebe	<i>Podiceps auritus</i>	
Kirtland's Warbler	<i>Dendroica kirtlandii</i>	1
Loggerhead Shrike	<i>Lanius ludovicianus</i>	1
Marbled Godwit	<i>Limosa fedoa</i>	1
Northern Bobwhite	<i>Colinus virginianus</i>	1
Olive-sided Flycatcher	<i>Contopus cooperi</i>	1
Whimbrel	<i>Numenius phaeopus</i>	1
<i>Fish</i>		
Lake Sturgeon	<i>Acipenser fulvescens</i>	3
River Redhorse	<i>Moxostoma carinatum</i>	2
Western Sand Darter	<i>Ammocrypta clara</i>	2
Redfin Shiner	<i>Lythrurus umbratilis</i>	1
Redside Dace	<i>Clinostomus elongatus</i>	1
<i>Reptiles and Amphibians</i>		
Blanding's Turtle	<i>Emydoidea blandingii</i>	3
Four-toed Salamander	<i>Hemidactylium scutatum</i>	3
Mudpuppy	<i>Necturus maculosus</i>	3
Western Slender Glass Lizard	<i>Ophisaurus attenuatus</i>	3
Wood Turtle	<i>Glyptemys insculpta</i>	3
Bull Snake	<i>Pituophis catenifer</i>	2
Eastern Massasauga Rattlesnake	<i>Sistrurus catenatus catenatus</i>	2
Midland Smooth Softshell Turtle	<i>Apalone mutica</i>	2
Pickerel Frog	<i>Rana palustris</i>	2
Prairie Ringneck Snake	<i>Diadophis punctatus arnyi</i>	2
Yellow-bellied Racer	<i>Coluber constrictor</i>	2
Ornate Box Turtle	<i>Terrapene ornata</i>	1
Western Ribbon Snake	<i>Thamnophis proximus</i>	1
<i>Mammals</i>		
Franklin's Ground Squirrel	<i>Spermophilus franklinii</i>	3
Gray Wolf	<i>Canis lupus</i>	3
Eastern Red Bat	<i>Lasiurus borealis</i>	2
Hoary Bat	<i>Lasiurus cinereus</i>	2
Northern Long-eared Bat	<i>Myotis septentrionalis</i>	2
Prairie Vole	<i>Microtus ochrogaster</i>	2
Silver-haired Bat	<i>Lasionycteris noctivagans</i>	2
Water Shrew	<i>Sorex palustris</i>	2
White-tailed Jackrabbit	<i>Lepus townsendii</i>	2
Northern Flying Squirrel	<i>Glaucomys sabrinus</i>	1
Woodland Jumping Mouse	<i>Napaeozapus insignis</i>	1
Woodland Vole	<i>Microtus pinetorum</i>	1

*Note: 3 = "Significantly Associated," 2 = "Moderately Associated," and 1 = "Minimally Associated"

Source: Wisconsin Department of Natural Resources, Central Sand Plains Ecological Landscape – Species of Greatest Conservation Need; <<http://dnr.wi.gov/topic/landscapes/index.asp?mode=detail&Landscape=7#Physical>>

E-2 – SEH Wetland Delineation Report, Wyeville Site, September 2011

Wetland Delineation Report

Hi-Crush Proppants LLC

Wyeville Site

Town of Byron, Wisconsin

SEH No. REDOG 114987

September 2011



Multidisciplined. Single Source.
Trusted solutions for more than 75 years.



September 16, 2011

RE: Wyeville Site
Town of Byron, Wisconsin
Wetland Delineation Report
SEH No. REDOG 114987

Mr. Tyler Deines
Hi-Crush Proppants LLC
700 Parker Square #225
Flower Mound TX 75028

Dear Mr. Deines:

Please find enclosed the Wetland Delineation Report for the Wyeville Site near Wyeville, Wisconsin. This Report presents the results of the field delineation for wetlands performed on August 11, 2011 completed by Shanna Skallet and Natalie White. The field delineation included on-site identification, classification, and boundary determinations of wetland basins following the 1987 U.S. Army Corps of Engineers *Wetlands Delineation Manual* and 2009 *Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region*.

The attached report is for your records. Additional copies of this Report have been forwarded to Mr. Dan Helsel of the Wisconsin Department of Natural Resources and Mr. Bruce Norton of the U.S. Army Corps of Engineers. We will request a field review to obtain agency approval of the field delineation. We would like to schedule a field review to occur as soon as possible in September/October 2011 so that any boundary adjustments can be made immediately and this report can be finalized.

Thank you for the opportunity to provide wetland services to Hi-Crush Proppants LLC. Short Elliott Hendrickson Inc. (SEH[®]) is pleased to provide you with this information for your records and review. If you have any questions, please contact me directly at 715.720.6263 or via e-mail at sskallet@sehinc.com.

Sincerely,

A handwritten signature in black ink, appearing to read "S Skallet", is written over a light blue horizontal line.

Shanna Skallet
Biologist

c: Mr. Dan Helsel, WDNR
Mr. Bruce Norton, USACE

z:\pt\trcon\common\hi-crush wyeville (area 2)\wetland delineation\draft wetland delineation rep.docx

Wetland Delineation Report

Hi-Crush Proppants LLC Wyeville Site


Prepared for:
Mr. Tyler Deines
Hi-Crush Proppants LLC
700 Parker Square #225
Flower Mound TX 75028

Prepared by:
Short Elliott Hendrickson Inc.
421 Frenette Drive
Chippewa Falls, WI 54729-3374
715.720.6200


The procedures described in this report and the field methods used constitute an official wetland delineation in accordance with the 1987 U.S. Army Corps of Engineers *Wetlands Delineation Manual* and applicable *Regional Supplement*.

The field delineation was completed by Shanna Skallet and Natalie White. The methodology meets the standards and criteria described in the manual, and conforms to the applicable standards and regulations in force at the time the fieldwork was completed. The results reflect conditions present at the time of the delineation.

I hereby certify that this report was prepared by me or under my direct supervision.

Prepared by: 

Natalie White
Biologist

Reviewed by: 

Shanna Skallet
Biologist

Table of Contents

Letter of Transmittal
 Certification Page
 Table of Contents

	Page
1.0 Introduction	1
1.1 Site Description.....	1
2.0 Wetland Delineation	1
2.1 Wetlands Definition	1
2.2 Methodology	2
2.2.1 Resource Review	2
2.2.2 Field Procedures	2
2.3 Hydrophytic/Wetland Vegetation.....	3
2.4 Hydric/Wetland Soils	3
2.5 Hydrology.....	3
2.5.1 Wetland Classification.....	3
3.0 Results	3
3.1 Wetland 1 – Floodplain Forest (Type 1/PFO1A/T3K)	4
3.2 Wetland 2 – Fresh (wet) Meadow (Type 2/PEMB/E1K).....	4
3.3 Wetland 3 – Fresh (wet) Meadow/Deep Marsh (Type 2/4, PEMB/PEMF, E1K/E1H).....	4
3.4 Wetland 4 – Seasonally Flooded Basin (Type 1, PEMAf, E4Kf).....	5
3.5 Wetland 5 – Seasonally Flooded Basin (Type 1, PEMAf, E4Kf).....	5
3.6 Regulatory Considerations.....	6
4.0 Bibliography	7

List of Tables

Table 1 Wetland Characteristics	6
---------------------------------------	---

List of Figures

Figure 1	Site Location Map
Figure 2	2010 Aerial Photograph
Figure 3	Wisconsin Wetland Inventory Map
Figure 4	Monroe County Soil Survey Map
Figure 5	Wetland Location Map